

# Safety Data Sheet

# **Section 1. Identification**

Product name : ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23

Product code : 159744
Product type : Solid.

Date of issue/Date of : March 14 2023.

revision

Manufacturer - Supplier	Telephone no.:	Emergency phone:
Afpha Assembly Solutions Inc. Global Headquarters 140 Centennial Avenue Piscataway, NJ 08854	Toll Free: (800) 367-5460 Main Phone: (908) 791-3000	DOMESTIC NORTH AMERICA 202-464-2554
Macdermid Performance Solution Hong Kong Limited / Alpha Assembly Solutions 8/F., Paul Y. Centre, 51 Hung To Road, Kwun Tong, Kowloon, Hong Kong	852-31903100	852-31903100 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
MacDermid Performance Solutions Japan K.K. 480-28 Higashitoyoda, Hiratsuka-shi, Kanagawa, Japan	81-463-53-3333	87-463-53-3333 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
Assembly Solutions 111, Suwolam-gil, Seotan-myeon, Pyeongtaek-si, Gyeonggi-do, Republic of Korea	<b>32</b> -31-665-5093	82-31-499-1451 Ext 2 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
Alpha Assembly Solutions (Shanghai) Trading Co., Ltd. 2 floor, 5 Building, No.1151 Lianxi Road, Pudong New Area Shanghai 201204 P.R.China	86-21-63900600	86-532-83889090 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
Alpha Assembly Solutions (Taiwan) Limited No.20, Lane 12, Sec.2, Nan-Shan Rd., Luzhu District, Taoyuan City, 33860 Taiwan	886-3-3222721	886-3-3222721 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
MacDermid Performance Solutions, Cookson India Private Limited. Developed Plot no 16, North Phase, SIDCO Industrial estate, Ambattur, Chennai - 600098, India	044-26252666	044-26252666 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
Alpha Assembly Solutions 14 Tuas Avenue 10 Singapore 639138	65 68611977	65 68611977 IN TERNATION AL, CALL Carechem 24: +65 3158 1074
Alpha Assembly Solutions (Shenzhen) Co., Ltd. Tang Xia Yong Village, Songgang Town Baoan District, Shenzhen, Peoples Republic of China Postal Code: 518105	86 755 2705 1100	86 532 83889090 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
MacDermid Alpha Electronics Solutions 14 Joo Koon Crescent Singapore 629014	65 6430 0700	65 6430 0700 INTERNATIONAL, CALL Carechem 24: +65 3158 1074
Active Components (NZ) Ltd (Distributor) 2/14 Canaveral Drive Rosedale (0632), Auckland New Zealand	Tel: +64 9 443 9500	National Poisons Centre Free Phone: 0800 764 766 (0800 POISON) INTERNATIONAL, CALL Carechem 24: +65 3158 1074

### Section 2. Hazard identification

Classification of the substance or mixture SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 2

#### **GHS** label elements

**Hazard pictograms** 





Signal word : Danger

: Causes skin irritation. **Hazard statements** 

Causes serious eye damage.

Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention** : Wear protective gloves. Wear eye or face protection. Avoid release to the

environment. Wash thoroughly after handling.

: Collect spillage. Take off contaminated clothing and wash it before reuse. IF ON Response

SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

: Store locked up. **Storage** 

: Dispose of contents and container in accordance with all local, regional, national **Disposal** 

and international regulations.

Other hazards which do not : None known.

result in classification

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
<b>ti</b> ń	80-100	7440-31-5
antimony	1-10	7440-36-0
Aromatic alcohol.	1-10	-
surfactant	1-10	-
Organic acid	1-10	-
Alkoxylated alcohol.	1-10	-
surfactant	0.1-1.0	-

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 Page: 3/15 159744 March 14 2023.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** 

: Get medical attention immediately. Call a poison center or physician. Check for and remove any contact lenses. Immediately flush eyes with running water for at least 30 minutes, keeping eyelids open. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that mists are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** 

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Eet medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation.

**Ingestion**: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion** : Adverse symptoms may include the following:

stomach pains

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

### Section 4. First aid measures

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that mists are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

**Unsuitable extinguishing** media

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

metal oxide/oxides

Specific hazards arising from the chemical

: This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### Methods and materials for containment and cleaning up

**Small spill** 

: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 Page: 5/15 159744 March 14 2023.

### Section 6. Accidental release measures

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store between the following temperatures: 0 to 10°C (32 to 50°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

Ingredient name	Exposure limits
iin iin	ACGIH TLV (United States, 3/2017).
antimony	TWA: 2 mg/m³, (as Sn) 8 hours.  ACGIH TLV (United States, 3/2017).
	Notes: as Sb
	TWA: 0.5 mg/m³, (as Sb) 8 hours.

#### Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 Page: 6/15 159744 March 14 2023.

### Section 8. Exposure controls/personal protection

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

**Physical state** : Solid. [Paste.]

Color Gray. Odor Mild.

**Odor threshold** : Not available. pН : Not available. : Not available. **Melting point/freezing point** Boiling point, initial boiling : Not available. point, and boiling range

Flash point

: Closed cup: >93.333°C (>200°F) [Tag Closed Cup]

: Not available. **Evaporation rate** : Not available. **Flammability** Lower and upper explosion : Not applicable.

limit/flammability limit

: Not available. Vapor pressure Relative vapor density : Not applicable. **Relative density** : Not available.

Solubility Insoluble in the following materials: cold water and hot water.

VOC 54.2 q/l

Partition coefficient: n-

octanol/water

: Not applicable.

: Not applicable. **Auto-ignition temperature** : Not available. **Decomposition temperature** 

# Section 9. Physical and chemical properties and safety characteristics

Viscosity : Mot applicable.

Flow time (ISO 2431) : Mot available.

**Particle characteristics** 

Median particle size : Mot available.

### Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

**Possibility of hazardous**: Under normal conditions of storage and use, hazardous reactions will not occur. reactions

Conditions to avoid : No specific data.Incompatibility with various : Reactive or incompatible with the following materials: oxidizing materials, reducing

substances materials, acids, alkalis and moisture.

Slightly reactive or incompatible with the following materials: combustible materials,

organic materials and metals.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Hazardous polymerization**: Under normal conditions of storage and use, hazardous polymerization will not occur.

### **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
tin	LD50 Oral	Rat	>2000 mg/kg	-
antimony	LD50 Oral	Rat	100 mg/kg	-
Aromatic alcohol.	LD50 Oral	Rat	410 mg/kg	-
	LD50 Oral	Rat	>4300 mg/kg	-
surfactant	LD50 Oral	Rat	410 mg/kg	-
	LD50 Oral	Rat	>500 mg/kg	-
Organic acid	LD50 Oral	Rat	>2000 mg/kg	-
Alkoxylated alcohol.	LD50 Oral	Rat	1260 mg/kg	-
	LD50 Oral	Rat	1260 mg/kg	-
	LD50 Oral	Rat	2070 mg/kg	-
	LDLo Dermal	Rabbit	1260 mg/kg	-
surfactant	LD50 Dermal	Rat	>10 g/kg	-
	LD50 Oral	Rat	500 mg/kg	-
	LD50 Oral	Rat	500 mg/kg	-
	LD50 Oral	Rat	620 mg/kg	-
	LD50 Oral	Rat	689 mg/kg	-

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
romatic alcohol.	Eyes - Mild irritant	Mammal - species unspecified	-	12.5 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
Alkoxylated alcohol.	Eyes - Moderate irritant	Rabbit	-	24 hours 100 uL	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 uL	-

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 Page: 8/15 159744 March 14 2023.

# **Section 11. Toxicological information**

surfactant	Eyes - Moderate irritant	Rabbit	-	100	-
				milligrams	
	Eyes - Severe irritant	Rabbit	-	24 hours 100	-
				microliters	

#### **Sensitization**

Not available.

#### **Mutagenicity**

Product/ingredient name	Test	Experiment	Result
Aromatic alcohol.	-	Subject: Bacteria	Positive

#### **Carcinogenicity**

Not available.

#### Reproductive toxicity

Not available.

#### **Teratogenicity**

Not available.

### **Specific target organ toxicity (single exposure)**

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely

routes of exposure

: Dermal contact. Inhalation. Ingestion.

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion**: Adverse symptoms may include the following:

stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

# **Section 11. Toxicological information**

#### **Long term exposure**

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
<b>⊘</b> ral	6117.73 mg/kg

Page: 9/15

March 14 2023.

# **Section 12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
antimony	Acute LC50 18000 μg/l Daphnia - Daphnia magna		48 hours
	Acute LC50 22 mg/l Fresh water	Fish - Pimephales promelas	96 hours
Organic acid	Acute EC50 38900 mg/l	Daphnia	24 hours
	Acute LC50 >5000 mg/l	Fish	48 hours
Alkoxylated alcohol.	Acute LC50 1 to 10 mg/l	Fish	96 hours
surfactant	Acute LC50 2.6 μg/l Fresh water	Crustaceans - Thamnocephalus platyurus - Nauplii	48 hours
	Acute LC50 2350 μg/l Fresh water Acute LC50 650 μg/l Fresh water	Daphnia - Daphnia pulex Fish - Oncorhynchus mykiss	48 hours 96 hours

#### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Koxylated alcohol.	-	-	Readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Aromatic alcohol. Organic acid	2.6 -1.1	-	low low

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Page: 10/15

March 14 2023.

# **Section 14. Transport information**

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

#### **China**

SDS complies with the General Rules for Classification and Hazardous Communication of Chemicals GB-13690-2009, GB-30000 series, and GB/T 16438-2008.

#### List of Goods banned for Importing

None of the components are listed.

#### **Drug Precursors Requiring an Import/Export License**

None of the components are listed.

#### **Inventory of Hazardous Chemicals**

Ingredient name	Status
Antimony powder	Listed

#### **List of Explosive Precursors**

None of the components are listed.

#### List of Goods banned for Exporting

### Section 15. Regulatory information

None of the components are listed.

#### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

#### Catalogue and classification of drug precursor chemicals

None of the components are listed.

#### **Inventory of Highly Toxic Articles**

Ingredient name	Status
Antimony and compounds	Listed

Page: 11/15

March 14 2023.

#### **Catalogue of Hazardous Chemicals of Priority Management**

None of the components are listed.

#### Catalogue of Occupational Disease Hazard Factors - Dust

None of the components are listed.

#### Catalogue of Occupational Disease Hazard Factors - Chemical Factors

None of the components are listed.

#### **Other China Regulations**

Catalogue of Hazardous Chemicals (2015)

Classification & code of dangerous goods (GB 6944-2012)

Production Safety Law of the People's Republic of China

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Environmental Protection Law of the People's Republic of China

Regulation on Work Safety Licenses

Classification of transportation packing type of dangerous goods GB/T 15098-2008

General rules for classification and hazardous communication of chemicals GB 13690-2009

List of Dangerous Goods GB12268-2012

Occupational Exposure Limits (OELs) for hazardous chemicals GBZ 2.1-2007

Hazardous Chemicals Safety Management Ordinance China (2013 revised)

Safety data sheet for chemical products: content & order of sections GB/T 16483-2008

Rules for classification and labelling of chemicals GB30000-2013

Guidance on the compilation of safety data sheet for chemical products GB/T 17519-2013

#### **Japan**

#### **Fire Service Law**

None of the components are listed.

#### **ISHL**

#### Ordinance on the prevention of the hazard due to specified chemical substances

None of the components are listed.

Special Organic : Not applicable.

Solvents, etc.

#### Substances requiring labelling

Ingredient name	%	Status
√in and its compounds	≥80 - ≤90	Listed
Antimony and its compounds	≤10	Listed

#### **Chemicals requiring notification**

Ingredient name	%	Status
r∕in and its compounds	≥80 - ≤90	Listed
Antimony and its compounds	≤10	Listed
Amine	≤10	Listed
Triethanolamine	≤10	Listed

Page: 12/15 159744 March 14 2023.

# Section 15. Regulatory information

#### **Guideline for Preventing Health Hazard by chemical substances (Carcinogenicity)**

None of the components are listed.

#### **Mutagen**

None of the components are listed.

#### **Chemical Substances Control Law (CSCL)**

Ingredient name	%	Status
Koxylated alcohol.	1-10	Priority assessment

#### **Poisonous and Deleterious Substances**

None of the components are listed.

#### Pollutant Release and Transfer Registers (PRTR)

Ingredient name	%	Status
antimony and its compounds	≤10	Class 1

JSOH Carcinogen : Group 2B

#### Republic of Korea

#### A. Regulation according to ISHA

ISHA article 117 : None of the components are listed.

(Harmful substances prohibited from manufacture)

**ISHA** article 118 : None of the components are listed.

(Harmful substances requiring permission)

**Article 2 of Youth** : Not applicable.

**Protection Act on Substances Hazardous** 

to Youth

#### **Exposure Limits of Chemical Substances and Physical Factors**

The following components have an OEL:

**T**in Antimony Amine

**ISHA Enforcement Regs**: None of the components are listed.

**Annex 19 (Exposure** standards established for harmful factors)

: None of the components are listed. **ISHA Enforcement Regs** 

**Annex 21 (Harmful** factors subject to Work

**Environment** Measurement)

**ISHA Enforcement Regs**: None of the components are listed.

**Annex 22 (Harmful Factors Subject to Special Health Check-**

up)

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 159744 March 14 2023.

Page: 13/15

### Section 15. Regulatory information

Standard of Industrial

: None of the components are listed.

Safety and Health **Annex 12 (Hazardous** substances subject to

control)

B. Regulation according to Chemicals Control Act

**CCA Article 11 (TRI)** : Mone of the components are listed. Article 18 Prohibited (K- : None of the components are listed.

**Reach Article 27)** 

**Article 19 Subject to** 

: None of the components are listed.

authorization (K-Reach Article 25)

**Article 20 Toxic** 

: Not applicable

Chemicals (K-Reach

Article 20)

Ingredient name	CAS number	%
None of the components are listed.		

Article 20 Restricted (K- : None of the components are listed.

Reach Article 27)

**CCA Article 39 (Accident Precaution Chemicals)** 

Ingredient name	CAS number	%
None of the components are listed.		

### **Existing Chemical Substances Subject to**

Registration

Ingredient name	CAS number	%
None of the components are listed.		

C. Dangerous Materials **Safety Management Act**  : Not available.

D. Wastes regulation

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### <u>Malaysia</u>

Poison Act, Poison List - Schedule 1

Not applicable.

Poison Act, Poison List - Schedule 3

Not applicable.

#### **Singapore**

Singapore - hazardous chemicals under government control

None.

### **Taiwan**

SDS complies with the Regulation of Labeling and Hazard Communication of Hazardous Chemicals

**TCCSCA List of toxic chemicals** 

Not applicable.

### **TCCSCA List of concerned chemicals**

Not applicable.

ALPHA® WS-609 Solder Paste 95SN/5SB 88.5-3-M23 Page: 14/15 159744 March 14 2023.

### Section 15. Regulatory information

**OSHA Enforcement Rules** 

Article 28

: This product contains substances "Specially hazardous to health": 1,4-dioxane.

List of chemicals reputed to be a "threat of imminent

danger"

This product contains substances considered to be a "Threat of imminent danger":

tin, antimony.

**OSHA Article 29** : None of the components are listed.

**OSHA Article 30** : Employers shall not employ a pregnant female laborer to perform any potentially

dangerous or harmful work involving this product. (OSHA Art. 30 first part, par 5)

: Not applicable Regulation Governing Designation and Handling Permission of

**Controlled Chemicals** 

#### **International regulations**

**Inventory list** 

: Not determined. **Australia** 

Canada : At least one component is not listed in DSL but all such components are listed in

NDSL.

China : All components are listed or exempted. **Japan** : All components are listed or exempted.

**New Zealand** : Not determined. **Philippines** Not determined.

Republic of Korea : All components are listed or exempted.

**Taiwan** : Not determined.

**United States** : All components are listed or exempted.

### Section 16. Other information

**History** 

Date of issue/Date of

revision

: 3/14/2023

**Date of previous issue** : 1/24/2020 Version : 2.03

**Regulatory Affairs Department** 

enthone.msds@macdermidenthone.com

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

### Section 16. Other information

Classification	Justification
KIN CORROSION/IRRITATION - Category 2	Calculation method
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1	Calculation method
AQUATIC HAZARD (ACUTE) - Category 2	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 2	Calculation method

References : Not available.

▼ Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

4.9.04b4933 Alpha SDS GHS UN