

Revision Date: 06/30/2025

Section 1. Identification

Product identifier

Product Identity KG584, KG826, KG866, KG867 **Other means of identification** Krazy Glue All Purpose No-Run Gel

Relevant identified uses of the substance or mixture and uses advised against

Adhesive

Details of the supplier of the safety data sheet

Company Name Krazy Glue, Div. of Toagosei America Inc.

1450 West Main St,

West Jefferson, OH 43162 USA

Emergency

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid 4; H227 Skin corrosion/irritation category 2; H315 Serious eye damage / eye irritation, category 2A; H319

Specific target organ toxicity, Single exposure category 3;

H335

Combustible Liquid.
Causes skin irritation.

Causes serious eye irritation.

May cause respiratory

irritation.



Revision Date: 06/30/2025

Label elements



Warning

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust, fumes, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P332+313 If skin irritation occurs: Get medical attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+233+235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.



Revision Date: 06/30/2025

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the Organization for Economic Co-operation and Development (OECD) list of Per- and Polyfluoroalkyl Substances (PFASs).

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethyl 2-cyanoacrylate CAS Number: 7085-85-0 Synonyms: Ethyl cyanoacrylate, 2-Propenoic acid, 2- cyano-, ethyl ester, Cyanoacrylate	80 - 100	Serious eye damage / eye irritation, category 2; H319 Specific target organ toxicity, Single exposure category3; HH335 > 10% Skin corrosion/irritation categor2; H;H315	No data available
Methyl methacrylate polymer CAS Number: 9011-14-7 Synonyms: No available information	1 - 5	Not Classified	No data available

The actual concentration or concentration range is withheld as a trade secret.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eyes If eye contact occurs, hold eyelid open and rinse thoroughly but gently with only

water for 15 minutes and GET MEDICAL ATTENTION. Do not use any solvents to flush the eye and its surroundings. Liquid glue will sting eye temporarily.

Solidified glue may irritate like a grain of sand and should be treated by an eye

doctor.

^{*}PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 06/30/2025

Skin Remove contaminated clothing. Wash material off the skin with plenty of water.

If skin bonding occurs, soak in nail polish remover, acetone or warm water and

carefully peel or roll the skin apart (do not pull).

Ingestion Ensure airways are not obstructed. The product will polymerize upon contact

with the mouth and be almost impossible to swallow. Saliva will slowly separate

the product from the mouth. Do not induct vomiting. Immediately contact

poison control center or hospital emergency room.

Most important symptoms and effects, both acute and delayed

Overview Lachrymator Rapid polymerization will occur on skin with heat. If a quantity is

large, skin burn may occur. Treat symptomatically. See section 2 for further

details.

Inhalation May cause respiratory irritation.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; dry chemical, water spray, or carbon dioxide Unsuitable extinguishing media; Not Appliable

Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NOx).

Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Keep container tightly closed.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 128



Revision Date: 06/30/2025

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. Isolate the hazard area and deny entry to unnecessary and unprotected personal. Avoid breathing vapors. Ventilate area. Eliminate all sources of ignition.

Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Bonds skin instantly. Keep away from skin and eyes. Avoid breathing vapors. Keep away from ignition sources. Prevent buildup of electrostatic charge. Wash thoroughly after handling.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame.

Keep containers sealed when not in use.

Store out of direct sunlight.



Revision Date: 06/30/2025

Incompatible materials: Water, alcohol, basic compounds such as amines Exposure to small amounts, even air, causes polymerization and renders the product unusable.

See section 2 for further details. - [Storage]

Specific end use(s)

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
7085-85-0	Ethyl 2-cyanoacrylate	OSHA	No Established Limit
		ACGIH	0.2 ppm 1 ppm
		NIOSH	No Established Limit
011-14-7 Methyl methacrylate polymer		OSHA	No Established Limit
	ACGIH	No Established Limit	
		NIOSH	No Established Limit

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Eyes Wear safety goggles to protect the eyes. An eye wash station is suggested as

a good workplace practice.

Skin Avoid skin contact. Protective gloves recommended.

Engineering Provide adequate ventilation. Where reasonably practicable this should be

Controls achieved by the use of local exhaust ventilation and good general extraction.

If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection

must be worn.

Other Work Use good personal hygiene practices. Wash hands before eating, drinking,

Practices smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.



Revision Date: 06/30/2025

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical StateLiquidColorClearOdorIrritating

Odor thresholdNo available information

Melting point / freezing point -20°C/-4°F Initial boiling point and boiling range 62°C/144°F

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive Lower Explosive Limit: No available

limits information

Upper Explosive Limit: No available

information 83°C/181°F

Flash Point 83°C/181°F

Auto-ignition temperature

Decomposition temperature

PH

No available information

No available information

No available information

No available information

Viscosity (cps) 10,000 cps @ 25 ° C

Solubility in Water Insoluble

Partition coefficient n-octanol/water (Log No available information

Kow)

Vapor pressure (Pa) 0.13 (mmHg @20 °C), 17.33 (Pa @ 20 °C)

Relative Density 1.05 g/cm3 (Water = 1 @ 25 °C)

Vapor Density >1

Evaporation rate (Ether = 1)No available informationVOC Content0 g/L (SCAQMD Method 316B)Oxidizing propertiesNo available informationExplosive propertiesNo available information

Solubility Insoluble in water (causes rapid

polymerization)

Other information

No other relevant information.



Revision Date: 06/30/2025

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures, high humidity, and contact with incompatible material

Incompatible materials

Water, alcohol, basic compounds such as amines

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NOx).

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethyl 2-cyanoacrylate - (7085-85-0)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available.	No data available.	No data available.
Methyl methacrylate polymer - (9011-14-7)	No data available.	No data available.	No data available.	No data available.	No data available.



Revision Date: 06/30/2025

Carcinogen Data

CAS No.	Ingredient	Source	Value
7085-85-0	Ethyl 2-cyanoacrylate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
9011-14-7	Methyl methacrylate polymer	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

Possible routes of entry: No available information

Symptoms and effects, both acute and delayed:

Lachrymator Rapid polymerization will occur on skin with heat. If a quantity is large, skin burn may occur. Treat symptomatically.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

Section 12. Ecological information

Toxicity

Aquatic Ecotoxicity



Revision Date: 06/30/2025

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
Ethyl 2-cyanoacrylate - (7085-85-0)	No data available.	No data available.	No data available.
Methyl methacrylate polymer - (9011-14-7)	No data available.	No data available.	No data available.

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface	IMO / IMDG (Ocean	ICAO/IATA
	Transportation)	Transportation)	
UN number		Not Regulated	Not Regulated
UN proper		Not Regulated	Not Regulated
shipping name			
Transport hazard	Class:	Class: Not Applicable	Class: Not
class(es)	Sub Class: Not Applicable	Sub Class: Not	Applicable
		Applicable	Sub Class: Not
			Applicable
Packing group		Not Applicable	Not Applicable



Revision Date: 06/30/2025

Environmental hazards

IMDG Marine Pollutant: No; **Special precautions for user**

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-

inclusive, only selected regulations are represented.

Toxic Substance All components of this material are either listed or exempt from

Control Act (TSCA) listing on the TSCA Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Sulfur dioxide

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Revision Date: 06/30/2025

Proposition 65 Label Warning:

⚠

WARNING: This product can expose you to chemicals including [Sulfur dioxide], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

Revision Date

06/30/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Disclaimer: The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

End of Document