




# ROUND BEND U-BOLTS



NOTE:  
Hex Nuts  
are imported

Some sizes  
also available  
in Stainless Steel.  
See page 44.

U-Bolt Specifications					U-Bolts & 2 Nuts					U-Bolts, Plates & 2 Nuts				
Dia. & Thread (A)	I.D. (C)	Inside Length (B)	Thread Length (T)	For Pipe Size	Zinc Plated		Hot Galvanized		Wt Per 100	Zinc Plated		Hot Galvanized		Wt Per 100
					Stock #	Part #	Stock #	Part #		Stock #	Part #	Stock #	Part #	
1/4"-20	9/16"	1-1/4"	3/4"	1/4"	01	50005 0	01HG	53005 7	5	1	50205 4	1HG	53605 9	7
1/4"-20	3/4"	1-1/4"	5/8"	3/8"	02	50008 1	02HG	53008 8	5	2	50208 5	2HG	53608 0	7
1/4"-20	3/4"	2-1/4"	1-1/2"	3/8"	03	50011 1	03HG	53011 8	7	3	50211 5	3HG	53611 0	9
1/4"-20	1"	1-3/4"	1"	1/2"	04	50014 2	04HG	53014 9	7	4	50214 6	4HG	53614 1	9
1/4"-20	1"	2-3/4"	1-1/4"	1/2"	04L	50017 3	04LHG	53017 0	8	4L	50217 7	4LHG	53617 2	11
1/4"-20	1-1/8"	2"	1"	3/4"	05	50020 3	05HG	53020 0	7	5	50220 7	5HG	53620 2	9
1/4"-20	1-1/8"	3-1/8"	1-1/2"	3/4"	05L	50023 4	05LHG	53023 1	9	5L	50223 8	5LHG	53623 3	12
1/4"-20	1-1/4"	2-1/4"	1-1/4"	3/4"	06	50026 5	06HG	53026 2	7.5	6	50226 9	6HG	53626 4	10
1/4"-20	1-1/2"	2-3/4"	1-3/8"	1"	07	50029 6	07HG	53029 3	9	7	50229 0	7HG	53629 5	12
1/4"-20	1-3/4"	3"	1-3/8"	1-1/4"	08	50032 6	08HG	53032 3	9	8	50232 0	8HG	53632 5	12
1/4"-20	2"	3-1/4"	1-3/8"	1-1/2"	09	50035 7	09HG	53035 4	9.5	9	50235 1	9HG	53635 6	14
5/16"-18	1"	2-3/16"	1-3/8"	1/2"	010	50038 8	010HG	53038 5	11	10	50238 2	10HG	53638 7	14
5/16"-18	1-1/8"	2-3/16"	1"	3/4"	0101	50041 8	0101HG	53041 5	12	101	50241 2	101HG	53641 7	14.5
5/16"-18	1-3/8"	2-3/16"	1"	1"	011	50044 9	011HG	53044 6	12	11	50244 3	11HG	53644 8	15
5/16"-18	1-3/8"	3-5/8"	2"	1"	011L	50047 0	011LHG	53047 7	16	11L	50247 4	11LHG	53647 9	20
5/16"-18	1-1/2"	2-3/16"	1"	1"	012	50050 0	012HG	53050 7	12	12	50250 4	12HG	53650 9	15
5/16"-18	1-3/4"	2-11/16"	1-1/8"	1-1/4"	013	50053 1	013HG	53053 8	13	13	50253 5	13HG	53653 0	17.5
5/16"-18	1-3/4"	4-1/2"	2"	1-1/4"	013L	50056 2	013LHG	53056 9	19	13L	50256 6	13LHG	53656 1	24
5/16"-18	2"	2-11/16"	1"	1-1/2"	014	50059 3	014HG	53059 0	14	14	50259 7	14HG	53659 2	19
5/16"-18	2"	4-3/4"	3"	1-1/2"	014L	50062 3	014LHG	53062 0	20	14L	50262 7	14LHG	53662 2	25
5/16"-18	2-1/2"	3-3/16"	1"	2"	015	50065 4	015HG	53065 1	16	15	50265 8	15HG	53665 3	21
5/16"-18	2-1/2"	5-5/8"	3"	2"	015L	50068 5	015LHG	53068 2	23	15L	50268 9	15LHG	53668 4	29
5/16"-18	3"	3-11/16"	1"	2-1/2"	016	50071 5	016HG	53071 2	18	16	50271 9	16HG	53671 4	24
3/8"-16	1"	2-1/4"	1-1/4"	1/2"	017	50074 6	017HG	53074 3	17.5	17	50274 0	17HG	53674 5	22.5
3/8"-16	1-1/4"	2-1/4"	1-1/4"	3/4"	018	50077 7	018HG	53077 4	18	18	50277 1	18HG	53677 6	24
3/8"-16	1-1/2"	2-1/2"	1-1/4"	1"	019	50080 7	019HG	53080 4	18.5	19	50280 1	19HG	53680 6	26
3/8"-16	1-3/4"	2-3/4"	1-1/8"	1-1/4"	020	50083 8	020HG	53083 5	20	20	50283 2	20HG	53683 7	27.5
3/8"-16	2"	2-5/8"	1-1/4"	1-1/2"	021	50086 9	021HG	53086 6	20	21	50286 3	21HG	53686 8	29
3/8"-16	2-1/2"	3-1/8"	1-1/4"	2"	022	50089 0	022HG	53089 7	24.5	22	50289 4	22HG	53689 9	33
3/8"-16	3"	3-5/8"	1-1/4"	2-1/2"	023	50092 0	023HG	53092 7	26	23	50292 4	23HG	53692 9	38
3/8"-16	3"	6-5/8"	3"	2-1/2"	023L	50095 1	023LHG	53095 8	41	23L	50295 5	23LHG	53695 0	52.5
3/8"-16	3-1/2"	4-1/8"	1-1/4"	3"	024	50098 2	024HG	53098 9	30	24	50298 6	24HG	53698 1	42.5
1/2"-13	3"	4-1/2"	1-5/8"	2-1/2"	025	50101 9	025HG	53101 6	59	25	50301 3	25HG	53701 8	71
1/2"-13	3-1/2"	5"	1-1/2"	3"	026	50104 0	026HG	53104 7	64	26	50304 4	26HG	53704 9	78
1/2"-13	3-1/2"	8-1/2"	3"	3"	026L	50107 1	026LHG	53107 8	95	26L	50307 5	26LHG	53707 0	110
1/2"-13	4"	5-1/2"	1-1/2"	3-1/2"	027	50110 1	027HG	53110 8	70	27	50310 5	27HG	53710 0	87
1/2"-13	4-1/2"	6"	1-1/2"	4"	028	50113 2	028HG	53113 9	75	28	50313 6	28HG	53713 1	92.5
1/2"-13	5-5/8"	7-1/4"	2"	5"	029	50116 3	029HG	53116 0	90	N.A.	N.A.	N.A.	N.A.	N.A.
1/2"-13	6-3/4"	8-3/8"	2"	6"	030	50119 4	030HG	53119 1	101	N.A.	N.A.	N.A.	N.A.	N.A.
1/2"-13	8-3/4"	10-3/8"	2"	8"	031	50122 4	031HG	53122 1	120	N.A.	N.A.	N.A.	N.A.	N.A.
*3/4"-10	10-7/8"	13-13/16"	4"	10"	032	50125 5	032HG	53125 2	440	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	12-7/8"	16-1/16"	4-1/4"	12"	033	50128 6	033HG	53128 3	710	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	14-1/8"	17-5/16"	4-1/4"	14"	034	50131 6	034HG	53131 3	755	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	16-1/8"	19-5/16"	4-1/4"	16"	035	50134 7	035HG	53134 4	850	N.A.	N.A.	N.A.	N.A.	N.A.
*1"-8	18-1/8"	21-11/16"	4-3/4"	18"	036	50137 8	036HG	53137 5	1245	N.A.	N.A.	N.A.	N.A.	N.A.

\*Full Stock Dia. with Cut Thread. • See page 33 for dims of steel pipe. • Stock numbers followed by "L" denote long length u-bolts


# ROUND BEND U-BOLTS



Round Bend U-Bolts for Steel or Wrought Iron pipe sizes 1/4"-18" inclusive, are produced from low carbon steel and supplied with NC rolled threads and two (2) hex nuts (hex nuts are imported). In addition, U-Bolt plate is available if required. Zinc plated, hot galvanized and black oxide finishes are standard. Other types of coatings or self-colored available on a special basis. Round, Square or "V" type U-Bolts to 1" diameter manufactured to specifications in both ferrous and non-ferrous metals.

## ALUMINUM & BLACK OXIDE U-BOLTS WITH 2 NUTS

U-Bolt Specifications					Aluminum			Black Oxide		
Dia. & Thread (A)	I.D. (C)	Inside Length (B)	Thread Length (T)	For Pipe Size	Stock No.	Part No.	Weight Per 100	Stock No.	Part No.	Weight Per 100
1/4"-20	3/4"	1-1/4"	5/8"	3/8"	02AL	60008 8	1.5	02BO	04601 5	5
1/4"-20	3/4"	2-1/4"	1-1/2"	3/8"	03AL	N/A	1.5	03BO	04603 9	7
1/4"-20	1"	1-3/4"	1"	1/2"	04AL	60014 9	2	04BO	04605 3	7
1/4"-20	1-1/8"	2"	1"	3/4"	05AL	60020 0	2	05BO	04607 7	7
1/4"-20	1-1/4"	2-1/4"	1-1/4"	3/4"	06AL	N/A	3	06BO	N/A	7.5
1/4"-20	1-1/2"	2-3/4"	1-3/8"	1"	07AL	60029 3	3.5	07BO	04609 1	9
1/4"-20	1-3/4"	3"	1-3/8"	1-1/4"	08AL	60032 3	4	08BO	04611 4	9
1/4"-20	2"	3-1/4"	1-3/8"	1-1/2"	09AL	60035 4	4	09BO	N/A	9.5
5/16"-18	1"	2-3/16"	1-3/8"	1/2"	010AL	N/A	4.5	010BO	04613 8	11
5/16"-18	1-3/8"	2-3/16"	1"	1"	011AL	60044 6	5	011BO	04615 2	12
5/16"-18	1-1/2"	2-3/16"	1"	1"	012AL	N/A	5	012BO	04617 6	12
5/16"-18	1-3/4"	2-11/16"	1-1/8"	1-1/4"	013AL	N/A	5.2	013BO	04619 0	13
5/16"-18	2"	2-11/16"	1"	1-1/2"	014AL	60059 0	5.2	014BO	04621 3	14
5/16"-18	2-1/2"	3-3/16"	1"	2"	015AL	60065 1	5.5	015BO	04623 7	16
5/16"-18	3"	3-11/16"	1"	2-1/2"	016AL	N/A	5.5	016BO	04625 1	18
3/8"-16	1"	2-1/4"	1-1/4"	1/2"	017AL	N/A	6	017BO	04627 5	17.5
3/8"-16	1-1/4"	2-1/4"	1-1/4"	3/4"	018AL	N/A	6	018BO	04629 9	18
3/8"-16	1-1/2"	2-1/2"	1-1/4"	1"	019AL	60080 4	6.5	019BO	04631 2	18.5
3/8"-16	1-3/4"	2-3/4"	1-1/8"	1-1/4"	020AL	N/A	7	020BO	04633 6	20
3/8"-16	2"	2-5/8"	1-1/4"	1-1/2"	021AL	60086 6	7	021BO	N/A	20
3/8"-16	2-1/2"	3-1/8"	1-1/4"	2"	022AL	60089 7	7.1	022BO	04635 0	24.5
3/8"-16	3"	3-5/8"	1-1/4"	2-1/2"	023AL	N/A	8.5	023BO	04637 4	26
3/8"-16	3-1/2"	4-1/8"	1-1/4"	3"	024AL	60098 9	10.5	024BO	04639 8	30
1/2"-13	3"	4-1/2"	1-5/8"	2-1/2"	025AL	N/A	20.5	025BO	04641 1	59
1/2"-13	3-1/2"	5"	1-1/2"	3"	026AL	60104 7	22.5	026BO	04643 5	64
1/2"-13	4"	5-1/2"	1-1/2"	3-1/2"	027AL	N/A	25	027BO	04645 9	70
1/2"-13	4-1/2"	6"	1-1/2"	4"	028AL	60113 9	27	028BO	04647 3	75
1/2"-13	5-5/8"	7-1/4"	2"	5"	029AL	N/A	32	029BO	04649 7	90
1/2"-13	6-3/4"	8-3/8"	2"	6"	030AL	60119 1	36	030BO	N/A	101



Some sizes also available in Stainless Steel. See page 44.

\*Full Stock Diameter with Cut Thread

## DIMENSIONS OF WELDED AND SEAMLESS STEEL PIPE

Pipe Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	5"	6"	8"	10"	12"	14"	16"	18"
Outside Dia.	.540"	.675"	.840"	1.05"	1.315"	1.66"	1.90"	2.375"	2.875"	3.500"	4.000"	4.500"	5.563"	6.625"	8.625"	10.750"	12.750"	14.000"	16.000"	18.000"


## U-BOLT DISPLAY



U-BOLT DISPLAY PART # 60040 8			
Qty.	Stock #	Pipe Size	Thread Dia.
10	4	1/2"	1/4"-20
10	5	3/4"	1/4"-20
10	5L	3/4"	1/4"-20
10	7	1"	1/4"-20
10	11	1"	5/16"-18
10	11L	1"	5/16"-18
10	13	1-1/4"	5/16"-18
10	13L	1-1/4"	5/16"-18
10	14	1-1/2"	5/16"-18
10	14L	1-1/2"	5/16"-18
10	15	2"	5/16"-18
10	15L	2"	5/16"-18
10	22	2"	3/8"-16
10	24	3"	3/8"-16

140 U-Bolts Shipping Wt. .... 35 lbs.

## U-BOLT PLATES



U-Bolt plates are low carbon cold rolled steel with rounded edges and zinc plated or hot galvanized finish. Plate holes are punched "on centers" of corresponding size U-Bolt and identified by stock numbers.


Dimensions - Inches		
For U-Bolt Diameter	Gauge	Width
1/4" and 5/16"	.078"	.750"
3/8" and 1/2"	.109"	1.000"



# ROUND BEND LONG TANGENT U-BOLTS



**Zinc Plated**



**Hot Galvanized**



Some sizes also available in Stainless Steel. See page 45.

NOTE:  
Hex Nuts are imported


## ZINC PLATED & HOT GALVANIZED LONG TANGENT U-BOLTS WITH 4 NUTS

U-Bolt Specifications						Zinc Plated		Hot Galvanized	
Diameter (A)	Inside Width (C)	Inside Length (B)	Thread Length (T)	Pipe Size	Weight Per 100	Stock No.	Part No.	Stock No.	Part No.
1/4"-20	7/8"	2-15/16"	2-1/2"	1/2"	9	LT-B	51460 6	LT-BHG	53165 8
1/4"-20	1-1/8"	3-3/16"	2-1/2"	3/4"	10	LT-C	51465 1	LT-CHG	53175 7
1/4"-20	1-3/8"	3-7/16"	2-1/2"	1"	11	LT-D	51470 5	LT-DHG	53180 1
3/8"-16	15/16"	3"	2-3/8"	1/2"	24	LT-1	51505 4	LT-1 HG	53205 1
3/8"-16	1-1/8"	3-5/16"	2-3/8"	3/4"	25.5	LT-2	51510 8	LT-2 HG	53210 5
3/8"-16	1-3/8"	3-7/16"	2-3/8"	1"	26.5	LT-3	51515 3	LT-3 HG	53215 0
3/8"-16	1-11/16"	3-23/32"	2-3/8"	1-1/4"	28	LT-4	51520 7	LT-4 HG	53220 4
3/8"-16	2"	4"	2-1/2"	1-1/2"	30	LT-5	51525 2	LT-5 HG	53225 9
3/8"-16	2-7/16"	4-7/16"	2-1/2"	2"	33	LT-6	51530 6	LT-6 HG	53230 3
1/2"-13	2-15/16"	5-7/32"	3"	2-1/2"	71	LT-7	51535 1	LT-7 HG	53235 8
1/2"-13	3-9/16"	5-3/4"	3"	3"	77	LT-8	51540 5	LT-8 HG	53240 2
1/2"-13	4-1/16"	6-1/4"	3"	3-1/2"	82	LT-9	51545 0	LT-9 HG	53245 7
1/2"-13	4-9/16"	6-3/4"	3"	4"	89	LT-10	51550 4	LT-10 HG	53250 1
1/2"-13	5-5/8"	7-13/16"	3"	5"	101	LT-11	51555 9	LT-11 HG	53255 6
5/8"-11	6-3/4"	9-1/2"	3-3/4"	6"	194.5	LT-12	51560 3	LT-12 HG	53260 0
5/8"-11	8-3/4"	11-1/8"	3-3/4"	8"	223.5	LT-13	51565 8	LT-13 HG	53265 5
3/4"-10	10-7/8"	13-13/16"	4"	10"	460	LT-14	51570 2	LT-14 HG	53270 9



# SQUARE BEND U-BOLTS

Furnished with 3/8" nuts and flat washers.

## ZINC PLATED & HOT GALVANIZED SQUARE BEND U-BOLTS WITH 2 NUTS & 2 WASHERS



**Zinc Plated**



**Hot Galvanized**

U-Bolt Specifications					Zinc Plated		Hot Galvanized	
Diameter (A)	Inside Width (C)	Overall Length (B)	Thread Length (T)	Weight Per 100	Stock No.	Part No.	Stock No.	Part No.
3/8"-16	2"	3"	1-1/2"	25.5	SB-1	51005 9	SB-1HG	53405 5
3/8"-16	2"	5"	3"	35.5	SB-2	51010 3	SB-2HG	53410 9
3/8"-16	2"	7"	3-3/4"	44.5	SB-3	51015 8	SB-3HG	53415 4
3/8"-16	4"	3"	1-1/2"	29.5	SB-4	51020 2	SB-4HG	53420 8
3/8"-16	4"	5"	3"	40	SB-5	51025 7	SB-5HG	53425 3
3/8"-16	4"	7"	3-3/4"	49.5	SB-6	51030 1	SB-6HG	53430 7
3/8"-16	6"	5"	3"	44.5	SB-7	51035 6	SB-7HG	53435 2
3/8"-16	6"	7"	3-3/4"	56	SB-8	51040 0	SB-8HG	53440 6
3/8"-16	6"	9"	5-5/8"	63	SB-9	51045 5	SB-9HG	53445 1

Also available in Stainless Steel. See page 45.

NOTE:  
Hex Nuts and Washers are imported