


FELCO C9 - Industrial

Cable cutter - Steel cable cutter

Made in Switzerland by FELCO



9mm/0.35in. 325mm/12.8in. 750g/26.5oz.





- > **Reliable:** unbreakable hardened handles made of forged aluminium with a lifetime guarantee / blades and fastenings in high-quality hardened steel / parts subject to wear and tear can be replaced
- > **Efficient:** clean, precise cut without crushing the cable thanks to the triangular cutting system / easy and durable cutting adjustment
- > **Ergonomic:** lightweight handles / helpful lever effect / comfortable plastic coating

RECOMMENDED FOR


Our recommendation (★ = Recommended, ★★ = Strongly recommended, ★★★ = Best fit)

Cables, wire-drawing mills	★★★
Springs industry	★★★
Electricity, telecommunications	★★★
Oil industry	★★★
Automotive, pneumatics industry	★★★
Rail transport	★★★
Gondola lifts, cable cars, ski-lifts, life-lines	★★★
Watersports	★★★
Harbour activities	★★★
Forestry Industry	★★★
Agriculture, viticulture	★★★
DIY, leisure, floral arrangements	★★★
Civil engineering, buildings	★★★
Repair and manufacturing workshops	★★★
Small hand	★★★
Average-sized hand	★★★
Large hand	★★★
Right-handed	★★★
Left-handed	★★★

CUTTING CAPACITIES

Material	Maximum cutting diameter
Galvanized steel cables, textile core	9mm (0.35in)
Galvanized steel cables, steel core	8mm (0.31in)
Hard steel cables, resistance 160 kg/mm ²	7mm (0.28in)
Non-oxidable steel cables, resistance 190 kg/mm ²	6mm (0.24in)
Extra tough cables and strands, resistance 210 kg/mm ²	5mm (0.2in)
Electric cables (copper or aluminium) with steel core)	9mm (0.35in)
Aluminum- or copper rods	9mm (0.35in)
Iron rods, resistance 60 kg/mm ²	7mm (0.28in)
Tempered spring wire	3mm (0.12in)
Welded wire mesh	
Rubber conveyor belt	

THE POINTS OF EXCELLENCE



High-strength blades

Hardened and tempered knives for cutting the strongest of cables.



Triangular cutting action

FELCO's innovative triangular cut allows you to progressively cut cable wires and at the same time avoid squashing of strands. Thanks to this feature, it is generally not necessary to tie the cable before the cut.



Forged aluminum handles

Lightweight, strong and sturdy thanks to special aluminum alloys and advanced precision forging methods. Equipment comes with a lifetime guarantee*.

ACCESSORIES


















FELCO 980
Maintenance product
Spray



FELCO 990
Maintenance product
Grease

SPARE PARTS



FELCO	REF.	Designation	Composition	UCC Barcode
	C9/5	Blade	1x C9/5	 7 83929 40347 2
	C9/90	Kit	1x C9/6 + 1x C9/7 + 2x C9/8	 7 83929 40351 9
	C9/2	Handle with coating and pin	1x C9/2 + 1x C9/3 + 1x C9/4	 7 83929 40344 1
	C9/3	Coating	1x C9/3	 7 83929 40345 8
	C9/4	Pin	1x C9/4	 7 83929 40346 5
	C9/10	Hexagon screw	1x C9/10	 7 83929 40342 7
	C9/11	Counter nut	1x C9/11	 7 83929 40343 4


MAINTENANCE



Oiling

After cleaning, it is advisable to oil the tool so as to protect it from corrosion. The oil will also unjam the tool.

PARTS REPLACEMENT



Changing the blades

If the tool is no longer cutting properly and has already been resharpened on a number of occasions, or when its cutting edge is no longer holding firm when cutting, change the blades!