



\* NOTE KEEP LOAD CENTERED AND STABLE AT ALL TIMES DURING LIFTING. ONLY QUALIFIED PERSONNEL SHOULD USE THIS DEVICE. SAFE RIGGING & LIFTING PRACTICES SHALL BE USED AT ALL TIMES.

CAUTION AVOID PINCH POINTS.

REVISION HISTORY						
REV.	DESCRIPTION	DATE	APPROVED			
0	PRELIMINARY	02-12-19	RL			
1	INTERNAL UPDATES	12-01-23	00			





<sup>125</sup>õin

DRAWING APPROVAL BY
DATE
AS DRAWNAS NOTED

## **GENERAL NOTES:**

- 1. WELDING PER AWS D1.1.
- 2. ENSURE BASE STRUCTURE IS CAPABLE OF HANDLING FORCES APPLIED BY PADEYE.
- 3. ORIENT PADEYE IN DIRECTION OF SLING TO MINIMIZE SIDE LOAD.
- 4. TESTING SHALL BE PERFORMED AS PER BLP PROCEDURE TO 2.0 X RATED CAPACITY.
- 5. BREAK ALL EDGES AND CORNERS UNLESS OTHERWISE SPECIFIED, CHAMFER EDGES APPROX. 1/8".
- 6. THIS PADEYE MEETS OR EXCEEDS ANSI/ASME B30.20 BELOW THE HOOK LIFTING DEVICES REQUIREMENTS.
- 7. COATING SYSTEM SHALL BE COLD GALVANIZED.
- 8. DESIGN TEMP. -20 DEG F TO 150 DEG F.

TOLERANCE UNLESS NOTED	CHECK OFF			5
ALL FRACTIONAL ± 1/16"	ACTION	APP.	DATE	
. 0 ± 0. 1 . 00 ± 0. 02	DESIGN	RL	02-12-19	
. 000 ± 0. 005	DRAWN	RL	02-12-19	T.
ANGULAR TOLERANCE	ENG.	CH	02-12-19	
ALL ANGULAR DIM. ± 1°	CHK.	CH	12-07-23	
UNLESS NOTED ALL MACHINED SURFACES PER ASME/ANSI B46.1	PROJEC	T: J0B #	UPEB-03500	TH Pi
	ALL FRACTIONAL ± 1/16" .0 ± 0.1 .00 ± 0.02 .000 ± 0.005  ANGULAR TOLERANCE UNLESS NOTED ALL ANGULAR DIM. ± 1"  UNLESS NOTED ALL MACHINED SURFACES PER	ALL FRACTIONAL ± 1/16"  .0 ± 0. 01 .00 ± 0. 02 .000 ± 0. 005  ANGULAR TOLERANCE UNLESS NOTED ALL ANGULAR DIM. ± 1°  UNLESS NOTED ALL MACHINED SUFFACES PER	ALL FRACTIONAL ± 1/16"  .0 ± 0.01 .00 ± 0.002 .000 ± 0.005  ACTION APP.  DESIGN RL  DRAWN RL  ANGULAR TOLERANCE UNLESS NOTED ALL ANGULAR DIM. ± 1°  UNLESS NOTED ALL MACHINED SUFFACES PER	ALL FRACTIONAL ± 1/16"  .0 ± 0. 1 .00 ± 0. 02 .000 ± 0. 005  ANGULAR TOLERANCE UNLESS NOTED ALL ANGULAR DIM. ± 1*  UNLESS NOTED ALL MACHINED SURFACES PER  ACTION APP. DATE  DESIGN RL 02-12-19  DRAWN RL 02-12-19  CHK. CH 12-07-23

WWW. LIFTING. COM · (713) 674-2266 BISHOP LIFTING PRODUCTS

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION,
DATA CONTAINED WITHIN IS TO BE USED FOR INTENDED
PURPOSES ONLY. NO DUPLICATION OR DISCLOSURE ALLOWED
WITHOUT PRIOR WRITTEN CONSENT FROM BISHOP LIFTING
PRODUCTS INC. ALL DUPLICATES SHALL BE RETURNED OR
DESTROYED IMMEDIATELY UPON REQUEST! 125 McCARTY DRIVE HOUSTON, TEXAS 77029

ITLE

BLP PLATE MOUNTED PAD EYE

RC 35 METRIC TONS DWG NO. HIRD ANGLE PEP-03500

PROJECTION SCALE:NTS | EST. WT. 127 LBS B SIZE

SHEET 1 OF 1

REV.