

# Forestry Products


# SKOOKUM®

Guaranteed Tough Since 1890

## 101 Screw Pin Shackle

With 1/8" oversize screw pin; most commonly used shackle for general rigging


PART NO.	SIZE (S)	WLL (TONS)	P	J	B	R	WEIGHT
610105	5/8"	6.00	0.75	0.88	1.38	2.25	1.50
610106	3/4"	9.00	0.88	1.00	1.63	2.75	2.50
610107	7/8"	12.00	1.00	1.13	1.75	3.00	3.50
610108	1"	16.00	1.13	1.25	2.00	3.25	4.50
610109	1 1/8"	18.00	1.25	1.38	2.13	3.50	6.00
610110	1 1/4"	21.00	1.38	1.50	2.25	4.00	8.00
610111	1 3/8"	26.00	1.50	1.63	2.63	4.50	11.00
610112	1 1/2"	31.00	1.63	1.75	2.88	5.00	15.00
610113	1 5/8"	35.00	1.75	1.88	3.13	5.25	19.00
610114	1 3/4"	41.00	2.00	2.25	3.25	6.00	21.00
610116	2"	52.00	2.25	2.50	3.63	6.50	30.00



## 102 Bolt Type Shackle

Same bale configuration as above #101; pin is complete with nut and molly hole. This shackle is frequently referred to as a **Bolt Type** pin shackle.

PART NO.	SIZE (S)	WLL (TONS)	P	J	B	R	WEIGHT
610205	5/8"	6.00	0.75	0.88	1.38	2.25	2.00
610206	3/4"	9.00	0.88	1.00	1.63	2.75	2.50
610207	7/8"	12.00	1.00	1.13	1.75	3.00	4.50
610208	1"	16.00	1.13	1.25	2.00	3.25	5.00
610209	1 1/8"	18.00	1.25	1.38	2.13	3.20	7.00
610210	1 1/4"	21.00	1.38	1.50	2.25	4.00	9.00
610211	1 3/8"	26.00	1.50	1.63	2.63	4.50	12.00
610212	1 1/2"	31.00	1.63	1.75	2.88	5.00	16.00
610213	1 5/8"	35.00	1.75	1.88	3.13	5.25	20.00
610214	1 3/4"	41.00	2.00	2.25	3.25	6.00	23.00
610216	2"	52.00	2.25	2.50	3.63	6.50	35.00



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING



**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

Distributed By



**WESTECH RIGGING SUPPLY**

Visit Us Online at: [www.WestechRigging.com](http://www.WestechRigging.com) 4140 West 11th Avenue  
Eugene, Oregon 97402


Call Us Toll Free at: 800-442-7475 2439 McGilchrist St SE  
Salem, Oregon 97302

Call Us or Visit Our Stores: Monday - Friday, 8:00am - 5:30pm Pacific

## 105 Straight Side / Screw Pin Shackle

### SPECIFICATIONS DIMENSIONS


PART NO.	SIZE (S)	WLL (TONS)	WEIGHT	P	J	R
610504	1/2"	4.00	1.00	0.63	0.75	2.25
610505	5/8"	6.00	1.50	0.75	0.88	2.50
610506	3/4"	9.00	2.50	0.88	1.00	2.75
610507	7/8"	12.00	3.50	1.00	1.13	3.00
610508	1"	16.00	4.50	1.13	1.25	3.50
610509	1 1/8"	18.00	6.00	1.25	1.38	3.75
610510	1 1/4"	21.00	8.00	1.38	1.50	4.25
610511	1 3/8"	26.00	10.00	1.50	1.63	5.00
610512	1 1/2"	31.00	15.00	1.63	1.75	5.50
610514	1 3/4"	41.00	21.00	2.00	2.25	6.00



## 106 Straight Side / Bolt Type Shackle

With nut and molly hole

PART NO.	SIZE (S)	WLL (TONS)	P	J	R
610604	1/2"	4.00	0.63	0.75	2.25
610605	5/8"	6.00	0.75	0.88	2.50
610606	3/4"	9.00	0.88	1.00	2.75
610607	7/8"	12.00	1.00	1 1/8"	3.00
610608	1"	16.00	1.13	1.25	3.50
610609	1 1/8"	18.00	1.25	1.38	3.75
610610	1 1/4"	21.00	1.38	1.50	4.50
610611	1 3/8"	26.00	1.50	1.63	5.00
610612	1 1/2"	31.00	1.63	1.75	5.50
610613	1 5/8"	41.00	2.00	2.25	6.00
610614	1 3/4"	52.00	2.25	2.50	6.50



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:


- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 108 Hanging Shackle

Bale has a deep spread with a wide bell. Pin is secured with a jam nut and molly hole.


PART NO.	SIZE (S)	WLL (TONS)	P	J	B	R	WEIGHT
610805	5/8"	6.00	0.75	0.88	2.00	3.00	3.50
610806	3/4"	9.00	0.88	1.00	2.38	3.50	4.00
610807	7/8"	12.00	1.00	1.13	2.63	4.00	4.50
610808	1"	16.00	1.13	1.25	3.00	5.00	6.00
610809	1 1/8"	18.00	1.25	1.38	3.25	5.50	7.50
610810	1 1/4"	21.00	1.38	1.50	3.75	6.00	10.00
610811	1 3/8"	26.00	1.50	1.63	4.00	6.50	15.00
610812	1 1/2"	31.00	1.63	1.75	4.25	7.00	17.00
610813	1 5/8"	35.00	1.75	1.88	4.63	7.50	21.00
610814	1 3/4"	41.00	2.00	2.25	5.00	8.00	28.00
610816	2"	52.00	2.25	2.50	5.50	8.50	37.00



## 109 Knock Out Pin Shackle

Complete with #108 Shackle bale

PART NO.	SIZE (S)	WLL (TONS)	P	J	B	R	WEIGHT
610906	3/4"	9.00	0.88	1.00	2.38	3.50	3.50
610907	7/8"	12.00	1.00	1.13	2.63	4.00	4.00
610908	1"	16.00	1.13	1.25	3.00	5.00	6.00
610909	1 1/8"	18.00	1.25	1.38	3.25	5.50	7.50
610910	1 1/4"	21.00	1.38	1.50	3.75	6.00	10.00
610911	1 3/8"	26.00	1.50	1.63	4.00	6.50	15.00
610912	1 1/2"	31.00	1.63	1.75	4.25	7.00	17.00
610913	1 5/8"	35.00	1.75	1.88	4.63	7.50	21.00
610914	1 3/4"	41.00	2.00	2.25	5.00	8.00	28.00
610916	2"	52.00	2.25	2.50	5.50	8.50	37.00



## 109 Knock Out Pin

Pin Only



PART NO.	DIAM.	WEIGHT
109006	7/8"	1.10
109007	1"	1.60
109008	1 1/8"	2.10
109009	1 1/4"	3.00
109010	1 3/8"	4.40
109011	1 1/2"	5.00
109012	1 5/8"	5.70
109013	1 3/4"	7.00

Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:


- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 110 Flush Pin Shackle

Pin threads into the shackle, hole will accommodate a 1/2" drive


PART NO.	SIZE (S)	WLL (TONS)	P	J	R	WEIGHT
611005	5/8"	6.00	0.75	1.00	2.25	1.50
611006	3/4"	9.00	0.88	1.00	1.88	2.00
611007	7/8"	12.00	1.00	1.13	2.00	2.50
611008	1"	16.00	1.13	1.25	2.25	4.10
611009	1 1/8"	18.00	1.25	1.38	2.75	5.00
611010	1 1/4"	21.00	1.38	1.50	3.25	7.00
611011	1 3/8"	26.00	1.50	1.63	4.00	10.00
611012	1 1/2"	31.00	1.63	1.75	4.25	11.00
611013	1 5/8"	32.00	1.75	1.88	4.63	14.00
611014	1 3/4"	41.00	2.00	2.25	5.00	17.00



## 110S Flat Bottom / Flush Pin Shackle

Shackle Complete

PART NO.	SIZE (S)	WLL (TONS)	P	J	R	WEIGHT
611056	3/4"	9.00	0.88	1.13	2.75	3.00
611057	7/8"	12.00	1.00	1.25	2.75	4.00
611058	1"	16.00	1.125	1.25	3.25	4.30




Flush Pin Roller available on request



## 112 Arch Hook Shackle

Complete Shackle has a slight bell in the bale.

PART NO.	SIZE (S)	WLL (TONS)	P	J	B	R	WEIGHT
611206	3/4"	9.00	0.88	1.00	1.13	1.88	2.00
611208	1"	16.00	1.13	1.25	1.38	2.25	4.50
611209	1 1/8"	18.00	1.25	1.38	1.50	2.38	6.00
611210	1 1/4"	21.00	1.38	1.50	1.63	2.75	8.00
611211	1 3/8"	26.00	1.50	1.63	1.75	3.00	12.00




SEE WARNING PAGE FOR IMPORTANT NOTE REGARDING FORESTRY PRODUCT RATINGS DETAIL

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 174 Butt Rigging Shackle

Shackle Complete with pin

PART NO.	SIZE (S)	P	J	R	WLL (TONS)	WEIGHT
617406	3/4"	0.88	0.94	2.50	9.00	3.00
617407	7/8"	1.00	1.00	2.75	12.00	4.80
617408	1"	1.13	1.19	3.07	16.00	5.80
617409	1 1/8"	1.25	1.38	3.75	18.00	8.30
617410	1 1/4"	1.38	1.50	4.00	21.00	10.00
617411	1 3/8"	1.50	1.69	4.25	26.00	15.00
617412	1 1/2"	1.63	1.81	4.50	31.00	19.00
617413	1 5/8"	1.75	1.94	5.00	35.00	21.00
617414	1 3/4"	1.88	2.13	5.50	41.00	23.00



## 118i Intergal Swivel Buzzard Hook

PART NO.	SIZE	WEIGHT
611811i	1 3/8"	12.00
611812i	1 1/2"	15.00
611814i	1 3/4"	17.00

Latch repair kit part #611711K



## 117 Buzzard Hook

PART NO.	LINE SIZE	SIZE	WEIGHT
611711	1/2"	1 3/8"	11.00
611712	5/8"	1 1/2"	12.00
611714	3/4"	1 3/4"	14.00
611716	7/8"	2"	18.00
611718	1.00"	2 1/4"	22.00
611720	1 1/8"	2 1/2"	30.00

Latch repair kit part #611711K



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 113 Cross Eye / (Reverse Eye)

T-Point Arch Hook

PART NO.	SIZE	LINE SIZE	SHACKLE SIZE	WEIGHT
611310TP	1 1/4"	1/2	3/4	5.00
611312TP	1 1/2"	3/4	1	6.00
611313TP	1 5/8"	3/4	1	7.00
611314TP	1 3/4"	7/8	1 1/8	9.00
611315TP	1 7/8"	7/8	1 1/4	12.00
611316TP	2"	1	1 1/4	15.00
611317TP	2 1/8"	1	1 3/8	18.00
611318TP	2 1/4"	1 1/8	1 3/8	20.00
611320TP	2 1/2"	1 1/4	1 3/8	25.00



## 114 Straight Eye / (Regular Eye)

Arrow Point Arch Hook

PART NO.	SIZE	LINE SIZE	SHACKLE SIZE	WEIGHT
611410PP	1 1/4"	1/2	3/4	5.50
611410PP	1 1/2"	3/4	1	7.00
611410PP	1 5/8"	3/4	1	8.00
611410PP	1 3/4"	7/8	1 1/8	10.00
611410PP	1 7/8"	7/8	1 1/4	14.00
611410PP	2"	1.00	1 1/4	16.00
611410PP	2 1/8"	1.00	1 3/8	19.00
611410PP	2 1/4"	1 1/8	1 3/8	22.00
611410PP	2 1/2"	1 1/4	1 3/8	27.00



## 115 Line Hook (Cross Eye)

PART NO.	SIZE	LINE SIZE	HOLE SIZE	JAW OPENING	WEIGHT
611506CE	3/4"	0.25	0.50	0.88	0.80
611507CE	7/8"	0.38	0.63	1.00	1.00
611508CE	1"	0.38	0.75	1.13	1.00
611509CE	1 1/8"	0.44	0.88	1.25	2.50
611510CE	1 1/4"	0.50	1.00	1.38	4.00
611511CE	1 3/8"	0.56	1.13	1.50	5.00
611512CE	1 1/2"	0.63	1.13	1.63	6.00
611514CE	1 3/4"	0.75	1.13	1.75	8.50



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 115 Line Hook (Straight Eye)

PART NO.	SIZE	LINE SIZE	HOLE SIZE	JAW OPENING	WEIGHT
611506SE	3/4"	0.25	0.50	0.88	0.80
611507SE	7/8"	0.38	0.63	1.00	1.00
611508SE	1"	0.38	0.75	1.13	1.00
611509SE	1 1/8"	0.44	0.88	1.25	2.50
611510SE	1 1/4"	0.50	1.00	1.38	4.00
611511SE	1 3/8"	0.56	1.13	1.50	5.00
611512SE	1 1/2"	0.63	1.13	1.63	6.00
611514SE	1 3/4"	0.75	1.13	1.75	8.50



## 116 Flat Choker Hook

Order by Line Size. Intended for regular wire rope, not swaged wire rope.

PART NO.	LINE SIZE	SIZE	HOLE SIZE	WEIGHT
611603	3/8"	1/2 x 1 1/2	0.63	0.80
611604	1/2"	5/8 x 2	0.69	1.00
611605	5/8"	3/4 x 2	0.75	2.00
611606	3/4"	7/8 x 2 1/2	0.88	3.00
611607	7/8"	1 x 3	1.00	5.00
611608	1"	1 1/8 x 3 1/2	1.13	7.00
611609	1 1/8"	1 1/4 x 4	1.25	10.00
611610	1 1/4"	1 1/2 x 5	1.50	15.00



## 125 Skidding Tong

PART NO.	SIZE	SPREAD	WEIGHT
612507	7/8"	14"	14.00
612508	1"	16"	16.00
612509	1 1/8"	20"	20.00
612510	1 1/4"	24"	24.00
612512	1 1/2"	28"	28.00
612514	1 3/4"	32"	32.00



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING

**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 126 Guyline Sleeve With Bolt & Nut

Includes #102 safety pin

PART NO.	SIZE	WEIGHT
612607	7/8"	8.00
612608	1"	11.00
612609	1 1/8"	15.00
612610	1 1/4"	18.00
612611	1 3/8"	25.00
612612	1 1/2"	27.00
612613	1 5/8"	33.00
612614	1 3/4"	38.00



## 128 Splicing Hammer

PART NO.	SIZE/TYPE
612803	3# Without Handle
612813	3# With Handle
612804	4# Without Handle
612814	4# With Handle



## 146 Sledge Hammer

PART NO.	WEIGHT
614606	6# Without Handle
614607	6# With Handle
614608	8# Without Handle
614609	8# With Handle
614610	10# Without Handle
614611	10# With Handle
614612	12# Without Handle
614613	12# With Handle



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING



**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 137 Strawline Swivel

PART NO.	SIZE	WEIGHT
613775	3/8" - 7/16"	0.80



## 131 Strawline Hook

PART NO.	LINE SIZE
613104	1/4"
613105	5/16"
613106	3/8"
613107	7/16"
613108	1/2"



## 151 Trailer Loading Hook

With 1in #102 Shackle

PART NO.	TON	SIZE	WEIGHT
615112	8 Ton	1 1/2"	19.00
615114	11 Ton	1 3/4"	24.00



## 154 Dropline Socket

PART NO.	SIZE	HOOK	PIN DIAM.
154066	5/8" - 3/4"	1.38	0.88
154067	3/4" - 7/8"	1.50	1.00
154068	7/8" - 1"	1.75	1.13



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING



**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## 152 Splitting Froe

PART NO.	SIZE	WEIGHT
615218	18" Froe With Handle	8.00



## 158 Aluminum Head Froe Hammer

PART NO.	WEIGHT	PRICE
615810	10.00	204.29



## 120 Alloy Rings

PART NO.	SIZE ID	WLL (TONS)	WEIGHT
612004	1/2" x 2 3/4"	1.25	0.80
612005	5/8" x 3"	2.00	1.00
612006	3/4" x 3 1/2"	3.50	1.80
612007	7/8" x 3 3/4"	5.00	2.50
612008A	1" x 4"	6.00	3.50
612008B	1" x 4 1/2"	6.00	3.80
612009	*1 1/8" x 4 3/4"	6.50	5.30
612010	*1 1/4" x 5"	7.00	7.00



\*Welded

## Marlin Spikes

PART NO.	LENGTH	LENGTH
650106	6"	18"
650108	8"	20"
650110	10"	24"
650112	12"	30"
650114	14"	36"
650116	16"	42"



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING



**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.

## "Clark" Swivels

Use With Ulven #114 Hook

PART NO.	SIZE	LINE SIZE	HOOK
501207	C-7	3/4"	1 3/4"
501209	C-9	7/8"	2"




## Double Ender Hooks

PART NO.	SIZE	LINE SIZE
501010	Bantam	5/8 x 3/4
501000	Junior	7/8 x 1 3/4
501020	Standard	1 x 1 1/2



## #31 SKM RR Car Hook

WLL (TONS)	A	B	C	D	E	F	G	LINE SIZE	WEIGHT
25.00	1.50	12.25	3.00	7.75	1.81	2.56	3.13	1.50	23.50
20.00	1.38	12.00	3.00	7.75	1.69	2.56	3.50	1.38	20.00



## Drawbar Protector Arcs

SIZE	STOCK NO.	WEIGHT
1/2"	DB1960	17.00
9/16"	DB1970	18.00
5/8"	DB1980	20.00
3/4"	DB1990	27.00
7/8"	DB2000	38.00
1"	DB2010	45.00
1-1/8"	DB2020	50.00



Skookum Forest products are designed to be used with and tested with Wire Rope conforming to the following description:

- New 6 x 19 or 6 x 37 Class, EIP, IWRC, Right Regular Lay Wire Rope made to US specifications.
- Used for Logging / Skidding or Pulling Applications
- NOT FOR OVERHEAD LIFTING



**WARNING:** Misuse of rigging equipment can result in serious injury up to and including loss of life. Only competent trained professionals should use Skookum products. Thoroughly inspect all equipment before each and every use and never use damaged or worn products. Skookum disclaims any liability resulting from the misuse of its products. Please take a moment to carefully review our maintenance and warnings page for more information.