



Drill-Driveable

# Hand Winches



thern.com  
(507) 454-2996

# Drill Driveable

Hand Winches



## Drill-Drive Kits Add More Power to our Powerful Worm Gear Hand Winches

A variety of our hand winches can be operated with a power drill – making your job faster and easier. Quickly release the winch handle and lift up to 2,500 lbs. with the assistance of a DeWalt power drill and 1-1/8" socket adapter. Our packaged kits include power drill options that meet or exceed our engineering standards for proper winch operation. These kits are ideal for those lifts where more speed and less fatigue are desired.

- 100% ball-bearing construction provides durability and longer tool life.
- Mechanical clutch in low gear to provide control of reactionary torque.
- Bail handle and 2-position side handle provide maximum leverage and control.
- Mechanically controlled 2-speed range (use lowest speed setting to prevent overload/failure).
- Triple gear reduction provides increased torque and reduces gear stress.
- Metal gear housing for durability and reliability.

### Model ED330-DW11 Heavy-Duty Right Angle Drill Kit

20 volt, 60 Hz, single phase AC power



#### SPECIFICATIONS

Chuck Size 1/2"  
 No Load Speed 330rpm  
 Amps 11Amps  
 Shipping Weight 23 lbs

### Model ED300-DW06 Heavy-Duty Cordless Drill Kit

20V/60V Lithium Ion Battery and Fast Charger



#### SPECIFICATIONS

Chuck Size 1/2"  
 No Load Speed (low range) 300rpm  
 Battery 6.0 amp/hr  
 Shipping Weight 24 lbs

### Model ED400-DW09 Super-Duty Cordless Drill Kit

20V/60V Lithium Ion Battery and Fast Charger



#### SPECIFICATIONS

Chuck Size 1/2"  
 No Load Speed (low range) 400rpm  
 Battery 9.0 amp/hr  
 Shipping Weight 30 lbs

## PERFORMANCE

Series	IMPERIAL				
	Winch Model	Wire Rope Diameter	Loads (lbs)	Distance (ft)	Lift Time (Minutes)
ED330-DW11	4WM2	1/4"	500	135*	15
			1000	75	10
			1500	45	7
ED330-DW11	2W40	5/16"	500	200*	15
			1000	100	9
			1800	50	5
ED300-DW06	4WM2	1/4"	500	135*	15
			1000	75	10
			1800	45	7
ED300-DW06	2W40	5/16"	500	200	12
			2000	100	7
			2500	50	4
ED400-DW09	4WM2	1/4"	800	200*	15
			1200	90	9
			1500	45	5
ED400-DW09	2W40	5/16"	1000	200	12
			2000	100	7
			2500	50	4

Series	METRIC				
	Winch Model	Wire Rope Diameter (mm)	Loads (kg)	Distance (m)	Lift Time (Minutes)
ED330-DW11	4WM2	6.00	225	41*	15
			450	22	10
			680	13	7
ED330-DW11	2W40	8	225	60	15
			450	30	9
			815	15	5
ED300-DW06	4WM2	6.00	225	41*	15
			450	22	10
			680	13	7
ED300-DW06	2W40	8	225	60	15
			450	30	9
			815	15	5
ED400-DW09	4WM2	6	360	60*	15
			540	27	9
			680	13	5
ED400-DW09	2W40	8	450	60	12
			900	30	7
			1130	15	4

\*long lift model

NOTICE: These products are not for lifting people or things over people.



**MADE IN USA** 

**Thern, Incorporated**

World Headquarters  
5712 Industrial Park Road Winona, MN USA  
Toll Free: 1-800-843-7648  
Phone: 1-507-454-2996  
[www.thern.com](http://www.thern.com)

**Thern Europe**

Bedrijvenpark Twente 454e  
7602 KM Almelo The Netherlands  
Phone: +31-546-898-380  
[europe@thern.com](mailto:europe@thern.com)