



# 2021 ARBORIST CATALOG





# CONTENTS

**PG 1 POSITIONING SADDLES**

**PG 15 SADDLE & BELT ACCESSORIES**

**PG 21 CHAIN SAW ACCESSORIES**

**PG 27 SAW SCABBARDS**

**PG 35 THROW WEIGHTS & LINES**

**PG 39 ROPE & GEAR BAGS**

**PG 47 CLIMBER STRAPS & PADS**

**PG 55 PRUNER POUCHES & AXE GUARDS**

**PG 59 HAAS® PRODUCTS**

**PG 62 CT HARDWARE**

**PG 70 MISCELLANEOUS & PROMO ITEMS**








## POSITIONING SADDLES

▶ Weaver Arborist Positioning Saddles should not be repaired or altered in any way. Any repairs or alterations may affect the reliability and performance of the saddle and are prohibited. Weaver Arborist's Warranty will be void on all Weaver Positioning Saddles that have been repaired or altered.





## Denali Saddle

Leading the industry with a one-size-fits-all design, the Denali combines patented AirFlex technology and high-performing safety features for the ultimate climbing experience

- Featuring an adjustable waist (28"-48") and adjustable position hip dees and leg pads to fit climbers of all heights, one size comfortably fits all.
- Patented AirFlex foam allows continuous air movement for cooling comfort.
- Lightweight, high-strength aluminum hip dees and rigging plates provide multiple attachment points on this climbing harness, giving added flexibility to arborists.
- Rugged, durable water buffalo leather forms to the shape of your body for maximum comfort.
- The double rope suspension bridge on this arborist saddle features a diamond knot at one end and a girth hitch on the other for replicability and security.
- The rope that constructs the double rope suspension bridge offers the perfect combination of durability and function.
- The white core within the black and orange suspension bridge makes wear and tear visible at a glance, allowing for additional wear inspection.
- Extra wide back pad extends further forward on hips for enhanced comfort and support.
- Climbing harness features replaceable back pads, leg pads and bridge.
- High-strength nylon webbing with multiple gear loops for easy, personalized configuration.
- Durable aluminum, quick-release waist buckle.
- Snap in with just one hand using the fixed position, angled side dee rings.
- This arborist saddle is handcrafted in the USA by the finest craftspeople who care about every last detail.
- **Not to be used for fall arrest.**
- Weighs 6.5 lbs.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

**08-01100**

**08-98141** Replacement Double Rope Suspension Bridge

## Replacement AirFlex Pads

Replacement back pad and leg pads for the Denali Saddle

- Constructed from patented AirFlex foam for maximum airflow and comfort.

**08-98145** Back Pad Replacement

**08-98146** Leg Pad Replacements, sold in pairs



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## WLC-760 Saddle

Premium saddle's ultra-comfortable design is packed with high-performing features

- The preferred choice of arborists and rock climbers, the rope that constructs our double rope suspension bridge offers the perfect combination of durability and function.
- Suspension bridge features a diamond knot at one end and a girth hitch on the other for replicability and security.
- White core on the black and orange suspension bridge makes wear readily visible at a glance, allowing for additional wear inspection.
- Lightweight black anodized rigging plates provide multiple attachment points, giving added flexibility to arborists.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the legs and back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- Leg straps and bridge are replaceable.
- Features adjustable accessory leg straps that keep your memory foam leg pads positioned for maximum comfort.
- Roller buckle at waist helps reduce wear to waist belt and offers easy adjustment.
- Two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Loops in webbing at each hip for easy attachment of gear carriers.
- Snap in with just one hand with the fixed position, angled side dee rings!
- **Not to be used for fall arrest.**
- Weighs approximately 6.8 lbs. (medium size).
- Available in small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

**08-01095** with Leg Straps featuring Memory Foam Pads  
**08-98140** Replacement Double Rope Suspension Bridge



**08-01095**  
Front View



**08-01095**  
Back View



**08-98140**



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**







**08-01096**  
Front View



**08-01096**  
Back View



**08-98140**

## WLC-790 Saddle

The best of the best, this premium saddle is designed for unsurpassed comfort and performance with a batten seat that's perfect for arborists who are in the saddle for longer periods of time

- The preferred choice of arborists and rock climbers, the rope that constructs our double rope suspension bridge offers the perfect combination of durability and function.
- Suspension bridge features a diamond knot at one end and a girth hitch on the other for replicability and security.
- White core on the black and orange suspension bridge makes wear readily visible at a glance, allowing for additional wear inspection.
- Lightweight black anodized rigging plates provide multiple attachment points, giving added flexibility to arborists.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The extra wide 7" back is constructed from memory foam that conforms to the legs and back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam for extra support.
- Bridge is replaceable.
- Features accessory batten seat straps that keep your batten seat positioned for maximum comfort.
- Roller buckle at waist helps reduce wear to waist belt and offers easy adjustment.
- Two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Loops in webbing at each hip for easy attachment of gear carriers.
- Snap in with just one hand with the fixed position, angled side dee rings!
- **Not to be used for fall arrest.**
- Weighs approximately 8.2 lbs. (medium size).
- Available in small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

**08-01096** with Batten Seat

**08-98140** Replacement Double Rope Suspension Bridge





## WLC-700 Saddle

High-end styling combines comfortable leg straps with an easy-to-inspect sewn webbing suspension bridge for a saddle that meets the demands of the professional arborist

- Suspension bridge has a striped white and dark orange fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The 4" wide leg pads and extra wide 7" back are constructed from memory foam that conforms to the back, reduces pressure points, wicks away moisture and does not retain heat for cool, comfortable performance.
- Leg straps and straps attached to bridge are adjustable to provide a perfect fit.
- Suspension bridge is replaceable.
- Adjustable accessory leg straps keep your memory foam leg pads positioned for optimum comfort.
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- Two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Loops in webbing at each hip for easy attachment of gear carriers.
- **Not to be used for fall arrest.**
- Weighs approximately 6.8 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

**08-01085** with Leg Straps featuring Memory Foam Pads

**08-98135** Replacement Sewn Webbing Suspension Bridge



**08-01085**

Front View



**08-01085**

Back View

## Aluminum "O" Ring

This ring is for attachment to the suspension bridge on our WLC-700 and WLC-730 Saddles and will accommodate a carabiner

- This forged aluminum ring has an overall diameter of 52 mm (approximately 2") and an inner diameter of 27 mm (approximately 1-3/32").
- Certified minimum breaking strength of 25 Kilonewtons (kN).

**01041**



**01041**



**08-98135**



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**







**08-01086**  
Front View



**08-01086**  
Back View



**08-98135**

## WLC-730 Saddle

With a sewn webbing suspension bridge for easier wear inspections and a comfortable batten seat, this high-end saddle offers all the features hard-working arborists are looking for

- Suspension bridge has a striped white and dark orange fiber overlay for strength and abrasion resistance that surrounds a black webbing core to provide for additional wear inspection.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- Enhanced extra wide back pad extends further forward on hips, giving you amazing comfort and support.
- The extra wide 7" back is constructed from two layers of memory foam that conform to the back, reduce pressure points, wick away moisture and do not retain heat for cool, comfortable performance.
- Straps attached to bridge are adjustable to provide a comfortable fit for a variety of body types.
- Suspension bridge is replaceable.
- Adjustable accessory batten seat straps keep your batten seat positioned for optimum comfort.
- Replaceable sewn webbing suspension bridge features two rubber bumpers and can be used with forged aluminum rings.
- Buckle at waist features a roller for ease of use and to reduce wear to waist belt.
- Two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring keep tools close at hand.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- Loops in webbing at each hip for easy attachment of gear carriers.
- **Not to be used for fall arrest.**
- Weighs approximately 8.2 lbs. (medium size).
- Available in extra small, small, medium, large and extra large sizes.
- **Important: Only authorized replacement parts from Weaver Arborist should be used on this saddle. The use of unauthorized replacement parts will void Weaver Arborist's Warranty.**

**08-01086** with Batten Seat

**08-98135** Replacement Sewn Webbing Suspension Bridge





## WLC-500 Saddle

Padded nylon leg straps and an extra wide back make this saddle a comfortable choice

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- An extra wide 6" waist back provides cushioning and back support.
- The waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Adjustable accessory leg straps keep your padded leg straps positioned for optimum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- Slip-on, foam filled, leather lined pads give the 2" nylon leg straps extra comfort.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01032** with Padded Nylon Leg Straps



**08-01032**  
Front View



**08-01032**  
Back View

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.




Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**







**08-01036**  
Front View



**08-01036**  
Back View

## WLC-530 Saddle

One of our most comfortable saddle options, this saddle easily maneuvers and features one floating dee

- Floating dee provides more freedom of movement.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees are located at the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Feature adjustable accessory leg straps that keep your padded leg straps positioned for optimum comfort.
- Extra wide 6" rubberized belting back helps provide firm support.
- Waist back is foam filled and lined with soft oil tanned top grain steer hide leather for added comfort.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" nylon leg straps feature slip-on, foam filled, leather lined pads for extra comfort.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01036** with Padded Nylon Leg Straps



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.




## WLC-560 Saddle

One of our most comfortable saddle options, this saddle easily maneuvers and comes with two floating dees

- Floating dees provide more freedom of movement.
- Two floating dee style is designed specifically for split-tail climbing.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees are located at the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Feature adjustable accessory leg straps that keep your padded leg straps positioned for optimum comfort.
- Extra wide 6" rubberized belting back helps provide firm support.
- Waist back is foam filled and lined with soft oil tanned top grain steer hide leather for added comfort.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" nylon leg straps feature slip-on, foam filled, leather lined pads for extra comfort.
- Dees at front and back offer easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01038** with Padded Nylon Leg Straps



Features two floating dees

**08-01038**  
Front View



**08-01038**  
Back View



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**





**08-01033**  
Front View



**08-01033**  
Back View



**08-01035**  
Front View



**08-01035**  
Back View

## WLC-300 Saddle

**Nylon leg straps and extra wide back provide optimum comfort**

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- Seat strap and leg straps are also lined with soft oil tanned top grain steer hide leather.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01033** with 2" Nylon Leg Straps

## WLC-315 Saddle

**Extra wide back provides extra comfort and support where it is needed most**

- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Leg straps help prevent slip-through and are made from heavy-duty coated webbing that is pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Two additional dees are located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Seat strap floats on waist belt for easy positioning and comfort and is lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- Features dees at front and back for easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01035** with 1" Heavy-Duty Coated Webbing Leg Straps





## WLC-330 Saddle

### Offers freedom of movement with one floating dee

- Floating dee provides easy maneuverability.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" wide nylon leg straps are lined with soft oil tanned top grain steer hide leather for extra comfort.
- Features dees at front and back for easy attachment of suspenders (08-98122, sold separately).
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01040** with 2" Nylon Leg Straps



Features one floating dee

**08-01040**  
Front View



**08-01040**  
Back View

## WLC-360 Saddle

### Offers freedom of movement with two floating dees

- Floating dees provide easy maneuverability.
- Two floating dee style is perfect for split-tail climbing.
- Dees are made from forged aluminum with a black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle backs feature two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Extra wide 6" waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools close at hand.
- The 2" wide nylon leg straps are lined with soft oil tanned top grain steer hide leather for extra comfort.
- **Not to be used for fall arrest.**
- Weigh approximately 6 lbs. (medium size).
- Available in small, medium and large sizes.

**08-01041** with 2" Nylon Leg Straps



Features two floating dees

**08-01041**  
Front View



**08-01041**  
Back View



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**





**08-01078**  
Front View



**08-01078**  
Back View



**08-01005**  
Front View



**08-01005**  
Back View

## WLC-390 Saddle

**With a comfortable, extra wide back and a batten seat, this saddle is ideal for arborists who are in the saddle for long periods of time**

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Leg straps help prevent slip-through and are made from heavy-duty coated webbing that is pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Two additional dees are located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Batten seat floats on waist belt for easy positioning and comfort.
- Features adjustable accessory batten seat straps that keep your batten seat properly positioned.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- **Not to be used for fall arrest.**
- Weighs approximately 6 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01078** with Batten Seat

## WLC-100 Saddle

**A simple choice with a popular four dee design for more positioning options**

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Cotton webbing reinforced with nylon provides comfort and strength.
- Floating seat strap can easily be positioned for maximum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- **Not to be used for fall arrest.**
- Weigh approximately 5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01005** without Leg Straps





## WLC-130 Saddle

**Four dees offer more positioning options and help add more stability**

- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Heavy-duty coated webbing leg straps help prevent slip-through and are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- Cotton webbing reinforced with nylon provides comfort and strength.
- Floating seat strap can easily be positioned for maximum comfort.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- Leg straps are lockstitched and riveted to seat strap.
- **Not to be used for fall arrest.**
- Weigh approximately 5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01010** with Heavy-Duty Coated Webbing Leg Straps



**08-01010**  
Front View



**08-01010**  
Back View

## WLC-160 Saddle

**Four dees offer more positioning options and help add more stability**

- Four dees provide greater positioning ability and stability.
- Dees are made from forged aluminum with black anodized finish that's lighter weight than steel.
- Fixed position, angled side dee rings feature a two bar design and offer easy access — you can snap in with just one hand!
- Saddle back features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.
- Two additional dees located on the bottom of the waist back for attachment of one of our ditty bag options or a first aid kit.
- Cotton webbing for comfort combines with nylon webbing for strength.
- Features a loop for holding carabiners and two nylon utility straps with a stainless steel 200 snap and a 2" nickel plated ring to keep tools handy.
- Floating seat strap can easily be positioned for added comfort.
- Nylon leg straps are 2" wide and lined with soft oil tanned top grain steer hide leather.
- Leg straps are sewn and riveted to the seat strap.
- **Not to be used for fall arrest.**
- Weighs approximately 5.5 lbs. (medium size).
- Available in small, medium, large and extra large sizes.

**08-01034** with 2" Nylon Leg Straps



**08-01034**  
Front View




**08-01034**  
Back View



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**





**08-98135**

For use with the WLC-700 and WLC-730  
Saddles only

## Replacement Sewn Webbing Suspension Bridge

Suspension bridge has a striped white and dark orange fiber overlay for strength and abrasion resistance that surrounds a black nylon tubular webbing core to provide for additional wear inspection

- Aluminum "O" rings sold separately (Item #01041).

**08-98135**



**08-98140**

For use with the WLC-760 and WLC-790  
Saddles only

## Replacement Double Rope Suspension Bridge

Features a diamond knot at one end and a girth hitch on the other for replicability and security

- Offers the perfect combination of durability and function.
- White core within the black and orange suspension bridge makes wear and tear visible at a glance, allowing for additional wear inspection.

**08-98140**



**08-98141**

For use with the Denali Saddle only

## Replacement Double Rope Suspension Bridge

Features a diamond knot at one end and a girth hitch on the other for replicability and security

- Offers the perfect combination of durability and function.
- White core within the black and orange suspension bridge makes wear and tear visible at a glance, allowing for additional wear inspection.

**08-98141**

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



# SADDLE & BELT ACCESSORIES





Front View

Back View

08-98121



08-98122



08-98240

08-98241

## Nylon Suspenders

Removable, adjustable 2" nylon suspenders help distribute the weight of saws, scabbards and other accessories

- Not to be used for fall arrest.
- Feature nickel plated snaps and black plastic sliders for convenient attachment and adjustment.
- Works with suspender dees on most Weaver Arborist saddles.

08-98121

Attach to dees on select Weaver Arborist positioning saddles including 08-01035, 08-01036, 08-01038, 08-01040 08-01085, 08-01086, 08-01095, and 08-01096.

## Elastic Suspenders

Elastic webbing construction moves with you for added comfort

- Not intended for fall arrest.
- Removable, adjustable 2" elastic webbing suspenders offer extra give and help distribute the weight of saws, scabbards and other saddle accessories.
- Feature nickel plated snaps and black plastic sliders for convenient attachment and adjustment.
- Works with suspender dees on most Weaver Arborist saddles.

08-98122

## Combination Accessory Tool Belt Loops

In adjustable and non-adjustable styles, these tool belt loops keep tools close at hand and offer the flexibility of both a ring and a snap

- Double box-stitched 1" nylon webbing tool belt loop easily slides or buckles over belt and features a 3-1/4" long stainless steel 200 snap and a 2" nickel plated ring attached with 3/4" nylon loops.
- Heat-sealed ends help prevent fraying.
- Adjustable option features a nickel plated slide buckle, making it easy to get just the right length.
- Adjustable option is 12" long at its longest length; non-adjustable option measures 10-1/4".
- Blaze orange.

08-98240 Adjustable

08-98241 Non-Adjustable





## SRT Chest Harness

Designed to help advance your SRT climbing system as you ascend, this effective chest harness has multiple hook-in loops and an adjustable fit

- SRT tending harness constructed with 1" nylon webbing.
- Four front loops allow you to hook in at various heights.
- Durable stainless steel ring for dependability.
- Both sides adjust for a perfect fit.
- Right-side, quick-release buckle for easy on and off.
- Fits up to a 50" chest circumference.
- **Note: Not for primary life support.**

08640-00



Front



Back

08640-00



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.


## Logging Belt & Suspenders

Adjustable sternum strap keeps your suspenders in place and features a buckle with a built-in emergency whistle for easy access

- Suspenders allow the user to carry the weight on their shoulders instead of waist.
- Adjustable waist fits sizes 30"-52".
- Two accessory loops on belt provide a place to hang flagging tape, logger's tape, and carabiners.
- Small loop on the back of the suspenders allows belt to be hung up for storage.
- Accessories sold separately are constructed from extremely durable, high quality latigo leather specially-tanned to withstand harsh outdoor environments and provide years of reliable service.

08800-103

AirFlex<sup>®</sup> back pad maximizes airflow and cooling



Outside

Inside

## Logging Belt Kit

Convenient kit includes logging belt, suspenders, axe pouch, wedge pouch and first aid pouch

- Extremely durable, high quality latigo leather is specially-tanned to withstand harsh outdoor environments and provide years of reliable service.
- Adjustable sternum strap keeps your suspenders in place and features a buckle with a built-in emergency whistle for easy access.
- Suspenders allow the user to carry the weight on their shoulders instead of waist.
- Adjustable waist fits sizes 30"-52".
- Two accessory loops on belt provide a place to hang flagging tape, logger's tape, and carabiners.
- Small loop on the back of the suspenders allows belt to be hung up for storage.
- Lifting Tong/Accessory Pouch and Fuel Can Holder also available for additional customization.

08603-20



08603-20

TOOLS NOT INCLUDED



### Wedge Pouch

Can hold up to four wedges

- Dee on front of pouch can be used for attaching logger's tape.
- Pockets on pouch are great for flat files, round files and saw srench.

08500-06



### Lifting Tong/ Accessory Pouch

Holds a single wedge or a set of lifting tongs

- Pockets on pouch are great for flat files, round files and saw srench.

08502-06



### Fuel Can Holder

Good for fuel cannisters, marking paint, fire suppressant and water bottles

- Each pocket can hold a quart sized can.

08503-06



### First Aid Pouch

Keep bandages, gauze and any other medical supplies close at hand in this neon orange first aid pouch

- Our blood stopper trauma dressing, 08-07168, fits well and is available for purchase separately.

08400-09



### Axe Pouch

Lightweight and quiet design

- Plastic liner protects leather pouch from cuts.

08501-06

Inside Length: 8-1/2"  
Inside Height: 7-1/4"  
Inside Width: 1"  
Overall Length: 9-1/2"  
Overall Height: 9-1/2"  
Overall Width: 1-1/2"



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.





## Tool Holsters



### Slip onto belt to keep tools handy

- Constructed of durable polypropylene with loop for attachment to belt (the 08-97231 also features slots to slide belt through).
- Chain saw file and wrench style features a chap leather chain saw file holder and a 2" wide pocket that holds a chain saw wrench.
- Wedge, wrench and chain saw file style features a 3" wide pocket for a small or large wedge. Also has two chap leather holders for a chain saw file and chain saw wrench.
- Heavy-duty style has a 3-1/2" wide pocket that will hold two large wedges and one small wedge, a 2" wide pocket that holds a chain saw wrench and a chain saw file holder.
- The 08-97230 and 08-97231 feature nickel plated rivets and are 11-1/2" long.
- The 08-97235 is 13" long.

**08-97230** Chain Saw File and Wrench, Red

**08-97231** Wedge, Wrench and Chain Saw File, Red

**08-97235** Heavy-Duty, Two Large Wedges, One Small Wedge, Chain Saw File and Wrench, Orange



08-97230



08-97231



08-97235

Tools not included

## Aerosol Can/Water Bottle Holder



### Keeps can, water bottle or tape roll securely attached to belt loop

- Bright 1" fluorescent blaze orange nylon webbing secures around can or water bottle and through tape roll with hook and loop closure.
- Nickel plated bolt snap for attachment to a belt or other equipment.

**08-98200**



08-98200

## Ditty Bag

### Handy design features an elastic top that stretches for easy access

- Constructed from 630-denier nylon, this bag features two snaps on the back for attachment to our positioning saddles or the saddle of your choice.
- Elastic top provides easy and quick access to small tools, short throw lines, gloves and personal items you'd like to keep close at hand.
- Hole at bottom offers easy clean-out and is reinforced with a grommet.
- Measures 9" W x 9" H x 5" D.

**08-07133**



Front View

Back View

Top View

08-07133

Call Toll Free in the U.S. and Canada 800-932-8371





08-07168

## Blood Stopper Dressing

Multipurpose wound and trauma dressing is a must-have addition to our first aid bags

- Non-stick, expandable pad provides wound or burn coverage.
- Features an additional stretch gauze roll that can be used as a pressure bandage.
- Can also be used as an arm sling.
- Measures 3-1/2" x 5-1/2" folded and 9" x 5-1/2" open.

08-07168



08-07170

## First Aid Bag



Keep first aid necessities close at hand with this convenient first aid bag

- Handy 1,000-denier polyester bag measures 4" W x 5-1/2" H x 1-1/2" D.
- Attaches to middle back of saddle with a nickel plated snap.

08-07170



08-07134

## Ditty/First Aid Bag

Convenient design features a roomy ditty bag with a compact first aid bag attached to the front

- The 630-denier black nylon ditty bag features two snaps on the back for attachment to our positioning saddles or the saddle of your choice.
- Elastic top provides easy access to small tools, short throw lines, gloves and other personal items you'd like to keep close at hand.
- Hole at bottom offers easy clean-out and is reinforced with a grommet.
- The 1,000-denier red polyester first aid bag attached to the front features flaps that help protect contents from the elements.
- Measures 9" W x 9" H x 5" D with a 4" W x 5-1/2" H x 1-1/2" D first aid bag.

08-07134



Top View

Keeps your personal items and first aid necessities in one place



# CHAIN SAW ACCESSORIES







[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## Loop Runners

Constructed of tubular nylon webbing, our loop runners serve a variety of purposes for all kinds of tree work use

- Constructed of tubular nylon webbing, our loop runners serve as medium-duty choker straps for tree work and climbing.
- One color per size for easy ID at a glance.
- These lightweight loop runners are as strong and durable as rope.
- Circular construction distributes wear more evenly because you'll seldom clip into the same spot twice.
- Use for speed line, line redirections, miniature false crotch support systems, a limb handle, providing a footstep where none exists, holding tools and more.
- Safe working load information: 7,000 Ultimate Breaking Strength (UBS), 1,400 Safe Working Load (SWL), 31 Kilonewtons (kN).

08-98230	12", Purple
08-98231	24", Blue
08-98232	30", Yellow
08-98233	36", Blaze Orange
08-98234	48", Red

08-98230 12"

08-98231 24"

08-98232 30"

08-98233 36"

08-98234 48"

Call Toll Free in the U.S. and Canada 800-932-8371





**08-98212**  
10" with Ring

**08-98213**  
13" with Ring

**08-98211**  
15" with  
225 Snap

**08-98214**  
42"

## Chain Saw Straps

Nylon straps with a half twist in loop end help keep equipment hanging straight

- Constructed of 1" wide double box-stitched nylon webbing with heat-sealed ends to prevent fraying.
- Available in four lengths (length includes hardware): 10" with ring, 13" with ring, 15" with 225 snap and 42" with a 3" loop of webbing at each end.
- Welded nickel plated rings are 2" in diameter. Non-rust brass snap is 4-1/4" long.
- Blaze orange.

**08-98212** 10" with Ring

**08-98213** 13" with Ring

**08-98211** 15" with 225 Snap

**08-98214** 42"



**08-98219**  
49" with Ring  
and 225 Snap



**08-98220**  
49" with  
Two Rings



**08-98221**  
47" with One Ring

## Chain Saw Straps

Convenient design is available in three popular styles

- These 1" wide double box stitched nylon straps feature a ring at the loop end to hang your saw and keep it close to your body while in the tree.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- Available in three styles: 49" (overall length including hardware) with ring and 225 snap; 49" (overall length including hardware) with two rings; and 47" (overall length of strap) with one ring.
- The 47" strap is ideal for use with a carabiner (not included).
- Welded nickel plated rings (except hot pink option has black steel ring) are 2" in diameter. Non-rust brass snap is 4-1/4" long.

**08-98219** 49" with Ring and 225 Snap,  
Blaze Orange

**08-98220** 49" with Two Rings, Yellow

**08-98221** 47" with One Ring, Red, Hot Pink

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## Bungee Chain Saw Straps

Bungee design easily stretches when you're using saw and retracts when hanging close to your saddle or belt

- Our most popular saw straps.
- These 1" wide double box-stitched nylon webbing straps with 3/4" elastic easily adjust by attaching the rings to a snap on a saddle or belt.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- The ring and 225 snap style is 30" at rest and 45-1/2" long when fully extended.
- The two ring style is 33-1/2" at rest and 48" long when fully extended.
- The one ring style is 31-1/2" at rest and 44" long when fully extended.
- Welded nickel plated rings (except 08-98228 has a black steel ring) are 2" in diameter. Non-rust brass snap is 4-1/4" long.
- Carabiner minimum tensile strength: 1,800 lbs. (8kN).
- **Not intended for breakaway.**
- Blaze orange.

**08-98225** With Ring and 225 Snap

**08-98226** With Two Rings

**08-98227** With One Ring

**08-98228** With Ring and Carabiner



**08-98225**  
with Ring and  
225 Snap



**08-98226**  
with Two Rings



**08-98227**  
with One Ring



**08-98228**  
with Ring and  
Carabiner

### PERTAINS TO STRAP WITH RING & CARABINER ONLY

Equipped with a single locking, double action, cold formed aluminum carabiner at one end. **For tool use only. Not for life support applications.**



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**





**08610-97-21**  
with Ring and Carabiner

## Interchangeable Bungee Strap

Bungee design features two interchangeable webbing straps that allow climbers to easily switch out chainsaws while leaving the bungee secured to their saddle

- The 1" wide double box-stitched nylon webbing strap with 3/4" elastic easily adjusts by attaching the rings to a snap on a saddle or belt.
- A half twist in the loop end helps keep equipment hanging straight.
- 31-1/2" at rest and 44" long when fully extended.
- Black steel ring is 2" in diameter.
- Carabiner minimum tensile strength: 1,800 lbs. (8kN).
- **Not intended for breakaway.**
- Blaze orange.

**08610-97-21** With Ring and Carabiner

## PERTAINS TO STRAP WITH RING & CARABINER ONLY

Each black webbing strap is equipped with a single locking, double action, cold formed aluminum carabiner, making it easy to swap chainsaws. **For tool use only. Not for life support applications.**




**08611-97-00**

## Webbing Loop & Carabiner

- Spare part for the Interchangeable Bungee Strap (08610-97-21).
- Black webbing strap equipped with a single locking, double action, cold formed aluminum carabiner.
- Makes it easy to swap chainsaws.
- Carabiner minimum tensile strength: 1,800 lbs. (8kN).
- **Not intended for breakaway.**
- **For tool use only.**
- **Not for life support applications.**

**08611-97-00** With Ring and Carabiner



**08-98235**

Available in 30", 40" or 62"

## Light-Duty Nylon Slings

These nylon webbing slings come in three lengths perfect for a variety of light-duty lifting tasks

- Durable, pliable 1" nylon webbing with 3-1/2" loops at each end.
- Built with a 5 to 1 safety factor.
- Have a 1,200 lb. rating for vertical lifting, a 2,400 lb. rating for basket lifting and a 960 lb. rating for choke hold.
- Please specify length when ordering.

**08-98235** 30", 40" or 62"







## SAW SCABBARDS





**08-02001**  
#25 with  
Snap Hook



**08-02001**  
#27 with  
Snap Hook



**08-03001**  
#25 with  
Snap Hook



**08-03001**  
#27 with  
Snap Hook

## Curved Saw Scabbards

**Durably-constructed scabbards hold a wide range of larger saws**

- Crafted from top grain steer hide harness leather or black rubberized belting with a snap hook.
- A 3/8" nylon washer at blade entry point helps protect stitching, welt and saw teeth from wear.
- Dee on back for easy attachment to work belt or saddle.
- Handy, large openings on side and bottom for easy cleanout.
- The #25 style will hold the Fanno #20, Corona® #PS 4080, Bartlett Mfg. #127 (22" and 24") and Bartlett Mfg. #124 (24"), Seymour Smith #620 and similar saws.
- The #27 style will hold the Fanno #22, #24, #K-24 and #FI-2200, Corona® #RS 7160, Nicholson #14N, Bartlett Mfg. #127 (26"), #114 (26") and #124 (26"), Seymour Smith #624 and others.
- Stainless steel snaps and nickel plated dees.

### Leather

**08-02001** #25 with Snap Hook

**08-02001** #27 with Snap Hook

### Rubberized Belting

**08-03001** #25 with Snap Hook

**08-03001** #27 with Snap Hook

Dimensions of 08-02001 and 08-03001

	Top Width	Bottom Width	Front Length	Back Length
#25	3-1/2"	1-3/4"	21-1/2"	24"
#27	4-1/4"	2"	24-3/4"	27-3/4"

## Scabbard Dimensions

We've provided the measurements of all scabbards in handy charts to help you choose the correct scabbard.

### TOP WIDTH

measures width of top opening from nylon washer to welt or from welt to welt

### BOTTOM WIDTH


measures width of bottom opening from welt to welt

### FRONT LENGTH

measures length from highest point on top panel to rivets at bottom of scabbard

### BACK LENGTH

measures length from highest point on back panel to rivets at bottom of scabbard





## #1700 Saw Scabbards

### Fit the Fanno #FI-1700 Saw with Oversized Handle perfectly

- Constructed from top grain steer hide harness leather or black rubberized belting.
- The optional pruner pouch fits pruners 8" and smaller and is made from top grain steer hide harness leather on the leather style and black top grain steer hide leather on the rubberized belting style.
- Each pruner pouch is securely lockstitched and riveted separately and then attached to the scabbard by a copper rivet at the top and a nickel plated rivet at the bottom.
- A 3/8" nylon washer at blade entry point protects saw teeth and scabbard from wear.
- Convenient nickel plated dee on back for easy attachment to a work belt or saddle.
- Large openings on side and bottom for easy and convenient cleanout.
- Scabbards fit the Fanno #FI-1700, Ibuki 390 and similar saws while the pruner pouch will hold a large range of pruners.

#### Leather

**08-02004**

**08-02007** with Attached Pruner Pouch

#### Rubberized Belting

**08-03004**

**08-03007** with Attached Pruner Pouch

Dimensions of 08-02004, 08-02007, 08-03004 and 08-03007

Top Width	Bottom Width	Front Length	Back Length
2-3/4"	1-1/2"	14-3/4"	21"



**08-02004**



**08-02007**

with Pruner Pouch



**08-03004**



**08-03007**

with Pruner Pouch

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**





### 330 mm Curved Saw Scabbard

Designed to fit the Samurai and the Silky Zubat

- Constructed from black rubberized belting.
- Precisely and evenly lockstitched and riveted for durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Convenient nickel plated dee on back for attachment to work belt or saddle.
- Large openings on side and bottom for easy and convenient cleanout.
- Fits the Samurai and Silky Zubat.

08-03051

#### Dimensions of 08-03051

Top Width	Bottom Width	Front Length	Back Length
2-1/8"	1-3/4"	14-5/8"	18"



### Silky Ibuki/Sugoi Saw Scabbard

Specially designed to fit Silky Ibuki (#275-39) and Silky Sugoi (#390-36 and #390-42)

- Constructed from black rubberized belting.
- Nylon washer at blade entry point helps protect saw and scabbard.
- Nickel plated dee on the back for attachment to a belt snap.
- Large opening on side for easy and convenient cleanout.

08-03036

#### Dimensions of 08-03036

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	2-1/4"	17-3/4"	25"



## #14 Curved Saw Scabbards with Snaps and Belt Slots

Perfect for ground workers, these scabbards feature 2" slots for quick and easy attachment to work belt

- Convenient saw scabbards are available in top grain steer hide harness leather or black rubberized belting with straight or curved backs.
- A handy snap on the front is perfect for attaching smaller tools.
- A 3/8" nylon washer at blade entry point protects saw and scabbard.
- Attach to a belt snap with the dee that's riveted to the top or use the 2" slots to slip over a belt.
- Convenient, large openings on side and bottom for easy cleanout.
- The scabbard with the straight back fits the Fanno #4, #14 and #FI-1311 and Corona<sup>®</sup> #7010, #7120 and #7130 saws and the scabbard with the curved back fits all of the above as well as the Fanno #FI-K1500.
- Stainless steel snaps and nickel plated dees.

### Leather

**08-02008** Straight Back

**08-02009** Curved Back

### Rubberized Belting

**08-03008** Straight Back

**08-03009** Curved Back

Dimensions of 08-02008, 08-02009, 08-03008 and 08-03009

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"



**08-02008**  
Straight Back



**08-02009**  
Curved Back



**08-03008**  
Straight Back



**08-03009**  
Curved Back

## #14 Curved Saw Scabbards with Snaps

Handy snap on the front of these scabbards makes attachment of additional tools easy and convenient

- Carefully handcrafted from top grain steer hide harness leather or black rubberized belting, these scabbards are designed for attachment to a positioning saddle.
- Precisely and evenly lockstitched and riveted for maximum durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Convenient dee on the back for easy attachment to work belt or saddle.
- Large openings on side and bottom for easy cleanout.
- Available in a straight back style that fits the Fanno #4, #14 and #FI-1311 and Corona<sup>®</sup> #7010, #7120 and #7130 and a curved back style that fits all of the above as well as the Fanno #FI-K1500.
- Stainless steel snaps and nickel plated dees.

### Leather

**08-02010** Straight Back

**08-02011** Curved Back

### Rubberized Belting

**08-03010** Straight Back

**08-03011** Curved Back

Dimensions of 08-02010, 08-02011, 08-03010 and 08-03011

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"



**08-02010**  
Straight Back



**08-02011**  
Curved Back



**08-03010**  
Straight Back



**08-03011**  
Curved Back



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada 800-932-8371



Saw handle is secured with webbing strap backed with hook and loop closure

Designed for attachment to a positioning saddle



Convenient nickel plated dee for attachment to a positioning saddle and a leather tab that a work belt can be run through

**08-03016**  
Straight Back



**08-02012**  
Straight Back



**08-02013**  
Curved Back



**08-03012**  
Straight Back



**08-03013**  
Curved Back

## Leg Style #14 Curved Saw Scabbards

Leg straps give these scabbards versatility, convenience and comfort

- Constructed from black rubberized belting.
- Lockstitched and riveted for durability.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard from wear.
- Black 1" webbing leg straps feature ladder lock buckles for a non-slip, secure fit.
- A riveted burgundy latigo leather strap on the front of the scabbard enables leg straps to be placed in just the right position and provides added stability.
- Webbing backed with hook and loop closure at top of scabbard helps hold saw in place.
- The back of the scabbard features a convenient nickel plated dee for attachment to a positioning saddle and a leather tab that a work belt can be run through.
- Can also be positioned on the calf with the straps.
- Large openings on side and bottom for easy cleanout.
- Straight back style fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130.

### 08-03016

#### Dimensions of 08-03016

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"

## #14 Curved Saw Scabbards with Attached Pruner Pouches

Popular #14 Curved Saw Scabbards feature pruner pouches that hold a wide range of pruners 8" and smaller

- Constructed from top grain steer hide harness leather with a pruner pouch made from the same leather or black rubberized belting with a black top grain steer hide leather pruner pouch.
- Pruner pouches are lockstitched and riveted separately and then riveted to the scabbard.
- A 3/8" nylon washer at blade entry point protects saw and scabbard.
- Convenient nickel plated dee on the back for attachment to a belt snap.
- Handy, large openings on side and bottom for easy cleanout.
- The scabbard with the straight back fits the Fanno #4, #14 and #FI-1311 and Corona® #7010, #7120 and #7130 saws and the scabbard with the curved back fits all the above as well as the Fanno #FI-K1500.

#### Leather

**08-02012** Straight Back

**08-02013** Curved Back

#### Rubberized Belting

**08-03012** Straight Back

**08-03013** Curved Back

#### Dimensions of 08-02012, 08-02013, 08-03012 and 08-03013

Top Width	Bottom Width	Front Length	Back Length
2-1/4"	1"	14-1/2"	19"



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## ARS Extra Wide Tricut Saw Scabbard

Made especially for the ARS Extra Wide Tricut Saw

- Made of dependable black rubberized belting that's lockstitched and riveted for years of service.
- A 3/8" nylon washer at blade entry point helps protect saw and scabbard.
- Nickel plated dee on the back for easy attachment to a belt snap.
- Large openings on side and bottom for easy cleanout.

08-03019

Dimensions of 08-03019

Top Width	Bottom Width	Front Length	Back Length
2-1/2"	1-3/4"	13"	19"



08-03019

## #12 Straight Saw Scabbard

Protect the teeth of smaller straight saws with this quality-constructed scabbard

- Constructed from lockstitched and riveted black rubberized belting
- A 3/8" nylon washer at blade entry point protects saw teeth and scabbard from wear.
- Attach to work belt or saddle quickly and easily with a nickel plated dee on the back.
- Large, convenient openings on side and bottom for easy cleanout.
- This scabbard will protect the Fanno #FI-1214, Felco #F-61 and similar straight saws.

08-03020

Dimensions of 08-03020

Top Width	Bottom Width	Front Length	Back Length
2"	1"	13-3/4"	19"



08-03020



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada 800-932-8371





08-02025



08-03023



08-03025



08-03027

## Pole Saw Scabbards

### Protect pole saw teeth with these strap-on scabbards

- Constructed of lockstitched and riveted top grain steer hide harness leather or black rubberized belting.
- Nickel plated dee ring for securing scabbard to saddle, allowing you to take a pole saw into a tree.
- Scabbards secure to blade with a 5/8" wide strap (made from top grain steer hide harness leather on the leather style and black top grain steer hide leather on the belting styles).
- Feature a clip and dee for easy attachment to saddle when working above ground.
- The 08-03023 fits the Fanno #5s-B, #57s-B and #9s-B and features a 14" strap with eight hole adjustments (maximum 4" opening).
- The 08-02025 and 08-03025 will accommodate the Fanno #FI-1125s-B, Seymour Smith #20-B and Bartlett Mfg. #4402 and feature an 18" long strap with eight hole adjustments (maximum 3-1/2" opening).
- The 08-03027 fits the Fanno #FI-17s-B and ARS Super Turbocut CT-34 Hook Blade Saw with Pole Saw Handle and has a 14" long strap with eight hole adjustments (maximum 3-1/2" opening).
- Large openings on side and bottom for easy cleanout.

### Leather

08-02025

### Rubberized Belting

08-03023

08-03025

08-03027

Dimensions of 08-03023, 08-02025, 08-03025 and 08-03027

	Top Width	Bottom Width	Front Length	Back Length
08-03023	3-1/4"	1-1/4"	19"	19"
08-02025	2-3/4"	1-1/4"	15-1/2"	15-1/2"
08-03025	2-3/4"	1-1/4"	15-1/2"	15-1/2"
08-03027	2-3/4"	1-3/4"	14-3/4"	14-3/4"

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.







# THROW WEIGHTS & LINES







Blaze Orange

Neon Green

Red

Hot Pink



Black/  
Neon Green

Black/Hot Pink

Black/Yellow

Black/Blaze Orange

## Throw Weights

**Aerodynamic design helps increase the range of the throw**

- The moving action of the lubricated #8 shot that fills these Cordura® weights helps prevent the weights from hanging up in tree branches.
- The lubricated lead shot is contained in a latex pouch for environmental protection.
- A 7/8" nickel plated ring for attachment of a rope or poly pilot line is box-stitched to each weight.
- Available in 12 oz., 14 oz. and 16 oz. sizes in bright, easy-to-spot blaze orange, neon green, red or hot pink.
- Weight is screen printed on throw weight for easy identification.
- Please specify throw weight color when ordering.

**08-98318** 12 oz.

**08-98319** 14 oz.

**08-98320** 16 oz.

**Due to customer requests, these throw weights have a round ring that will not pass through ring-style cambium savers**

## Bullet Throw Weights

**Sleek, aerodynamic design features a durable webbing loop stitched to bottom and easy-to-see contrasting colors**

- The moving action of the lubricated #8 shot that fills these Cordura® weights helps prevent the weights from hanging up in tree branches.
- The lubricated lead shot is contained in a latex pouch for environmental protection.
- Available in 8 oz., 10 oz., 12 oz., 14 oz. and 16 oz. sizes in black/neon green, black/hot pink, black/yellow or black/blaze orange.
- A 7/8" welded nickel plated ring for attachment of a rope or poly pilot line is box-stitched to each weight. **These throw weights can also be made on a contract basis with a 5/8" nickel plated dee. Generally, lead time is 3-4 weeks on contract items.**
- Please specify throw weight color when ordering.

**08-98322** 8 oz.

**08-98323** 10 oz.

**08-98324** 12 oz.

**08-98325** 14 oz.

**08-98326** 16 oz.



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## Throw Weight and Line Kits

Convenient, aerodynamic throw weight and lightweight polyethylene line kits help position ropes perfectly

- Kits include the throw weights described on previous page and a lightweight 150' 1/8" polyethylene line.
- Lightweight line is great for positioning heavier ropes.
- Throw weights are available in red, blaze orange, neon green or hot pink.
- Please specify throw weight color when ordering.
- Replacement polyethylene throw line is also available separately and comes packaged with product information and barcode on the label.

08-98327 12 oz. Kit

08-98328 14 oz. Kit

08-98329 16 oz. Kit

08-98025 150' Replacement Throw Line Only

**NEW SIZE**



08-98327  
12 oz., Blaze Orange

08-98329  
16 oz., Red

Also available in Neon Green

Also available in Hot Pink

## Replacement Polyethylene Throw Line

Conveniently packaged in a bag with label that features a product description and barcode

- Lightweight design is ideal for positioning other ropes.
- Features an 8 carrier diamond braid polyethylene cover over a parallel polyethylene core.
- Minimum tensile strength of 190 lbs.

08-98025 1/8" x 150'

This is the same line featured in our Throw Weight and Line Kits above



08-98025  
Replacement  
Throw Line

## Rope and Cambium Saver

Leather rope and cambium saver is a dependable and easy way to protect your climbing rope and tree bark from damage

- Leather is formed, sewn and riveted into a tube shape that's easy to feed the rope through.
- Effective device is durable, lightweight and easy to use.
- Easy to install and remove — simply pull end of rope to bring device down from tree.
- We suggest keeping this device installed on rope so it's ready every time the rope is used.
- Applying talcum powder inside the channel helps reduce friction.
- Accommodates lines 1/2" to 9/16" or 11 mm wide.

08-98400



Protects climbing rope and tree bark from damage

A bull rope and cambium saver is available on a contract basis with a minimum order of 25. Generally, lead time is 3-4 weeks on contract orders.

08-98400



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada 800-932-8371





08-98028



### Bull's Eye™ Throw Line

Polyethylene and Dyneema® combine for added strength and a slick design

- Constructed from neon green polyethylene and white Dyneema® in a striped design that offers high visibility.
- Dyneema® core gives this throw line added strength.
- Rot-resistant line has good memory for recoiling.
- This 2.5 mm rope glides easily in the hands.
- Average tensile strength of 450 lbs.

08-98028 2.5 mm x 180'

Dyneema® is a registered trademark of DSM Corp.



08-98029



### Jet Set Throw Line

Durable coated polyethylene construction resists abrasion and allows for a smooth glide

- Constructed from 100% pre-stretched ultra-high molecular weight polyethylene (UHMWPE).
- Coated 8-strand twill braid for abrasion and snagging resistance and enhanced glide.
- International safety orange is easily visible.
- Popular among professionals.
- Average tensile strength of 450 lbs.

08-98029 1.75 mm x 180'



08-98030



### Target Throw Line

Polyethylene provides a line that resists rotting and is easy to see

- Braided 100% polyethylene construction resists abrasion and snagging.
- Highly visible neon orange and yellow striped pattern.
- Rot-resistant line.
- Average tensile strength of 250 lbs.

08-98030 3.175 mm x 200'



08-98031

### Weaver Dyneema® Throw Line

Lightweight, high strength line is wax coated, giving it nice body and maneuverability in the tree

- This 1/8" rope easily glides in hands.
- Average tensile strength of 450 lbs.
- Red color offers easy visibility.

08-98031 1/8" x 200'

Dyneema® is a registered trademark of DSM Corp.





## ROPE & GEAR BAGS





**08401-40-22**  
Charcoal/Pink  
Small

**08401-70-27**  
Charcoal/Green  
X-Large

**08401-40-27**  
Charcoal/Green  
Small

**08401-70-22**  
Charcoal/Pink  
X-Large



**08410-00**

## Rope Bags

Heavy-duty design is reinforced at the top with a band of our exclusive Brahma Webb® coated webbing to help the bag stay open for easy loading

- Constructed from durable, 630-denier polyester with weather resistant coating.
- Plastic stiffeners fortify the sides, providing additional support and preventing bag from collapsing during loading.
- Convenient drawstring closure for quick and easy access.
- Soft nylon handles ensure easy, comfortable carrying.
- Charcoal material accented with green or pink logo and stitching.
- Small bag measures 11" in diameter x 14" high with a 22-liter carrying capacity.
- X-Large bag measures 15" in diameter x 19" high with a 55-liter carrying capacity.

<b>08401-40-22</b>	Charcoal/Pink, Small
<b>08401-40-27</b>	Charcoal/Green, Small
<b>08401-70-22</b>	Charcoal/Pink, X-Large
<b>08401-70-27</b>	Charcoal/Green, X-Large

## Cavern Gear Bag

Comfortably carry all necessary climbing gear with this versatile, heavy-duty gear bag featuring a padded back pad, removable cover and specialized storage

- Constructed with heavy-duty tarpaulin for waterproof, mildew-resistant and tear-resistant performance.
- Removable cover with buckle closures keeps your gear inside and protected from the elements.
- Outside pockets include a specialized handsaw pocket, two pockets with buckle closures, and a zippered front pocket with internal divider and daisy chain.
- Adjustable backpack straps and a padded back pad make it easy to take this bag from truck to tree.
- Hang gear and carabiners on four rows of daisy chain.
- A set of top handles and a reinforced side handle give you additional carrying options.
- Reflective piping provides enhanced visibility in low-light conditions.
- 70-liter carrying capacity.
- 24" high x 11" deep x 15" wide.

**08410-00**



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## Basic Rope Bags

Handy bags help keep rope coiled, tangle-free and protected

- Made from 1,200-denier polyester, these bags feature exterior, nylon-covered spiral wire to help prevent collapsing.
- Feature webbing straps with quick-release buckles that can be used to adjust height of bag or collapse bag when not in use.
- A scissor snap offers easy attachment to belt.
- The convenient drawstring top closure provides quick and easy access.
- 26 L bags measure 12" in diameter x 14" high and hold 150' of 1/2" or 9/16" rope.
- Red or blue.

08-07152

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



08-07152

Exterior spiral wire keeps bag from collapsing

Webbing straps with quick release buckles keep bag collapsed when not in use

## Deluxe Rope Bag

Durably-constructed bag stands up on its own for dependable performance

- Perfect for storing lifeline ropes measuring 1/2" or 9/16" x 150', this bag is constructed of 1,200-denier polyester.
- Feature exterior, nylon-covered spiral wire to help prevent collapsing.
- Handy quick-release buckles keep bag collapsed when not in use.
- A 1" ring offers easy attachment to a saddle.
- Features two outside pockets with convenient snap closures for storage of carabiners and other accessories.
- Top of bag features a zippered closure and a grommet for feeding rope through.
- The grommet is reinforced with leather for extra durability and is covered with a flap that keeps weather out.
- 22 L bag measures 11" in diameter x 15" high.
- Red.

08-07156



Polyester flap covers leather reinforced grommet to keep weather out

08-07156

Quick-release buckles keep bag collapsed when not in use



Exterior spiral wire keeps bag from collapsing

Call Toll Free in the U.S. and Canada 800-932-8371





08-07153

## Heavy-Duty Collapsible Basic Rope Bag

Handy bag helps keep rope coiled, tangle-free and protected

- Made with 1,200-denier nylon for extreme durability.
- Spiral wire attached to bag's exterior and reinforced with high-impact webbing helps prevent bag from collapsing.
- Features webbing straps with quick-release buckles that can be used to adjust height of bag or collapse bag when not in use.
- A scissor snap offers easy attachment to belt.
- Convenient drawstring top closure provides quick and easy access.
- 26 L bag measures 12" in diameter x 14" high and holds 150' of 1/2" or 9/16" rope.
- Charcoal.

08-07153



08-07157

## Heavy-Duty Collapsible Deluxe Rope Bag

Durably constructed bag stands up on its own for dependable performance

- Perfect for storing lifeline ropes measuring 1/2" or 9/16" x 150', this bag is constructed of 1,200-denier nylon.
- Designed with spiral wire attached to the exterior of the bag and reinforced with high-impact webbing to help prevent it from collapsing.
- Handy quick-release buckles keep bag collapsed when not in use.
- A 1" ring offers easy attachment to a saddle.
- Features two outside pockets with convenient snap closures for storage of carabiners and other accessories.
- Top of bag features a zippered closure and a grommet for feeding rope through.
- The grommet is reinforced with leather for extra durability and is covered with a flap that keeps weather out.
- 22 L bag measures 11" in diameter x 15" high.
- Charcoal.

08-07157



## Heavy-Duty Collapsible Bull Rope Bag

Durably constructed bag stands up on its own yet is flexible enough to collapse for convenient storage

- Constructed from 1,200-denier nylon, this bag is ideal for storing a 5/8" x 200' lowering line.
- Designed with spiral wire attached to the exterior of the bag and reinforced with high-impact webbing to help prevent the bag from collapsing when rope is fed into it.
- Quick-release buckles keep bag collapsed when not in use.
- Convenient drawstring top closure for quick and easy access.
- A padded shoulder strap for easy and comfortable carrying.
- Two roomy outside pockets for handy storage of block and rope.
- 52 L bag measures 15" in diameter x 18" high.
- Charcoal.

08-07162



## Multipurpose Storage Bags



Conveniently store and protect throw lines and weights

- Constructed of 600-denier coated polyester, these bags are available in small, medium and large sizes that work well for cabling projects to keep needed items on hand and separated.
- Small size holds 150', medium size holds 200' and large size holds 250' of throw line.
- Small size is perfect for keeping hardware and smaller items separated from the rest of your gear.
- Convenient drawstring top closures for quick and easy access.
- Feature interior nickel plated rings to tie ropes to and exterior nickel plated rings for easy attachment to a work belt, saddle or rope.
- Small 1 L size (4" in diameter x 6" high) is red; medium 6 L size (7" in diameter x 9" high) is blue; large 10 L size (8" in diameter x 12" high) is orange.

08-07140 Small  
08-07142 Medium  
08-07141 Large



Call Toll Free in the U.S. and Canada 800-932-8371





08-07135

## Rope Washing Bag

Handy all mesh bag for use when washing your climbing/lifeline ropes

- Simply put rope in the bag, pull the drawstring tight, and you're ready to wash your rope with mild detergent or dishwashing liquid.
- Perfect to use when hand-washing and machine washing.
- Measures 23" W x 27" H and accommodates 1/2" ropes up to 200'.
- Black.

08-07135



One bag keeps multiple throw lines and weights organized and protected

08-07165

## Throw Line Bucket Bag

Unique bag features separators that allow you to store and protect multiple throw lines and weights in one bag

- Constructed from 1,200-denier polyester, this bag will hold four various-sized bags and throw lines.
- Rain shield is generously-sized and features a convenient drawstring closure for easy access.
- Handy separators are included to ensure lines will not get tangled.
- Multiple inside pouches with hook and loop closures for easy storage of throw weights.
- Interior features four floating dees to help manage the line ends.
- Two handy external pockets offer added storage options.
- One external pocket has a clear pocket for easy labeling.
- 15 L bag measures 12" in diameter x 8" high.
- Red.

08-07165



08-07190

## Throw Line Storage Cube

Organize and store throw lines and weights with this roomy cube that folds down to a compact triangle

- Durably constructed cube offers plenty of storage with a roomy outside pocket and two smaller interior pockets.
- Great for both aerial and ground people.
- End of throw line secures with a hook and loop strap and dee ring.
- Cube measures 16" and collapses to a small triangle that is secured with a hook and loop strap.

08-07190



Collapses to a compact triangle for easy storage





## Bull Rope Deployment Bag

**Durably-constructed bag stands up on its own, yet is flexible enough to collapse for convenient storage**

- Constructed from 1,200-denier polyester, this bag is ideal for storing a 5/8" x 200' lowering line.
- Designed with an exterior, nylon-covered spiral wire to help prevent the bag from collapsing when rope is fed into it.
- Quick-release buckles keep bag collapsed when not in use.
- Convenient drawstring top closure for quick and easy access.
- A padded shoulder strap for easy and comfortable carrying.
- Two roomy outside pockets for handy storage of block and rope.
- 52 L bag measures 15" in diameter x 18" high.
- Blue.

08-07161



## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.

## Back Pack Rope Bag

**This handy bag is durably-constructed and easy to take to the work site**

- Constructed of 1,200-denier polyester, this bag is perfect for storing 150' of 1/2" or 9/16" rope.
- Back pack rope bag features padded shoulder straps for comfortable hands-free carrying.
- A cross strap with a quick-release buckle attaches to two shoulder straps across the chest for added stability.
- Features two roomy outside pockets for added storage.
- Convenient drawstring top closure for quick and easy access.
- 26 L bag measures 12" in diameter x 14" high.
- Red.

08-07180



Call Toll Free in the U.S. and Canada 800-932-8371





## All Purpose Gear Bag

**This large, versatile bag allows you to comfortably carry all necessary equipment**

- This convenient 1,200-denier polyester bag allows you to carry your positioning saddle, helmet, hand saw, rope and all accessories.
- A zipper down the side of the bag allows easy access to your equipment.
- A roomy, zippered outside compartment measures 13" W x 21" H x 2" D and offers added storage.
- A hand saw pouch measuring 5" W x 13" H x 2" D keeps your saw away from your climbing rope and features a hook and loop closure.
- Designed with mesh for breathability.
- Padded shoulder straps offer comfortable hands-free carrying and are angled for a better fit.
- A cross strap with a quick-release buckle attaches to two shoulder straps across the chest for added stability.
- Padded for comfort to back.
- 84 L bag measures 15" in diameter x 29" high.
- Blue.

**08-07185**



## Arborist Doctor-Style Tool Bags

**With a roomy, doctor-style design, these bags feature a hard plastic bottom to help protect contents from mud and water**

- As a result of rigorous field testing, we have designed these bags to perform above and beyond all others!
- Available in durable canvas or water-resistant, 1,000-denier polyester with a PVC coating, these bags have hinged mouths that open wide for easy access to the contents.
- Hard plastic bottom protects contents and helps prevent punctures from tools.
- Hinges feature rivets for added durability.
- Feature hook and loop closures at top for easy in and out, reinforced adjustable leather straps for added security and a rain shield cover for protection from the elements.
- Feature two 18" W x 12" H x 4" D side pockets with hook and loop closures.
- Elastic daisy chain in one side pocket securely stores carabiners.
- Feature webbing handles and an adjustable shoulder strap with pad for added comfort.
- Rings for attachment of shoulder strap are reinforced with webbing for durable performance.
- Main compartment measures 23" W x 19" H x 11" D.
- 79 L bag.

**08-07000** Canvas, Natural

**08-07001** Polyester, Yellow







## CLIMBER STRAPS & PADS







08-97001

## #85 Upper Climber Straps

Latigo leather straps are pliable and comfortable

- Constructed of 1" wide pliable yellow top grain latigo steer hide leather that's riveted for extra strength.
- Roller buckles and leather wear pads reduce abrasions.
- Ten oblong holes for size adjustment.
- Overall lengths of straps are 26".
- Nickel plated hardware.
- Sold in pairs.

08-97001 26"



08-98001

## Upper Climber Straps

Heavy-duty coated webbing offers the perfect combination of durability and comfort

- Riveted 1" heavy-duty coated webbing straps are extremely durable.
- Straps are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- **Neoprene version is available on a contract basis with a minimum order of 50 pairs. Generally, lead time is 3-4 weeks on contract items.**
- Roller buckles and top grain yellow latigo steer hide leather wear pads resist abrasion.
- Fourteen holes for perfect adjustment.
- Overall lengths of straps are 23", 26" or 28".
- Nickel plated hardware.
- Sold in pairs.

08-98001 23", 26", 28"



08-98050

## Split Ring Lower Climber Straps

Long-lasting, durable heavy-duty coated webbing offers extra comfort to the user

- These 1" wide heavy-duty coated webbing straps are riveted with nickel plated rivets.
- Straps are pre-cut, pre-punched and heat-sealed by the manufacturer to prevent fraying and ensure a quality end product.
- **Neoprene version is available on a contract basis with a minimum order of 50 pairs. Generally, lead time is 3-4 weeks on contract items.**
- Yellow top grain latigo steer hide leather wear pads and roller buckles help extend the life of straps by reducing abrasion.
- Fourteen buckle holes for size adjustment.
- Overall lengths of straps are 26".
- Nickel plated hardware.
- Sold in pairs.

08-98050 26"



## Split Ring Lower Climber Straps

Split rings allow for greater flexibility in wrapping straps around leg

- Yellow top grain latigo steer hide leather straps are 1" wide.
- Roller buckles and yellow top grain latigo steer hide leather pads help reduce wear.
- Ten oblong buckle holes allow buckle to lie flat and out of the way.
- Overall lengths of straps are 26".
- Nickel plated hardware.
- Sold in pairs.

08-97050 26"



08-97050

## Brahma Webb® Upper Climber Straps

Constructed from our exclusive, weather-resistant Brahma Webb® coated webbing, these 1" riveted, heavy-duty straps are extremely durable

- Straps are pre-cut, pre-punched and heat-sealed to prevent fraying for a quality end product.
- Reliable abrasion resistance with roller buckles and black leather wear pads.
- Fourteen holes for perfect adjustment.
- Overall lengths of straps are 23", 26" or 28".
- Nickel plated hardware.

08-98002 23", 26", 28"



08-98002

## Brahma Webb® Lower Straps

Constructed from our exclusive, weather-resistant Brahma Webb® coated webbing, these 1" riveted, heavy-duty straps are extremely durable

- Straps are pre-cut, pre-punched and heat-sealed to prevent fraying for a quality end product.
- Fourteen holes for perfect adjustment.
- Reliable abrasion resistance with roller buckles and black leather wear pads.
- Overall lengths of straps are 26".
- Nickel plated hardware.

08-98051 26"



08-98051



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada 800-932-8371





08-97156

## T-Shaped Climber Pads with Felt Liner

**No tabs — these pads thread onto straps and climber shank for extra stability**

- Pliable burgundy top grain latigo steer hide leather is lockstitched and riveted to soft brown oil tanned top grain steer hide leather to form a tunnel for the climber shank.
- Climber straps can be fed through 1" slots to help keep pads in place.
- Comfortable 1/2" thick felt is securely lockstitched and riveted to the soft brown oil tanned top grain steer hide leather to cushion the leg.
- Nickel plated rivets.
- Sold in pairs.

08-97156

## SATISFACTION GUARANTEED

We are deeply committed to the excellence of our work and the quality of our service and will go to great lengths to keep you a happy, satisfied Weaver customer. At Weaver, we're not satisfied unless you are. For this reason, Weaver provides both a warranty and a hassle free returns policy.



08-97157

## Super Climber Pads

**Extra large design distributes pressure more evenly for added comfort**

- Constructed of durable, weather-resistant top grain steer hide harness leather lined with 1/2" black felt.
- Felt liner and smoothed leather edges help prevent rubbing and chafing.
- Lockstitched for long-lasting, dependable use.
- Measuring an extra large 9" x 12", these pads evenly distribute pressure over calf for comfort.
- A tunnel for the climber shank and 1-1/4" slots for climber straps help hold pad in place.
- Requires two 26" climber straps to secure pad and climber shank to leg.
- Nickel plated rivets.
- Sold in pairs.

08-97157



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



## #130 L-Shaped Climber Pads

Provide foam-cushioned comfort for the back of leg and calf

- Soft 1" thick foam liner is layered between an outer layer of yellow top grain latigo steer hide leather and an inner layer of soft brown oil tanned top grain steer hide leather to provide extra comfort and protection to the back of leg and calf.
- Securely lockstitched for durability.
- Sold in pairs.

08-97158



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

08-97158



## #145 Climber Pads

No-tab slotted design with tunnel for climber shaft helps keep these foam-filled pads in place

- Design threads onto straps and climber shank.
- Soft 1" thick foam liner is layered between soft brown oil tanned top grain steer hide leather on the inside and pliable yellow top grain latigo steer hide leather on the outside to make these very comfortable climber pads.
- Nickel plated rivets.
- Sold in pairs.

08-97159

08-97159



## 2" Formed Plates



Green and burgundy metal plate inserts hold a variety of different spike climbers

- Our Shin Cup and Climber Pads on pages 52 & 53 are now interchangeable with these metal plate inserts.
- Sold per pair.

08-97125

Green metal plate inserts hold Old Buckingham, New Buckingham, Bashlin and Climb Right spike climbers

08-97130

Burgundy metal plate inserts hold Klein spike climbers

08-97125 Green



08-97130 Burgundy

08-97175



### Leather Climbing Pads

Premium harness leather construction with an English toast suede lining for no-slip comfort

- Wrap around calf with a 4" wide hook and loop strap that offers a perfect fit and distributes pressure evenly.
- Angled leather tunnel allows the climber shank to run securely when combined with the appropriate metal bracket.
- Sold per pair.
- Metal formed plates are not included. See page 51 for ordering information on 2" Formed Plates.

08-97175

Back



08-97176

Front

### Leather Shin Cup Pads

Constructed from durable burgundy latigo leather with 3/4" thick black felt lining for added comfort and to prevent chafing

- Fit securely on calf when combined with the appropriate metal bracket.
- Sold per pair.
- Metal formed plates are not included. See page 51 for ordering information on 2" Formed Plates.

08-97176



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

[www.weaverarborist.com](http://www.weaverarborist.com)



## ProCool™ Climber Pads with Velcro® Strap

ProCool™ Mesh Technology allows air circulation for a cooling effect

- Velcro® strap provides adjustability around the calf.
- Fit securely on calf when combined with the appropriate metal bracket.
- Sold per pair.
- Metal formed plates are not included. See page 51 for ordering information on 2" Formed Plates.

08-97177



Right Side

08-97177



Left Side

## ProCool™ Climber Pads with Brahma Webb® Strap

ProCool™ Mesh Technology allows air circulation for a cooling effect

- Brahma Webb® straps provide adjustability around the calf.
- Fit securely on calf when combined with the appropriate metal bracket.
- Sold per pair.
- Metal formed plates are not included. See page 51 for ordering information on 2" Formed Plates.

08-97178 26"

08-97179 28"



08-97178

08-97179

Right Side


Left Side



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada 800-932-8371





Gaff guards help prevent injuries and keep gaffs sharp

08-97100

## Gaff Guards

Hook and loop straps for easy on and off and a precise fit

- Pliable yellow top grain latigo steer hide leather is riveted to form these gaff guards.
- Hook and loop straps are riveted on.
- Nickel plated rivets.
- Sold in pairs.
- One size fits all.

08-97100



08-97101

## Gaff Guards with Bungee

Heavy duty black leather is riveted together to form these gaff guards with bungees for easy attachment

- Sold in pairs.
- One size fits all.

08-97101



Easily slides on leg straps or climber shanks for extra comfort

08-98100



## Padded Covers

These covers slide over 1" wide leg straps or over climber shanks for extra comfort

- Made from 1/2" thick foam padding layered between 2" wide heavy red webbing and a soft brown oil tanned top grain steer hide leather liner.
- Two webbing loops help secure these covers to saddle leg straps or climber shanks and allow for versatile positioning.
- Measure 2" x 8".
- Sold per pair.

08-98100



[www.weaverarborist.com](http://www.weaverarborist.com)



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.





## PRUNER POUCHES & AXE GUARDS





08-97200



08-97202

Available in two sizes,  
Fits 8" or Smaller Pruners  
or Fits 9" Pruners

08-97202

Fits 9" Pruners,  
with Knife Pouch



08-02015

without  
Pruner Pouch

08-02018

with Pruner Pouch

## Shaped Pruner Pouch

**Versatile pouch keeps small tools handy**

- Lockstitched and riveted natural top grain steer hide leather pouch with 5-3/4" pocket holds a variety of pruners or pliers 8" or smaller
- Attaches to belt with a 2" clip or belt can be slipped through 2" slots.

08-97200

## Pistol Type Pruner Pouches

**Hold hand pruners snugly in place without snaps or straps**

- Lockstitched and riveted soft brown oil tanned top grain steer hide leather construction.
- The pouches that fit 8" or smaller pruners have a 5" deep pocket and the pouch that fits 9" pruners has a 6" deep pocket.
- The pouch that fits 9" pruners has an optional 3" knife pouch.
- Belt loop slides over belts up to 2" wide.
- Nickel plated hardware.

08-97202 Fits 8" or Smaller Pruners

08-97202 Fits 9" Pruners

08-97202 Fits 9" Pruners, with Knife Pouch

## ARS Folding Saw Pouches

**Accommodate ARS and other 7"-10" folding saws**

- Available with or without a pruner pouch.
- Feature a pliable, 3-1/4" x 7" soft oil tanned top grain steer hide leather front that holds folding saw inside scabbard.
- Lockstitched and riveted for added strength.
- The 12-1/4" natural top grain steer hide leather back has a 2" clip for quick attachment to work belt or 2" slots to slide belt through.
- Nickel plated hardware.
- Pouch is 7" deep and will fit the ARS Folding Saw, Fanno Gardener, #2A and #2 Sportsman and FI-106, Corona® #PS 4040 and #RS 7040 and other saws 7" to 10" long when folded.

08-02015 without Pruner Pouch

08-02018 with Pruner Pouch





## Shaped Pruner Pouches with Shaped Knife Pouches

Versatile, dual-purpose cases hold a variety of pruners, knives and other tools

- Constructed from shaped, lockstitched and riveted natural top grain steer hide leather.
- The pouch that fits 8" or smaller pruners has a 5-3/4" deep pocket while the pouch that fits 9" pruners has a 7" deep pocket. Knife pouches on both sizes measure 6-1/4" deep.
- Knife pouch is riveted to pruner pouch and conveniently holds pocket knives or small folding knives.
- Knife pouch has a nickel plated snap-close flap that keeps knife in place.
- Feature 2" belt slots and a 2" belt clip.
- Nickel plated hardware.

**08-97220** Fits 8" or Smaller Pruners

**08-97220** Fits 9" Pruners



**08-97220**  
Fits 8" or  
Smaller Pruners

**08-97220**  
Fits 9" Pruners

## Cone-Shaped Pruner Pouch

Cone-shaped design offers quick and easy access

- Constructed from natural top grain steer hide leather with a 2" belt clip for attachment to a belt.
- Measures 6-1/4" high to accommodate most pruners.

**08-97221**



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.

Call Toll Free in the U.S. and Canada **800-932-8371**






08-02041



08-02043



08-02044



08504-40-06

08504-60-06

## One-Piece Single Bit Axe Guard

Helps protect axe blades and keep them sharp

- Durable natural top grain steer hide leather guard is lockstitched and riveted.
- Features a 5/8" x 16" long strap with eight hole adjustments that buckles around axe handle.
- Guard has a 5/8" welt all around and fits blade edges up to 5-3/8" long.
- Nickel plated hardware.

08-02041

## Full Length Double Bit Axe Guard

Snap open top makes this guard especially handy

- Weather-resistant top grain steer hide harness leather guard slips over a double bit axe and easily snaps closed.
- Lockstitched and riveted for extra durability.
- Measures 10" wide x 5-1/4" deep.
- Nickel plated hardware.

08-02043

## Two-Piece Pulaski Axe Guard

Adjustable length guard helps prevent damage to a Pulaski axe

- Natural top grain steer hide leather guard is sewn and riveted for durability and features a 5/8" wide welt.
- A 5/8" x 8" strap has eight holes for length adjustment and adjusts to a maximum of 19".
- Curved pouch measures 5" on bit edge x 6" wide. Flat pouch is 3-1/2" deep x 4-1/2" wide.
- Nickel plated hardware.

08-02044

## Axe Covers

Protect your axe's blade with this durable leather cover

- Top flap secures with non-rust button screw stud for easy on and off.
- Small size tapers from 4" at the widest point to 2-3/4" at the entry point with a 4" top flap.
- Large size tapers from 5" at the widest point to 3" at the entry point with a 4-1/2" top flap.

08504-40-06 Small

08504-60-06 Large



www.weaverarborist.com



Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.





**HAAS® PRODUCTS**





HAAS

®

### Nylon HAAS® Velox Ascent System

Patented design improves on the already ingenious HAAS® Ascent System by giving you an additional 18" of bungee in the system for a total of 30"

- Double tube system allows 30" of in-line bungee to be contained within the unit for over 30" of elongation.
- Versatile ascent system has zero set up and can be used by multiple users without adjustment.
- Snap is tied just above the ascender, extracting out up to 30" to eliminate any set up as well as any "dead spots" in the return action.
- Designed to maximize friction reduction with a bungee that terminates at the top of the Velox, travels down the channel to the bottom where it wraps around a shiv with stainless steel sealed bearings inside a machined aluminum block.
- Bungee returns up a second channel where it is tied to a snap.
- Bungee is replaceable in under five minutes with no tools.
- Short style is perfect for climbers 5' tall and under.
- Requires second foot ascender.
- U.S. Patents #9,352,190 and #9,643,054; European Patent #2994202

**08-98110** Regular

**08-98111** Short

**08-00546** Replacement Bungee Cord

**08-98111**  
Short

**08-98110**  
Regular




Handcrafted by our skilled craftspeople in Mt. Hope, Ohio, this product features the finest materials, skilled American workmanship and finishing touches for years of dependable performance.



[www.weaverarborist.com](http://www.weaverarborist.com)



**08-98109**

The popular Nylon HAAS® Velox System specially designed to clip into the ascent system foot loop on your Clip'N Step boots

## Nylon HAAS® Velox Clip'N Step Boots Ascent System

The popular Nylon HAAS® Velox System specially designed to clip into the ascent system foot loop on your Clip'N Step Boots

- Double tube system allows 30" of in-line bungee to be contained within the unit for over 30" of elongation.
- Versatile ascent system has zero set up and can be used by multiple users without adjustment.
- Snap is tied just above the ascender, extracting out up to 30" to eliminate any set up as well as any "dead spots" in the return action.
- Designed to maximize friction reduction with a bungee that terminates at the top of the Velox, travels down the channel to the bottom where it wraps around a shiv with stainless steel sealed bearings inside a machined aluminum block.
- Bungee returns up a second channel where it is tied to a snap.
- Bungee is replaceable in under five minutes with no tools.
- U.S. Patents #9,352,190 and #9,643,054; European Patent #2994202

**08-98109**

**08-00546** Replacement Bungee Cord

**08-00546**

Replacement Bungee Cord

Call Toll Free in the U.S. and Canada **800-932-8371**





# CT HARDWARE







08-98150

### Orbiter A, Prusik Pulley

Innovative pulley with mobile light alloy side plates

- Designed to increase the efficiency of the friction knot in tree climbing applications: the two connecting holes keep the connectors correctly aligned, avoiding torsion and side loads.
- Sheaves mounted on self-lubricating bushings.
- For use with  $\varnothing$  8÷13 mm ropes.

08-98150



08-98167

### Orbiter M Pulley

Pulley with mobile side plates that allow the insertion of any connector

- Made of anodized light alloy.
- Sheaves mounted on self-lubricating bushings.
- For use with ropes  $\varnothing \leq 13$  mm.
- Designed for hauling systems and deviations.

08-98167



08-98151

### Dual, Double Pulley

Innovative light alloy double pulley

- Developed for the re-direction of two ropes during work maneuvers.
- Pulley mounted on self-lubricating bushing.
- For use with  $\varnothing \leq 13$  mm ropes.

08-98151



08-98168

### Orbiter S Pulley

Pulley with mobile side plates that allow the insertion of any connector

- Made of anodized light alloy.
- Sheaves mounted on ball bearings.
- Presents an auxiliary attachment point for creating different hauling systems.
- For use with ropes  $\varnothing \leq 13$  mm.
- Designed for hauling systems and deviations.

08-98168



08-98162

### RollInLock Pulley

Ultra-light pulley/rope clamp (only 80 g!) designed for work, rope climbing maneuvers, rescue and self-rescue situations

- For use with ropes EN 892 / EN 1891  $\varnothing$  8 ÷ 13 mm.
- Spring-operated cam for use as a rope ascender.
- Sliding lock for use as a pulley.
- Allows the hauling of light loads.
- Designed to work on wet or dirty ropes.

08-98162

Call Toll Free in the U.S. and Canada 800-932-8371





**08-98112**  
Right Foot

**08-98113**  
Left Foot

### Quick-Step Foot Ascender

Ascender for the left or right foot, when used in conjunction with an ascender handle or a chest ascender, makes it easier and speeds up the ascent of a rope

- Cam/lever mechanism fully integrated into the body.
- Self-cleaning cam enables functioning even on dirty or icy ropes.
- Fully adjustable webbing for the correct positioning on the boot.
- Reinforcement on the lower side with a tubular webbing.
- Ideal for working at height and tree climbing, it is equipped with an opening lever which allows you to keep the device open to facilitate insertion of the rope and prevent it from accidentally slipping out.
- A great option to use with HAAS® for quick ascents.

**08-98112** Right Foot

**08-98113** Left Foot



**08-98159**

### QT Universal Fixing Support

Universal fixing support for QUICK TREE foot ascenders can be installed onto any boot by using the webbing system with the adjustment buckle

**08-98159**



[www.weaverarborist.com](http://www.weaverarborist.com)



**08-98157**  
Right Foot

**08-98158**  
Left Foot

### Quick Tree Ascender

Removable ascender for easier and faster rope ascent is ideal for tree climbing and working at height

- Featuring a two-movement quick attachment/release system, the device can be easily unclipped and attached to the harness by the attachment lever if it's not being used.
- Closure system with additional fixing lever to guarantee secure attachment to support.
- Cam/lever mechanism completely integrated into body.
- Opening lever allows you to keep device open to facilitate rope insertion and avoid rope accidentally coming out.
- Self-cleaning cam features three depressions to avoid the accumulation of dirt and mud.

**08-98157** Right Foot

**08-98158** Left Foot

## QUICK TREE ASCENDER

The device can be used with two different supports:

**QT UNIVERSAL:** universal fixing support that can be installed onto any boot by using the webbing system with the adjustment buckle. See below for details.

**QT SPURS:** special fixing support that has been designed to be installed onto any tree climbing crampons. This support enables the user to ascend a rope while wearing the tree climbing crampons. This speeds up the maneuvers because the user avoids having to continually take off and put back on the crampons to switch from the tree climbing mode to the rope climbing mode. The position of the locking cam can be easily adjusted in both directions according to the needs of the user. See next page for details.



**08-98160**

### QT Spurs Fixing Support

Special fixing support for QUICK TREE that has been designed to be installed onto any tree climbing crampons

- This support enables the user to ascend a rope while wearing the tree climbing crampons.
- This speeds up the maneuvers because the user avoids having to continually take off and put back on the crampons to switch from the tree climbing mode to the rope climbing mode.
- The position of the locking cam can be easily adjusted in both directions according to the needs of the user.

**08-98160**





08-98161

### Quick Step Strap

Spare lower strap that fits to both right and left Quick-Step Foot Ascenders

08-98161



08-98163 90

08-98164 150

08-98165 250

### Forest Anchor Sling

High-resistance EN 795-B anchor sling with aluminum alloy rings, particularly suited for tree work and for sites with entry from below where the sling can be removed from the ground after having finished the work at height

- Made of durable polyamide and high tenacity polyester.
- Equipped with two light alloy rings of different diameters.

08-98163 90

08-98164 150

08-98165 250



08700-09

### Harness Gear Clip

Organize gear on your harness for enhanced accessibility

- Lightweight composite polyamide construction with metal gate.
- Curved clip top holds gear while you remove the item you want.
- Easy clip-on and disconnect.
- Workload limit: 5 kg.

08700-09

#### ATTENTION! NOT TO BE USED AS PPE:

This product is designed only for hanging and carrying equipment on your belt or harness. It is not intended to support the weight of a person or to be used in rope maneuvers. Any different use must be considered as prohibited.



08701-122

### Harness Tool Clip

Conveniently carry lightweight tools and accessories on your harness

- Lightweight polyamide construction.
- Gate remains open with a simple maneuver, allowing quick hooking and releasing of tools.
- Workload limit: 5 kg.

08701-122

#### ATTENTION! NOT TO BE USED AS PPE:

This product is designed only for hanging and carrying equipment on your belt or harness. It is not intended to support the weight of a person or to be used in rope maneuvers. Any different use must be considered as prohibited.



**08-98152**  
Left Hand

**08-98153**  
Right Hand



**08-98154**  
Left Hand

**08-98155**  
Right Hand



**08-98156**

## Quick Roll Ascender

**Innovative handle ascender features an integrated pulley. Used in conjunction with a self-braking descender, it allows for ascending the work rope and is ideal for placing protection**

- Overmoulded, ergonomic handle ascender is designed for greater efficiency when pulling and for increased resistance to wear and tear.
- Cam opening lever usable with one hand features a patented system for unlocking the cam, with just one downward movement necessary.
- Steel cam, manufactured with technology that implements the resistance to wear and tear, is equipped with a set of teeth that protects the wear of the rope, but it is equally effective in blocking and ascending the rope.
- Three slots prevent the accumulation of mud and reduce the effort needed to slide the device up the rope under any condition (muddy, frozen etc.)
- Two attachment holes for various possible uses, anti-inversion cam system, secondary hole for connecting a quick link for an etrier.
- Working load increased to 140 kg.
- **Attention! The integrated pulley is not PPE and it can only be used as an additional aid to the ascent, but not for hauling people and/or material.**

**08-98152** Left Hand

**08-98153** Right Hand

## Quick'Up+ Ascender

**Light alloy ascender handle with ergonomic rubber grip for climbing ropes**

- Overmoulded, ergonomic handle ascender is designed for greater efficiency when pulling and for increased resistance to wear and tear.
- Cam opening lever usable with one hand features a patented system for unlocking the cam, with just one downward movement necessary.
- Steel cam, manufactured with technology that implements the resistance to wear and tear, is equipped with a set of teeth that protects the wear of the rope, but it is equally effective in blocking and ascending the rope.
- Three slots prevent the accumulation of mud and reduce the effort needed to slide the device up the rope under any condition (muddy, frozen etc.)
- Two attachment holes for various possible uses, anti-inversion cam system, secondary hole for connecting a quick link for an etrier.
- Working load increased to 140 kg.

**08-98154** Left Hand

**08-98155** Right Hand

## Quick'Arbor H Ascender

**Innovative double-handle ascender developed for tree climbing**

- Overmoulded, ergonomic handle ascender is designed for greater efficiency when pulling and for increased resistance to wear and tear.
- Reinforced "V shape" structure for increased robustness.
- Top protection cover to stop branches from accidentally entering during climbing.
- Large ergonomic anti-slip handle, usable when wearing gloves.
- Designed for tree climbing on double ropes using "footlock" technique or in combination with the two foot ascenders (e.g. QUICK TREE).
- 100° angle between the two handles helps reduce arm fatigue — more ergonomic, better performance.
- Working load of 140 kg.

**08-98156**





08-98176

### Pillar Pro TG Carabiner

Hot-forged light alloy carabiner with an oval shape, triplex gate and elevated workloads is particularly suitable for recovery and rescue operations, mountaineering, speleology, aid climbing and big wall

- Oval shaped for optimal positioning of pulleys and clamps, shaped for better grip during use.
- Elevated workloads: major axis strength 25 kN and minor axis strength 12 kN.
- Improved section in the most used points for an increased resistance during contact with the equipment and rope.
- Catch-free closure that prevents accidental snagging during use.
- 111 x 64 mm; 21 mm opening.

08-98176



08-98177

### Pillar Pro TGL Carabiner

Hot-forged light alloy carabiner with an oval shape, triplex gate and elevated workloads is particularly suitable for recovery and rescue operations, mountaineering, speleology, aid climbing and big wall

- Oval shaped for optimal positioning of pulleys and clamps, shaped for better grip during use.
- Elevated workloads: major axis strength 25 kN and minor axis strength 12 kN.
- Improved section in the most used points for an increased resistance during contact with the equipment and rope.
- ACL system allows you to attach it to the belay loop on the harness, stabilizing it and preventing the possibility of cross loading.
- Catch-free closure that prevents accidental snagging during use.
- 111 x 64 mm; 21 mm opening.

08-98177



08-98178

### Concept TG Carabiner

Hot-forged light alloy HMS carabiner with triplex twist-lock gate, conceived for use in trad, sport climb and mountaineering in general

- Especially recommended for use with belay devices.
- Ample inside space for use with the Munter hitch and for rope maneuvers on the belay station.
- Emphasized double T beam construction for an optimal weight/strength ratio.
- Light and shaped for a better grip.
- Catch-free nose avoids snagging when clipping and unclipping.
- 105 x 73 mm; 21 mm opening.

08-98178



08-98182

### Axis HMS TG Carabiner

Large HMS carabiner with wide opening and triplex twist-lock gate, made of hot-forged light alloy, designed for use in mountaineering, recovery maneuvers and rescue operations

- Shape guarantees correct axial loading relative to rope and other devices.
- Large size and ample width to allow use of Munter hitch knot, the securing of more than one rope, slings or devices and rope maneuvers in general.
- Accentuated double-T profile for an excellent weight/load ratio.
- Lightened and shaped form for improved ease of holding.
- Catch-free closure to avoid accidental tangling during use.
- 121 x 82 mm, 23 mm opening.

08-98182



08-98185

### Pillar TG Carabiner

Light alloy oval-shaped carabiner with triplex twist-lock gate, designed for mountaineering, aid climb, big wall, speleology, and rescue operations

- Oval shape for optimal positioning of pulleys and clamps.
- Particularly suited for use on belay stations, hauling and rescue maneuvers.
- Catch-free nose avoids snagging when clipping and unclipping.
- 111 x 62 mm; 21 mm opening.

08-98185



08-98189

### Snappy TG Carabiner

Light alloy HMS carabiner with triplex twist-lock gate, designed for use in trad, sport climb and mountaineering in general

- Large aperture and wide radius to facilitate rope sliding.
- Wide inner space allows for multipurpose use on the belay station and use of a Munter hitch.
- Catch-free nose to avoid snagging when clipping and unclipping.
- 112 x 73 mm; 22 mm opening.

08-98189



02460-102

### Tool Tether Carabiner

Single locking, double-action tool tether and accessory carabiner with captive eye pin

- Cold-formed aluminum.
- 1.81" x 3.23".
- Minimum tensile strength: 1,800 lbs. (8kN).
- Weight: 1.1 oz. (31.2 gm).
- For tool use only; not for life support applications.

02460-102



08-98196

### Fly-Weight EVO Carabiner Pack

FLY-WEIGHT EVO carabiners in five different colors (gold, orange, red, green and blue) suitable for assembling your own lightweight quickdraws of various lengths

08-98196



08-98194

Zinc Plated Steel, Small, 28 mm



08-98195

Zinc Plated Steel, Large, 46 mm

08-98193

Light Alloy, Large, 46 mm

### Arbo Rings

Small or large ring for tree climbing

Light Alloy

08-98193

Large, 46 mm

Zinc Plated Steel

08-98194

Small, 28 mm

08-98195

Large, 46 mm



# MISCELLANEOUS & PROMO ITEMS





08-07200

## Crane Bag

Helps manage crane slings and balancers

- Features a 2" x 7" strap with 2-1/2" safety spring snap to help keep slings and balancers in the bag.
- Orange.

08-07200



08-07193

## Nylon Cable Basket

Holds a coil of tree cable with a custom designed center hub for easy coil dispersal

- Durable nylon webbing construction.
- Wrap around design keeps coil together.
- Green/yellow.

08-07193



08-07195

## Bucket Cover

Designed to fit all standard one man buckets, this cover helps to keep the bucket dry and free of debris

- Durably-constructed from 18 oz. vinyl with a 21" bungee strap, and a non-rust stainless steel snap.
- Measures 24" x 24".
- Orange.

08-07195



08-98105

## Ascender Foot Loop

Adjustable in length, this foot loop features a wide foot bed for comfort

- This 1" x 62" strap loops through a beveled non-rust stainless steel dee and features a 10" adjustable foot strap with a durable rubberized belting foot bed.

08-98105



08-98106

## Chest Box

Lightweight and adjustable, this chest box offers an unencumbering design that's great for SRT ascents

- Constructed from 1" poly and elastic webbing with a 1" beveled non-rust stainless steel dee and black plastic loop with a quick-release buckle.
- Features 21" shoulder straps and a waist that adjusts from 33"-52".

08-98106



08-07196

## Double Bucket Cover

Keeps standard, two-man buckets dry and free from debris

- Durable 18 oz. vinyl construction with a 40" bungee strap and non-rust stainless steel snap for securing cover to bucket.
- Measures 50" x 24".
- Blue.

08-07196





**93-1056**  
Green

### Arborist Pen

Take notes and jot down estimates in style with this pen featuring the Weaver Arborist logo and website

**93-1056** Green



**93-0023**  
Assorted Colors

### Arborist Throw Weight Keychain

Miniature throw weight with a sturdy split key ring will keep your keys organized and easy to spot

**93-0023** Assorted Colors



**93-1057**

### The Brandana Multifunctional 12-In-1 Headwear

Soft, stretchy microfiber design starts out flat, but can be used in a multitude of ways: beanie, headband, face mask, neck scarf, rally towel, balaclava, wrist band and more

**93-1057**



**65-4250**  
4' x 2'

### Arborist Banner

One-sided design with grommets for easy hanging

**65-4250** 4' x 2'



**93-1177**  
Green/Gray

### Stocking Beanie with Leather Patch

Lightweight, soft and warm, this 100% acrylic cap features an on-trend slouchy design, mélange knitting, and a Weaver Arborist leather patch

**93-1177** Green/Gray



**93-1178**  
Gray

### Cap with Leather Patch

Leather patch featuring the Weaver Arborist logo adds a touch of style to this comfortable gray cap with black mesh back

**93-1178** Gray



## Details Make the Difference

At Weaver Arborist, we're committed to exceeding your expectations in every way. From using the finest materials and craftsmanship to designing each product with an unsurpassed attention to detail, our products are designed to elevate your climbing experience in every way. Our skilled craftspeople also work diligently to ensure every product meets our strict quality control standards for gear you can feel confident using when you're out in the field. From functional touches that just make the work day easier to enhancements to comfort that help you feel as good leaving work as when you arrived, we put details into our products that make a difference. Leg straps with memory foam pads... batten seats with a foam covered bar for added support... climber pads built for long-term comfort and durability... we're so excited to share with you all we have to offer! Weaver Arborist products are designed and manufactured to provide The Ultimate Climbing Experience®!



**Call Mon. - Fri. 8AM - 5PM**

Toll Free in the U.S. & Canada

Call: **1-800-WEAVER-1** Fax: **1-800-6-WEAVER**

Local & International: Call: 330-674-1782 • Fax: 330-674-0330

**[www.weaverarborist.com](http://www.weaverarborist.com)**