

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

A0118004d

Declaration Date

2/20/2026

Tested Item #

7372

6' Pass-Through Sling Anchor

### Additional Items Conforming Under this Declaration:

7336	A7336	S7336	7348	7324	737230	7372L
737210	737214	737216	737220	737224	7373	7373L
C7348	C7336	C7372	C7373	737208	737240	737208L

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

**ANSI Z359.18-2017**

### Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

**Level 1:** FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2017

**Level 2:** FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2017

**Level 3:** Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2017

Supporting  
Documentation

PC-1333

Authorized Signature

Name

Zachary Winters

Title

Director of Product & Applied  
Engineering

Date

2/20/2026



International Accreditation Service, Inc  
3060 Saturn St, Ste 100  
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594  
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

Exova  
3883 East Eagle Drive  
Anaheim  
California  
USA  
92807

T: +1 (714) 630-3003  
F: +1 (714) 630-4443  
E: sales@exova.com  
W: www.exova.com



Testing. Advising. Assuring.

January 26, 2018

FallTech Testing Laboratory  
1306 S. Alameda Street  
Compton, CA 90221

Attention: Jay Sponholz  
Quality Manager

Subject: **Attestation of Witnessing Testing**  
**Exova OCM Job # 371960-6**  
**FallTech P.O.: OPEN**  
**Report No.: PC-1333**  
**Base Part No. 7372**  
**Description: 6' Pass Through Sling Anchor**

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:

- Date of Testing:
  - January 16, 2018
- Exova OCM Test Witness:
  - 1/16/2018 – Kevin Ton
- FallTech Test Operators:
  - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.18-2017 Sections: 4.2.1, 4.2.2, 4.2.3

- Equipment Calibration Interval
  - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1333	1/16/2018	7372	6' Pass Through Sling Anchor	3767802 3767803 3771520 3771153 3771030 3768260 3771153 3771030 3768260	Pass

<b>Test Witness Signature:</b> Kevin Ton	<i>(Signed for and on behalf of Exova-OCM)</i> 	
---	---	--

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



### FallTech Test Report

<b>Test Report No.</b>	PC-1333	<b>Rpt. Date</b>	1/17/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7372	<b>Part No. Revision</b>	A				
<b>Part Description</b>	6' Pass Through Sling Anchor						
<b>Test Request No.</b>	PC-1333	<b>Date Complete</b>	1/16/2018				
<b>Test Operator(s)</b>	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
3767802	6' Pass Through Sling Anchor
3767803	6' Pass Through Sling Anchor
3771520	6' Pass Through Sling Anchor
3771153	6' Pass Through Sling Anchor
3771030	6' Pass Through Sling Anchor
3768260	6' Pass Through Sling Anchor
3771153	6' Pass Through Sling Anchor
3771030	6' Pass Through Sling Anchor
3768260	6' Pass Through Sling Anchor



## FallTech Test Report

<b>Test Report No.</b>	PC-1333	<b>Rpt. Date</b>	1/17/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7372	<b>Part No. Revision</b>	A				
<b>Part Description</b>	6' Pass Through Sling Anchor						
<b>Test Request No.</b>	PC-1333	<b>Date Complete</b>	1/16/2018				

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.18-2017 4.2.1.2	Static Strength	≥ 5,000 Lbf	5068.9 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.2	Static Strength	≥ 5,000 Lbf	5108.2 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.2	Static Strength	≥ 5,000 Lbf	5080.5 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.2	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	3761.0 lbF	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.2	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	2677.0 lbF	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.2	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	3325.4 lbF	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate



### FallTech Test Report

<b>Test Report No.</b>	PC-1333	<b>Rpt. Date</b>	1/17/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7372	<b>Part No. Revision</b>	A				
<b>Part Description</b>	6' Pass Through Sling Anchor						
<b>Test Request No.</b>	PC-1333	<b>Date Complete</b>	1/16/2018				

### Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.3.2	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4221.8 lbf	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.3.2	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4243.8 lbf	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.3.2	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4037.8 lbf	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate

### Conclusion

Based upon the samples provided to the Lab:  
 FallTech P/N 7372 Rev. A meets the requirements of ANSI Z359.18-2017.

### Report Signatories and Approval

<b>Lab Quality Manager</b>		<b>Date</b>	1/17/2018
<b>Witnessed by</b>	Kevin Ton  	<b>Date</b>	1/24/2018

