

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

A0218030a

Declaration Date

2.23.18

Tested Item #

7414P

Weld-on/Bolt-on D-ring Plate Anchor

Additional Items Conforming Under this Declaration:

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.18-2017

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

X

Level 3

Level 1: FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2005

Supporting  
Documentation

PC-1397

Authorized Signature

Name

Mark Sasaki

Title

Director of Engineering

Date

3.28.18

Exova  
3883 East Eagle Drive  
Anaheim  
California  
USA  
92807

T: +1 (714) 630-3003  
F: +1 (714) 630-4443  
E: sales@exova.com  
W: www.exova.com



Testing. Advising. Assuring.

February 26, 2018

FallTech Testing Laboratory  
1306 S. Alameda Street  
Compton, CA 90221

Attention: Jay Sponholz  
Quality Manager

Subject: **Attestation of Witnessing Testing**  
**Exova OCM Job # 380104-10**  
**FallTech P.O.: OPEN**  
**Report No.: PC-1397**  
**Base Part No. 7414P**  
**Description: Weld on D-ring Anchor**

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
  - February 22, 2018
- Exova OCM Test Witness:
  - 2/22/2018 – Kevin Ton
- FallTech Test Operators:
  - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.18-2017 Sections: 4.2.1, 4.2.2, 4.2.3

- Equipment Calibration Interval
  - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1397	2/22/2018	7414P	Weld on D-ring Anchor	SH1 SH2 SH3 SV1 SV2 SV3 DH1 DH2 DH3 DV1 DV2 DV3 RH1 RH2 RH3 RV1 RV2 RV3	Pass

<b>Test Witness Signature:</b> Kevin Ton	<i>(Signed for and on behalf of Exova-OCM)</i> 	
---	---	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



### FallTech Test Report

<b>Test Report No.</b>	PC-1397	<b>Rpt. Date</b>	2/23/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7414P	<b>Part No. Revision</b>	C				
<b>Part Description</b>	Weld on D-ring Anchor						
<b>Test Request No.</b>	PC-1397	<b>Date Complete</b>	2/22/2018				
<b>Test Operator(s)</b>	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
SH1	Weld on D-ring Anchor
SH2	Weld on D-ring Anchor
SH3	Weld on D-ring Anchor
SV1	Weld on D-ring Anchor
SV2	Weld on D-ring Anchor
SV3	Weld on D-ring Anchor
DH1	Weld on D-ring Anchor
DH1	Weld on D-ring Anchor
DH3	Weld on D-ring Anchor
DV1	Weld on D-ring Anchor
DV2	Weld on D-ring Anchor
DV3	Weld on D-ring Anchor
RH1	Weld on D-ring Anchor
RH2	Weld on D-ring Anchor
RH3	Weld on D-ring Anchor
RV1	Weld on D-ring Anchor
RV2	Weld on D-ring Anchor
RV3	Weld on D-ring Anchor



## FallTech Test Report

<b>Test Report No.</b>	PC-1397	<b>Rpt. Date</b>	2/23/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7414P	<b>Part No. Revision</b>	C				
<b>Part Description</b>	Weld on D-ring Anchor						
<b>Test Request No.</b>	PC-1397	<b>Date Complete</b>	2/22/2018				

### Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.1.1 Horizontal Mount	Static Strength	≥ 5,000 Lbf	5085.8 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.1 Horizontal Mount	Static Strength	≥ 5,000 Lbf	5107.3 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.1 Horizontal Mount	Static Strength	≥ 5,000 Lbf	5128.1 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.1 Vertical Mount	Static Strength	≥ 5,000 Lbf	5111.1 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.1 Vertical Mount	Static Strength	≥ 5,000 Lbf	5101.6 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.1.1 Vertical Mount	Static Strength	≥ 5,000 Lbf	5093.3 lbF	Pass
	Maintain Load	≥ 3 Minutes	3 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate



## FallTech Test Report

<b>Test Report No.</b>	PC-1397	<b>Rpt. Date</b>	2/23/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7414P	<b>Part No. Revision</b>	C				
<b>Part Description</b>	Weld on D-ring Anchor						
<b>Test Request No.</b>	PC-1397	<b>Date Complete</b>	2/22/2018				

### Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.2.1 Horizontal Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4427.5 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.1 Horizontal Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4413.3 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.1 Horizontal Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4607.4 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.1 Vertical Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	3974.4 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.1 Vertical Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4145.7 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.2.1 Vertical Mount	Dynamic Strength	Shall Arrest a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	4035.5 lbf	Information
	Gate Separation	≥ 1/8"	Not Applicable	No Gate



### FallTech Test Report

<b>Test Report No.</b>	PC-1397	<b>Rpt. Date</b>	2/23/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7414P	<b>Part No. Revision</b>	C				
<b>Part Description</b>	Weld on D-ring Anchor						
<b>Test Request No.</b>	PC-1397	<b>Date Complete</b>	2/22/2018				

### Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.3.1 Horizontal Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	5329.0 lbF	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.3.1 Horizontal Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	5419.7 lbF	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate
ANSI Z359.18-2017 4.2.3.1 Horizontal Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall	Pass
	Max Arrest Force	Information Only	5520.9 lbF	Information
	Maintain Load	≥ 1 Minutes	1 Minutes	Pass
	Gate Separation	≥ 1/8"	Not Applicable	No Gate



### FallTech Test Report

<b>Test Report No.</b>	PC-1397	<b>Rpt. Date</b>	2/23/2018	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	ANSI Z359.18-2017: 4.2.1, 4.2.2, 4.2.3,				
<b>Part No.</b>	7414P	<b>Part No. Revision</b>	C				
<b>Part Description</b>	Weld on D-ring Anchor						
<b>Test Request No.</b>	PC-1397	<b>Date Complete</b>	2/22/2018				




### Test Summary (Continued)

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.18-2017 4.2.3.1 Vertical Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	5033.9 lbf
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	Not Applicable
ANSI Z359.18-2017 4.2.3.1 Vertical Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	5027.7 lbf
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	Not Applicable
ANSI Z359.18-2017 4.2.3.1 Vertical Mount	Residual Dynamic Strength	Secondary Arrest of a 3 foot Freefall with 282 Lb Test Weight	Arrested the Fall
	Max Arrest Force	Information Only	4921.9 lbf
	Maintain Load	≥ 1 Minutes	1 Minutes
	Gate Separation	≥ 1/8"	Not Applicable

### Conclusion

Based upon the samples provided to the Lab:  
 FallTech P/N 7414P Rev. C meets the requirements of ANSI Z359.18-2017.

### Report Signatories and Approval

<b>Lab Quality Manager</b>		<b>Date</b>	2/23/2018
<b>Witnessed by</b>	Kevin Ton  	<b>Date</b>	2/24/2018