

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

B0627199a

Declaration Date

6/14/2024

Tested Item #

8123BQCM

FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest

Additional Items Conforming Under this Declaration:

8123BQCXS	8123BQCXL	8124BQCXS	8124BQCL	8124BQC3X	8048QCL
8123BQCS	8123BQC2X	8124BQCS	8124BQCXL	8048QCS	8048QCXL
8123BQCL	8123BQC3X	8124BQCM	8124BQC2X	8048QCM	8048QC2X

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.11-2021

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-2820

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

6/14/2024



International Accreditation Service, Inc
3060 Saturn St, Ste 100
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

FallTech Test Report

Test Report No.	PC-2820	Rpt. Date	6/23/2023	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)	ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6				
Part No.	8123BQCM	Part No. Revision	A				
Part Description	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
Test Request No.	PC-2820	Date Complete	6/23/2023				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
7093781	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093780	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093779	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093782	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093786	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093784	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093783	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093788	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093775	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093787	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093774	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093789	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093784	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093786	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093782	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf \geq 1 Minute	3627.7 Lbf Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release Pass
	Adjuster Slippage	Slippage \leq 1"	0.32" Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf \geq 1 Minute	3648.9 Lbf Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release Pass
	Adjuster Slippage	Slippage \leq 1"	0.33" Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf \geq 1 Minute	3639.5 Lbf Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release Pass
	Adjuster Slippage	Slippage \leq 1"	0.41" Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear Pass

FallTech Test Report

Test Report No.	PC-2820	Rpt. Date	6/23/2023	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
Part No.	8123BQCM	Part No. Revision			A		
Part Description	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
Test Request No.	PC-2820	Date Complete			6/23/2023		

Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf \geq 1 Minute	3642.5 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf \geq 1 Minute	3629.9 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf \geq 1 Minute	3666.4 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load \geq 3600 Lbf	4477.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	2.2°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	12.0"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load \geq 3600 Lbf	4466.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	2.8°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.7"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load \geq 3600 Lbf	4449.8 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	2.7°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.8"	Pass

FallTech Test Report

Test Report No.	PC-2820	Rpt. Date	6/23/2023	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
Part No.	8123BQCM	Part No. Revision			A		
Part Description	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
Test Request No.	PC-2820	Date Complete			6/23/2023		

Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact \geq 3,600 Lbf or 72" Free Fall	72" Free fall 2414.6 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	4.7°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact \geq 3,600 Lbf or 72" Free Fall	72" Free fall 2235.6 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	2.5°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact \geq 3,600 Lbf or 72" Free Fall	72" Free fall 2220.2 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest \leq 30°	5.6°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass

Conclusion

Based upon the samples provided to the Lab:
 FallTech P/N 8123BQCM Rev. A meets the requirements of ANSI Z359.11-2021

Report Signatories and Approval

Lab Quality Manager		Date	6/23/2023
----------------------------	---	-------------	-----------