

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



FALLTECH[®]

Fall Protection. Precision Engineered.

Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C0217049

Declaration Date

2.22.17

Tested Item #

8458

Work Positioning Assembly 16" with Spreader Hook

Additional Items Conforming Under this Declaration:

8457

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.3-2016

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

☐

Level 2

X

Level 3

☐

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1050

Authorized Signature

Name

Dustin Hawkins

Title

VP Business Development

Date

3.2.17



Testing. Advising. Assuring.

February 28, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 370235-19
FallTech P.O.: OPEN
Report No.: PC-1050
Base Part No. 8458
Description: Positioning Lanyard

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - February 21, 2017
- Exova OCM Test Witness:
 - Kevin Ton
- FallTech Test Operators:
 - Yesbet Sierra and Jay Sponholz
- Specification:



ANSI Z359.3-2016 Sections 4.2.1, 4.2.3

-
- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1050	2/22/2017	8458	Positioning Lanyard	S1 S2 S3 D1 D2 D3	Pass

Test Witness Signature: Kevin Ton Test Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM)  
---	---

Approval Signature: Thomas J. (Tom) Parsons Manager Quality / Technical Services	(Signed for and on behalf of Exova-OCM)  
--	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report Number	PC-1050	Date	2/22/2017	Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification		ANSI Z359.3-2016, 4.2.1 & 4.2.3			
Base Part #	8458	Description		Positioning Lanyard			
Proposed Part #	N/A	Built By Whom		Production		BOM	No
Test Request #	PC-1050	Date Received		2/15/2017	Date Complete		2/21/2017
Test Operator	Yesbet Sierra	Test Operator		Jay Sponholz			

Material/Sample Identification

Sample ID	Description
S1	Positioning Lanyard
S2	Positioning Lanyard
S3	Positioning Lanyard
D1	Positioning Lanyard
D2	Positioning Lanyard
D3	Positioning Lanyard

Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5033.9 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5039.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2016 4.2.1	Static Strength	≥ 5000 Lbf	5066.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass



FallTech Test Report

Test Report Number	PC-1050	Date	2/22/2017	Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification	ANSI Z359.3-2016, 4.2.1 & 4.2.3				
Base Part #	8458	Description	Positioning Lanyard				
Proposed Part #	N/A	Built By Whom	Production	BOM	No		
Test Request #	PC-1050	Date Received	2/15/2017	Date Complete	2/21/2017		
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5413.4 Lbf		Pass		
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes		Pass		
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5427.6 Lbf		Pass		
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes		Pass		
ANSI Z359.3-2016 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5678.6 Lbf		Pass		
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes		Pass		

Conclusion

FallTech P/N 8458 Positioning Lanyard meets the requirements of ANSI Z359.3-2016

Report Signatories and Approval

Lab Quality Manager		Date	2/22/2017
Witnessed by	Kevin Ton 	Date	2/22/2017