

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C0617055b

Declaration Date

6.14.17

Tested Item #

8247EY3R

4½ - 6' Ironman® Y-leg SAL with Rescue D-rings

Additional Items Conforming Under this Declaration:

8247EY3AR

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.13-2013

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1140

PC-1170

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

8.14.17

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

June 15, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 370839-7
FallTech P.O.: OPEN
Report No.: PC-1140
Base Part No. 8247EY3R
Description: Y-Leg Energy Absorbing Lanyard

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - June 14, 2017
- Exova OCM Test Witness:
 - 6/14/17 -Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:



ANSI Z359.13-2013 Sections 4.7.1, 4.7.2, 4.7.3, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1140	6/14/17	8247EY3R	Energy Absorbing Lanyard	S1	Pass
				S2	
				S3	
				D1	
				D2	
				D3	
				S1	
				S2	
				S3	
				D1	
				D2	
				D3	
				W1	
				W2	
				W3	
C1					
C2					
C3					
H1					
H2					
H3					

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	<i>(Signed for and on behalf of Exova-OCM)</i> 	
---	---	---

Approval Signature: Jim Rutherford Active Quality Manager	<i>(Signed for and on behalf of Exova-OCM)</i> 	
--	--	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1140	Rpt. Date	6/14/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1140	Date Complete	6/14/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
S1	12FF Y-Leg Energy Absorbing Lanyard
S2	12FF Y-Leg Energy Absorbing Lanyard
S3	12FF Y-Leg Energy Absorbing Lanyard
D1	12FF Y-Leg Energy Absorbing Lanyard
D2	12FF Y-Leg Energy Absorbing Lanyard
D3	12FF Y-Leg Energy Absorbing Lanyard
S1	12FF Y-Leg Energy Absorbing Lanyard
S2	12FF Y-Leg Energy Absorbing Lanyard
S3	12FF Y-Leg Energy Absorbing Lanyard
D1	12FF Y-Leg Energy Absorbing Lanyard
D2	12FF Y-Leg Energy Absorbing Lanyard
D3	12FF Y-Leg Energy Absorbing Lanyard
W1	12FF Y-Leg Energy Absorbing Lanyard
W2	12FF Y-Leg Energy Absorbing Lanyard
W3	12FF Y-Leg Energy Absorbing Lanyard
C1	12FF Y-Leg Energy Absorbing Lanyard
C2	12FF Y-Leg Energy Absorbing Lanyard
C3	12FF Y-Leg Energy Absorbing Lanyard
H1	12FF Y-Leg Energy Absorbing Lanyard
H2	12FF Y-Leg Energy Absorbing Lanyard
H3	12FF Y-Leg Energy Absorbing Lanyard



FallTech Test Report

Test Report No.	PC-1140	Rpt. Date	6/14/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1140	Date Complete	6/14/2017				

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5013.9 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5016.4 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5042.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5028.5 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 3600 Lbf	5022.6 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 3600 Lbf	5022.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5027.0 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5022.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5026.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	55.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1206.2 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	869.1 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	54.8	Pass
	Max Arrest Force	≤ 1800 Lbf	1193.2 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	869.9 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	55.3"	Pass
	Max Arrest Force	≤ 1800 Lbf	1298.9 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	879.8 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1140	Rpt. Date	6/14/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1140	Date Complete	6/14/2017				

Test Summary (Continued)


Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1229.9 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1240.8 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1300.4 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	56.9"	Pass
	Max Arrest Force	≤ 1800 Lbf	1394.5 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	939.8 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	51.4"	Pass
	Max Arrest Force	≤ 1800 Lbf	1695.8 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	899.5 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	55.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1244.9 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	873.2 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	49.2"	Pass
	Max Arrest Force	≤ 1800 Lbf	1315.1 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	890.0 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	49.9"	Pass
	Max Arrest Force	≤ 1800 Lbf	1285.5 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	870.3 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	48.4"	Pass
	Max Arrest Force	≤ 1800 Lbf	1332.2 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	907.4 Lbf	Pass



FallTech Test Report							
Test Report No.	PC-1140	Rpt. Date	6/14/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1140	Date Complete	6/14/2017				

Test Summary (Continued)				
Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	58.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1263.7 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	890.8 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	59.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1454.8 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	922.0 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	58.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1347.4 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	903.0 Lbf	Pass

Conclusion	
FallTech P/N 8247EY3R Rev. A Energy Absorbing Y-lanyard meets the requirements of ANSI Z359.13-2013	

Report Signatories and Approval			
Lab Quality Manager		Date	6/14/2017
Witnessed by	Nolan Schatzle 	Date	6-15-17

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

July 31, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371118-1
FallTech P.O.: OPEN
Report No.: PC-1170
Base Part No. 8247EY3R
Description: Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - July 19, 2017
- Exova OCM Test Witness:
 - 7/19/17 -Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:


ANSI Z359.13-2013 Sections 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1170	7/19/17	8247EY3R	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall	3996095 3996092 S3 D1 D2 D3 3996095 3996092 S3 D1 D2 D3 3996094 3996088 3996086 3996090 4008038 3996093 3996091 3996089 3996087	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM) 	
---	--	---

Approval Signature: Victor Mendez Production Manager	(Signed for and on behalf of Exova-OCM) 
---	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1170	Rpt. Date	7/26/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1170	Date Complete	7/19/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
3996095	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996092	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
S3	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D1	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D2	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D3	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996095	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996092	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
S3	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D1	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D2	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
D3	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996094	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996088	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996086	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996090	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4008038	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996093	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996091	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996089	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3996087	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall



FallTech Test Report

Test Report No.	PC-1170	Rpt. Date	7/26/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1170	Date Complete	7/19/2017				

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5031.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5032.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5033.5 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5026.9 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5027.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5035.3 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5028.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5035.9 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5053.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	34.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1174.0 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	851.8 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	35.6"	Pass
	Max Arrest Force	≤ 1800 Lbf	1081.9 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	843.9 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	32.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1120.4 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	849.1 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1170	Rpt. Date	7/26/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1170	Date Complete	7/19/2017				

Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1186.4 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1221.6 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1257.8 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	35.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1100.5 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	869.6 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	34.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1331.2 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	886.8 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	34.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1116.3 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	858.5 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	28.2"	Pass
	Max Arrest Force	≤ 1800 Lbf	1272.9 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	889.0 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	29.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1184.2 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	920.6 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	30.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1205.5 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	887.3 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1170	Rpt. Date	7/26/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247EY3R	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1170	Date Complete	7/19/2017				


Test Summary (Continued)


Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	35.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1314.7 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	860.0 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	36.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1192.7 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	867.2 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	36.6"	Pass
	Max Arrest Force	≤ 1800 Lbf	1231.6 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	869.6 Lbf	Pass

Conclusion

FallTech P/N 8247EY3R Rev. A meets the requirements of ANSI Z359.13-2013

Report Signatories and Approval

Lab Quality Manager		Date	7/26/2017
---------------------	---	------	-----------

Witnessed by		Date	7-31-17
--------------	---	------	---------