

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

C1017007c

Declaration Date

1/7/2025

Tested Item #

8165D65

**6.5' Rope Positioning Lanyard Alum Snap Hook + Alum Carabiner**

## Additional Items Conforming Under this Declaration:

8165D10	8165D13	8165D165	8165A65	8165A10	8165A13	8165A165
8165B65	8165B10	8165B13	8165B165	8165C65	8165C10	8165C13
8165C165	8165E65	8165F65	8165E10	8165E13	8165E165	

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

**ANSI Z359.3-2017**

## Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

☐

Level 2

X

Level 3

☐

**Level 1:** FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2017

**Level 2:** FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2017

**Level 3:** Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2017

Supporting  
Documentation

PC-1250

Authorized Signature

A handwritten signature in black ink, appearing to read 'Zachary Winters', written over a dashed line.

Name

Zachary Winters

Title

Engineering Manager

Date

1/7/2025



International Accreditation Service, Inc  
3060 Saturn St, Ste 100  
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594  
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech



Testing. Advising. Assuring.

October 26, 2017

FallTech Testing Laboratory  
1306 S. Alameda Street  
Compton, CA 90221

Attention: Jay Sponholz  
Quality Manager

Subject: **Attestation of Witnessing Testing**  
**Exova OCM Job # 371456-6**  
**FallTech P.O.: OPEN**  
**Report No.: PC-1250**  
**Base Part No. 8165D65**  
**Description: 6.5' Rope Positioning Lanyard**

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
  - October 12, 2017
- Exova OCM Test Witness:
  - 10/12/17 - Nolan Schatzle
- FallTech Test Operators:
  - Yesbet Sierra/Jay Sponholz
- Specification:


ANSI Z359.3-2017 Sections: 4.2.1 & 4.2.3

- Equipment Calibration Interval
  - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1250	10/12/17	8165D65	6.5' Rope Positioning Lanyard	4112182 4113180 4113183 4017509 4017510 4017512	Pass

<b>Test Witness Signature:</b> Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM)  
---	--

<b>Approval Signature:</b> Victor Mendez Production Manager	(Signed for and on behalf of Exova-OCM) 
---	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



## FallTech Test Report

Test Report No.	PC-1250	Rpt. Date	10/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Sara Martinez	Test Specification(s)		ANSI Z359.3-2017, 4.2.1 & 4.2.3			
Part No.	8165D65			Part No. Revision		A	
Part Description	6.5' Rope Positioning Lanyard						
Test Request No.	PC-1250			Date Complete		10/12/2017	
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
4113182	6.5' Rope Positioning Lanyard
4113180	6.5' Rope Positioning Lanyard
4113183	6.5' Rope Positioning Lanyard
4017509	6.5' Rope Positioning Lanyard
4017510	6.5' Rope Positioning Lanyard
4017512	6.5' Rope Positioning Lanyard

### Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.3-2017 4.2.1	Static Strength	$\geq 5000$ Lbf	5034.4 Lbf.	Pass
	Hold	$\geq 1$ Minute	1 Minute	Pass
ANSI Z359.3-2017 4.2.1	Static Strength	$\geq 5000$ Lbf	5024.6 Lbf.	Pass
	Hold	$\geq 1$ Minute	1 Minute	Pass
ANSI Z359.3-2017 4.2.1	Static Strength	$\geq 5000$ Lbf	5027.5 Lbf.	Pass
	Hold	$\geq 1$ Minute	1 Minute	Pass

## FallTech Test Report


Test Report No.	PC-1250	Rpt. Date	10/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Sara Martinez	Test Specification(s)		ANSI Z359.3-2017, 4.2.1 & 4.2.3			
Part No.	8165D65			Part No. Revision		A	
Part Description	6.5' Rope Positioning Lanyard						
Test Request No.	PC-1250			Date Complete		10/12/2017	

ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4181.7 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4695.3 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4741.2 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass

### Conclusion

Based upon the samples provided to the Lab:  
 FallTech P/N 8165D65 Rev. A meets the requirements of ANSI Z359.3-2017

### Report Signatories and Approval

Lab Quality Manager		Date	10/13/2017
Witnessed by	Nolan Schatzle 	Date	10-26-17

