

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C1017011a

Declaration Date

10.13.17

Tested Item #

8307

6' Coated Cable Restraint Lanyard

Additional Items Conforming Under this Declaration:

830736

83074FT

830708

830710

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.3-2017

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1248

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

2.13.18

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

October 26, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371456-7
FallTech P.O.: OPEN
Report No.: PC-1248
Base Part No. 8307
Description: 6' Restraint Lanyard; Coated Cable with Snap Hooks

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:


- Date of Testing:
 - October 12, 2017
- Exova OCM Test Witness:
 - 10/12/17 - Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.3-2017 Sections: 4.2.1 & 4.2.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1248	10/12/17	8307	6' Restraint Lanyard; Coated Cable with Snap Hooks	4038458 4038461 4038455 4038456 4038457 4038454	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	<i>(Signed for and on behalf of Exova-OCM)</i>  
---	---

Approval Signature: Victor Mendez Production Manager	<i>(Signed for and on behalf of Exova-OCM)</i> 
---	--

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1248	Rpt. Date	10/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Sara Martinez	Test Specification(s)	ANSI Z359.3-2017, 4.2.1 & 4.2.3				
Part No.	8307	Part No. Revision	A				
Part Description	6' Restraint Lanyard; Coated Cable with Snap Hooks						
Test Request No.	PC-1248	Date Complete	10/12/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
4038458	6' Restraint Lanyard; Coated Cable with Snap Hooks
4038461	6' Restraint Lanyard; Coated Cable with Snap Hooks
4038455	6' Restraint Lanyard; Coated Cable with Snap Hooks
4038456	6' Restraint Lanyard; Coated Cable with Snap Hooks
4038457	6' Restraint Lanyard; Coated Cable with Snap Hooks
4038454	6' Restraint Lanyard; Coated Cable with Snap Hooks

Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.3-2017 4.2.1	Static Strength	≥ 5000 Lbf	5033.9 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2017 4.2.1	Static Strength	≥ 5000 Lbf	5036.5 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.3-2017 4.2.1	Static Strength	≥ 5000 Lbf	5047.6 Lbf.	Pass
	Hold	≥ 1 Minute	1 Minute	Pass



FallTech Test Report

Test Report No.	PC-1248	Rpt. Date	10/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Sara Martinez	Test Specification(s)	ANSI Z359.3-2017, 4.2.1 & 4.2.3				
Part No.	8307	Part No. Revision	A				
Part Description	6' Restraint Lanyard; Coated Cable with Snap Hooks						
Test Request No.	PC-1248	Date Complete	10/12/2017				


ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4138.1 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4009.1 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass
ANSI Z359.3-2017 4.2.3	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	4964.8 Lbf	Pass
	Hold	Remain Suspended for ≥ 1 Minutes	1 Minutes	Pass

Conclusion

Based upon the samples provided to the Lab:
 FallTech P/N 8307 Rev. A meets the requirements of ANSI Z359.3-2017

Report Signatories and Approval

Lab Quality Manager		Date	10/13/2017
---------------------	---	------	------------

Witnessed by		Date	10-26-17
--------------	---	------	----------

