

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

DC0401029

Declaration Date

4/1/2026

Tested Item #

723760

CT-R SRL, Class 1 Overhead, 60'

Additional Items Conforming Under this Declaration:

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

CSA Z259.2.2-2017

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2017

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2017

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2017

Supporting
Documentation

PC-3648

Authorized Signature

Name

Zachary Winters

Title

Director of Product and
Applied Engineering

Date

4/1/2026



International Accreditation Service, Inc

3060 Saturn St, Ste 100

Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594

ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

FallTech Test Report

Test Report No.	PC-3648	Rpt. Date	3/31/2026	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)	CSA Z259.2.2-2017: 7.1, 7.2, 7.3, 7.4, 7.6				
Part No.	723760	Part No. Revision	A				
Part Description	CT-R SRL, Class 1 Overhead, 60'						
Test Request No.	PC-3648	Date Complete	3/31/2026				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
S1	CT-R SRL, Class 1 Overhead, 60'
A1	CT-R SRL, Class 1 Overhead, 60'
C1	CT-R SRL, Class 1 Overhead, 60'
H1	CT-R SRL, Class 1 Overhead, 60'

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
CSA Z259.2.2-2017 7.1.2	Retraction Tension 0% Extracted	1.0 Lbf - 20 Lbf	4.9 lbF	Pass
	Retraction Tension 20% Extracted	1.0 Lbf - 20 Lbf	4.9 lbF	Pass
	Retraction Tension 40% Extracted	1.0 Lbf - 20 Lbf	5.6 lbF	Pass
	Retraction Tension 60% Extracted	1.0 Lbf - 20 Lbf	6.1 lbF	Pass
	Retraction Tension 80% Extracted	1.0 Lbf - 20 Lbf	6.8 lbF	Pass
	Retraction Tension 100% Extracted	1.0 Lbf - 20 Lbf	7.3 lbF	Pass
CSA Z259.2.2-2017 7.6.2	Locking	Lock and Hold Load	Hold for 1 minute	Pass
	Max Arrest Force	Information only	1278.8 lbF	Information only
	Arrest Distance	≤ 36"	24.8"	Pass
CSA Z259.2.2-2017 7.4.2	Static Strength	≥ 2990 Lbf for ≥ 60 Seconds	3031.0 lbF	Pass

This laboratory is accredited with the recognized International Standard
ISO/IEC 17025:2017.



Certificate# TL-594 Testing

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to the joint ISO-ILAC Communiquedated January 2009).

FallTech Testing Laboratory utilizes the Simple Acceptance Rule and allows for a 5% tolerance on dynamic and static strength test results.

FLT-08 Rev. M

FallTech Test Report

Test Report No.	PC-3648	Rpt. Date	3/31/2026	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)	CSA Z259.2.2-2017: 7.1, 7.2, 7.3, 7.4, 7.6				
Part No.	723760	Part No. Revision	A				
Part Description	CT-R SRL, Class 1 Overhead, 60'						
Test Request No.	PC-3648	Date Complete	3/31/2026				

Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
CSA Z259.2.2-2017 7.2.3.1, 7.3, 7.5 Dynamic Performance Ambient	Fall Arrest	Lock and Hold	Remained Locked	Pass
	Max Arrest Force	≤ 1800 Lbf	1175.5 lbF	Pass
	Avg Arrest Force	Information only	800.1 lbF	Information only
	Arrest Distance	≤ 47"	34.7"	Pass
	Post Fall Creep	≤ 4"	0.0"	Pass
	Post Fall Operation	Lock and pay line	Lock and pay	Pass
	Braking Capacity	Maintain > 25%	> 25%	Pass
CSA Z259.2.2-2017 7.2.3.1 / 7.2.3.3 Dynamic Performance Cold	Fall Arrest	Lock and Hold	Remained Locked	Pass
	Max Arrest Force	≤ 1800 Lbf	1229.1 lbF	Pass
	Avg Arrest Force	Information only	897.6 lbF	Information only
	Arrest Distance	≤ 47"	27.0"	Pass
	Post Fall Creep	≤ 4"	0.0"	Pass
	Post Fall Operation	Lock and pay line	Lock and pay	Pass
	Braking Capacity	Maintain > 25%	> 25%	Pass
CSA Z259.2.2-2017 7.2.3.1 / 7.2.3.4 Dynamic Performance Hot	Fall Arrest	Lock and Hold	Remained Locked	Pass
	Max Arrest Force	≤ 1800 Lbf	1276.0 lbF	Pass
	Avg Arrest Force	Information only	756.8 lbF	Information only
	Arrest Distance	≤ 47"	33.7"	Pass
	Post Fall Creep	≤ 4"	0.0"	Pass
	Post Fall Operation	Lock and pay line	Lock and pay	Pass
	Braking Capacity	Maintain > 25%	> 25%	Pass

Conclusion

Based upon the samples provided to the Lab:
 FallTech P/N 722760 Rev. A meets the requirements of CSA Z259.2.2-2017

Report Signatories and Approval

Lab Quality Manager		Date	3/31/2026
---------------------	---	------	-----------

End of Report

This laboratory is accredited with the recognized International Standard
 ISO/IEC 17025:2017.