

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

S0617003

Declaration Date

6.5.17

Tested Item #

603024K

42" Stanchion Post with Base and Clamp

Additional Items Conforming Under this Declaration:

603012K	603018K	630042P	630003B		
630112CB	630118CB	630124CB	630012C	630018C	630024C

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

OSHA 1926.502

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

**Level 1:** FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2005

**Level 2:** FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2005

**Level 3:** Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2005

Supporting  
Documentation

PC-1133

Authorized Signature

Name

Dustin Hawkins

Title

VP Business Development

Date

6.13.17

### FallTech Test Report

<b>Test Report No.</b>	PC-1133	<b>Rpt. Date</b>	6/5/2017	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	OSHA § 1926.502 (d) (15)				
<b>Part No.</b>	603024K	<b>Part No. Revision</b>	A				
<b>Part Description</b>	Stanchion Post with Clamp						
<b>Test Request No.</b>	PC-1133	<b>Date Complete</b>	5/26/2017				
<b>Test Operator(s)</b>	Yesbet Sierra, Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
S1	Stanchion Post with Clamp


### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
OSHA § 1926.502 (d) (15)	384 lbs weight drop 85"	Dynamic Drop to simulate 8000 lbs. force	2963.6 Lbf	Pass
	384 lbs weight drop 85"	Hold for ≥ 1 Minute (Post Drop)	Held 1 Minute	Pass

### Conclusion

FallTech P/N 603024K Rev A Stanchion Post with Clamp meets the requirements of OSHA 1926.502 (d) (15)

### Report Signatories and Approval

Lab Quality Manager		Date	6/5/2017
Witnessed by	Not Required	Date	N/A



## FallTech Test Report

<b>Test Report No.</b>	PC-1133	<b>Rpt. Date</b>	6/5/2017	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Dan Redden	<b>Test Specification(s)</b>	OSHA § 1926.502 (d) (15)				
<b>Part No.</b>	603024K	<b>Part No. Revision</b>	A				
<b>Part Description</b>	Stanchion Post with Clamp						
<b>Test Request No.</b>	PC-1133	<b>Date Complete</b>	5/26/2017				

### Test Information

<b>Description of Test</b>	Dynamic Drop Test: Guardrail Systems		
<b>Test Method</b>	OSHA 1926.502 (d) (15)		
<b>Acceptance Criteria</b>	OSHA 1926.502 (d) (15)		
<b>Test Procedure</b>	PC-0898		
<b>Conditioning Requirements</b>	Not Applicable	<b>Actual Conditions</b>	Not Applicable
<b>Time Removed from Conditioning</b>	Not Applicable	<b>Time Tested</b>	Not Applicable
<b>Test Environment</b>	78.2°F / 47.6% RH		
<b>Test By</b>	Jay Sponholz, Yesbet Sierra	<b>Test Date</b>	5/26/2017

### Equipment Used

Equipment Used	Size/Type	Control Number	Calibration Date
Load Cell	10,000 Lbs	221731	4/25/2017

### Test Results

Sample ID	Characteristic	Criteria	Test Data	Pass/Fail
S1	384 lbs weight drop 85"	Dynamic Drop to simulate 8000 lbs. force	2963.6 Lbf	Pass
	384 lbs weight drop 85"	Hold for ≥ 1 Minute (Post Drop)	Held 1 Minute	Pass

**End of Report**

