



FT for Tools™ enables you to prevent dropped object related injuries. It is a complete system that offers multiple component options to create a dropped object prevention solution to fit your tools and your work applications while enabling you to work efficiently and safely.

Tool Attachments

Tape Measure

Tape Measure Holder attachment fits most large sized tape measures. Provides belt clip for convenience and D-ring for secure attachment. Also has belt loop for dual function as holster when no drop hazards exist.



AD	



Item#	Tape Measure Attachments	Pack Qty.	Max Tool Wt.
5400A1	Tape Measure Holder	1	2 lbs.





Tool Attachments

Battery Boot

Battery Boot attachment fits most cordless power tool batteries, including low profile and high capacity designs. Provides D-ring for secure attachment.



Item#	Battery Boot Attachments	Pack Qty.	Max Tool Wt.
5401A1	Battery Boot	1	6 lbs.

Tool Attachments

Adhesive

Adhesive Tool Attachment uses industrial grade adhesive pad to secure tools. For use with choke-on wire loop tool attachments.



Item#	Adhesive Attachments	Pack Qty.	Max Tool Wt.
5402A10	Adhesive Tool Attachment	10	2 lbs.





FT for Tools™ enables you to prevent dropped object related injuries. It is a complete system that offers multiple component options to create a dropped object prevention solution to fit your tools and your work applications while enabling you to work efficiently and safely.

Tool Attachments

Cold Shrink

 ${\it Cold Shrink tool attachments require no heat or additional tools to apply. For use with choke-on tool attachments.}$



Item#	Adhesive Attachments	Pack Qty.	Max Tool Wt.
5410A5	Cold Shrink, Small	5	5 lbs.
5411A5	Cold Shrink, Medium 5	10 lbs.	
5412A5	Cold Shrink, Large	5	15 lbs.



Tool Attachments

Shackle

Shackle tool attachments are designed for tools with existing captive eye connection points. Attach directly with tool tethers or use additional tool attachments.



item#	Adhesive Attachments	Pack Qty.	Max Tool Wt.
5420A2	Shackle, 0.4" x 0.75"	2	15 lbs.
5421A2	Shackle, 0.5" x 1.0"	2	15 lbs.
5422A2	Shackle, 0.65" x 1.25"	2	15 lbs.
5423A2	Shackle, 0.8" x 1.5"	2	15 lbs.



FT for Tools™ are designed to help you hold on to your gear and prevent drop injuries to workers at lower levels. Utilized as a tool tethering system of compatible components, a typical assembly may contain a tool attachment, a tool tether, and in some cases a tool anchor. FT for Tools™ provides multiple component options in each of these product groups so you can create tethering solutions to fit your tools and your work applications.




Tool Attachments	Swage-lock
Swage-lock Loop attachments are for connections to hand tools having integral captive-eye holes. Wire rope options ideal for tools with smaller captive-eye holes.	
5314A10	I Paylodd Inches

Item#	# Choke-on Loop Attachments Qt		Max Tool Wt.
5317A10	5½" Choke-on Wire Loop	10	2 lbs.
5317A25	5½" Choke-on Wire Loop	25	2 lbs.

Item#	m# Swage-lock Attachments Qt		Max Tool Wt.
5314A10	2" Swage-lock Wire Loop	10	3 lbs.
5314A25	2" Swage-lock Wire Loop	25	3 lbs.




Item#	Hard Hat Tethers	Pack Qty.	Max Wt.
5335A5	ANSI Stretch-coil with Web, Cinch-loop /Web and Adjuster 18"	5	2 lbs.
5335A25	ANSI Stretch-coil with Web, Cinch-loop/Web and Adjuster 18"	25	2 lbs.



item#	Non-Stretch Tool Tethers	Pack Qty.	Max Tool Wt.
5340A	Non-stretch, Swivel Aluminum Carabiners, 78"	1	40 lbs.
5340B	Non-stretch, Choke-loop with Swivel Aluminum Carabiner, 78"	1	40 lbs.



FallTech® Premium Tool Tethers include essential features such as swiveling carabiners to prevent tethers from twisting and binding. They are a critical link for safely connecting users and their tools. Available in preferred configurations and constructed with durable, yet smaller diameter woven elastic web, they suit most applications up to 15 lb. maximum tool weight. Options feature choke-on loops paired with swivel aluminum carabiners. Other choices include dual-swivel carabiner models.



Item#	Stretch-web Premium Tool Tethers		Max Tool Wt.
5043A1	Premium Tool Tether with Dual Swivel Aluminum Carabiners, 36"		5 lbs.
5065A1	Premium Tool Tether, Choke-on Web-loop with Swivel Aluminum Carabiner, 36"		5 lbs.
5044A1	Premium Tool Tether with Dual Swivel Aluminum Carabiners, 36"		15 lbs.
5066A1	Premium Tool Tether, Choke-on Web-loop with Swivel Aluminum Carabiner, 36"	1	15 lbs.
5061A1	Premium Tool Tether, Choke-on Cinch-loop with Swivel Aluminum Carabiner, 36"	1	15 lbs.



FT for Tools™ helps you work safely and efficiently with your gear and while preventing drop injuries to workers at lower levels. FallTech Premium Tool Tethers include stretch coil, so they remain close to you and avoid snagging. They feature dual swivel aluminum carabiners and accommodate most uses up to 5 lb. maximum tool weight. Stretch-coil tethers measure 10" fully retracted and can expand to 36" in length as needed.

Premium Tool Tethers

Stretch-coil





5212A1

Item#	Stretch-coil Tool Tethers	Pack Qty.	Max Tool Wt.
5215A1	Stretch-coil with Dual Swivel Aluminum Carabiners	1	5 lbs.
5215A5	Stretch-coil with Dual Swivel Aluminum Carabiners	5	5 lbs.
5212A1	Stretch-coil with Dual Swivel Aluminum Carabiners	1	2 lbs.
5212A5	Stretch-coil with Dual Swivel Aluminum Carabiners	5	2 lbs.

The FT for Tools™ system enables you to work productively with your tools while preventing drop tool injuries at lower levels. Functioning as a tool tethering system of compatible components, FT for Tools™ includes a tool attachment, a tool tether, and in some cases, a tool anchor. You can create a tethering solution to fit your specific tool and work application.

5 lbs.

10




		-	
Item#	Tape-on Attachments	Pack Qty.	Max Tool Wt.
5306A10	D-ring, ½" x 2½"	10	2 lbs.
5101A10	D-ring, ½" x 3½"	10	2 lbs.
5102A10	D-ring, 1" x 3½"	10	5 lbs.

Swivel D-ring, 1" x 31/2"

5302A10



Item#	No-heat Tool Tape	Pack Qty.	Max Tool Wt.
5307A1	15' x 1" Premium Tool Tape	1	5 lbs.
5307A10	15' x 1" Premium Tool Tape	10	5 lbs.
5308A1	30' x 1" Premium Tool Tape"	1	5 lbs.
5308A10	30' x 1" Premium Tool Tape	10	5 lbs.



Item#	Choke-on Loop Attachments	Pack Qty.	Max Tool Wt.
5309A10	Standard D-ring, 11"	10	5 lbs.
5303A10	Swivel D-ring, 11"	10	5 lbs.
5104A5	Steel Carabiner, 11"	5	5 lbs.
5106A5	Aluminum Carabiner, 11"	5	5 lbs.
5318A10	Standard D-ring, 11"	10	15 lbs.

For larger and heavier hand and power tools with problematic handle sizes, our loop-end attachments utilize combined choke-on and tape-on fastening for tools weighing up to 35 lbs. Tool tape sold separately. 5310A1

Choke / Tape-on

Tool Attachments

Item#	Choke-on Loop Attachments	Pack Qty.	Max Tool Wt.
5310A1	Loop-end 13" with support arm	1	35 lbs.
5310A5	Loop-end 13" with support arm	5	35 lbs.



FT for Tools™ will help you work safely and efficiently with your gear and while preventing drop injuries to workers at lower levels. A typical assembly may contain a tool attachment, a tool tether, and, in some cases, a tool anchor. You can create tethering solutions to fit your specific tool and work application.




Item#	Hard Hat Tethers	Pack Qty.	Max Tool Wt.
5329A5	Stretch coil 18" Cinch-loop/Snap-clip	5	2 lbs.
5329A25	Stretch coil 18" Cinch-loop/Snap-clip	25	2 lbs.
5330A5	Stretch Web 25" Adjuster/Snap-buckle	5	2 lbs.
5330A25	Stretch Web 25" Adjuster/Snap-buckle	25	2 lbs.

Tool Tethers

Stretch Web

FallTech® Tool Tethers are the critical link for safely connecting users and their tools and are available in preferred configurations to suit most applications up to 15 lb. max. tool weight. All are constructed with woven elastic web and feature either choke-on loops paired with steel screwgate or aluminum twist-lock carabiner options or for added functionality, tethers are also available in dual-carabiner models.

Item#	Stretch-web Tool Tethers	Pack Qty.	Max Tool Wt.
5029B	Choke-on Loop, Steel Carabiner	1	15 lbs.
5029B10	Choke-on Loop, Steel Carabiner	10	15 lbs.
5030A	Choke-on Loop, Aluminum Carabiner	1	15 lbs.
5030A10	Choke-on Loop, Aluminum Carabiner	10	15 lbs.
5029C	Dual Steel Carabiners	1	15 lbs.
5031A	Dual Aluminum Carabiners	1	15 lbs.



Specifications and Standards

Component	Туре	Total Capacity	Standards	
Tool Tape	All	up to 5 lbs.		
Tool Attachments	Tape-on, Choke-on	up to 2 lbs. up to 5 lbs.	ANSI/ISEA 121-2018	
	Loop-end	up to 35 lbs.		
Wrist	Anchor	up to 5 lbs.		

Component	Туре	Total Capacity	Standards
	Hard Hat	2 lbs.	
Tool	Speed-clip	up to 5 lbs.	ANSI/ISEA
Tethers	Choke-on	up to 15 lbs.	121-2018
	Dual Carabiner	up to 15 lbs.	

Component	Туре
Webbing	Polyester
Carabiners	Steel and Aluminum

Warnings: The maximum permissible free fall in a tool tethering system is 8 ft. Never tether any tool or equipment to yourself weighing more than 5 lbs. Max.



The FallTech® Speed-clip system provides quick tool changes when working at heights while protecting those below you from the hazard of dropped objects. It features multiple compatible components, including tool attachments, wrist attachment anchors, and tool tethers for creating custom solutions for tools weighing up to 5 lbs.

Speed-clip Attachments

Choke-on / Carabiner



Item#	Speed-Clip Attachments	Pack Qty.	Max Tool Wt.
5027F	Choke-on Loop, 1" x 11"	3	5 lbs.
5027F15	Choke-on Loop, 1" x 11"	15	5 lbs.
5105A5	Steel Carabiner, 1" x 11"	5	5 lbs.
5107A5	Aluminum Carabiner, 1" x 11"	5	5 lbs.

Wrist Attachment Anchor

Speed-clip / D-ring

For interchangeable solutions commonly needed in close proximity work, our Wrist Attachment Anchor features a speed-clip receiver and a steel D-ring to provide multi-function adjustable attachment for speed-clips, carabiners and choke-on loops. Flexible neoprene and elastic with UniFit sizing for tools weighing up to 5 lbs.





Item#	Wrist Attachment Anchor	Pack Qty.	Max Tool Wt.
5331A1	Speed-clip and D-ring, UniFit	1	5 lbs.
5331A5	Speed-clip and D-ring, UniFit	5	5 lbs.



Discover the full selection of all our fall protection products at www.falltech.com



Tel / 323.752.0066

Fax / 323.752.5613

©2021 Alexander Andrew, Inc 1306 S. Alameda St. Compton, CA. 90221-4803

Tools shown not included.

Product description and specifications herein may change without notice.

U.S. and International Patents Pending.

Part #480-00047







