Collomix

Floor Leveling Mixer LevMix 750

More power. More control. More efficiency: The new LevMix 750



More power. More control. More efficiency. The new LevMix 750 not only delivers more power, but also makes every mixing process transparent and reproducible thanks to its built-in mixing time display and electronic speed control (450 and 600 rpm). For maximum efficiency and consistently high quality. Like its predecessor, the LevMix 750 combines three steps into one machine: mixing self-leveling materials, transporting them directly to the application site, and clean, controlled pouring without additional helpers. This allows you to process batches of up to 14.5 gal or 3 bags (50 lbs each) of self-leveling materials even more efficiently and reliably achieve the best results.

Product Features

- For batches of up to 14.5 gal and 3 bags (50 lbs each) of material.
- Two electronic speed settings (450 and 600 rpm) selectable at the touch of a button on the display.
- Full control over the mixing time thanks to the mixing time display.
- Integrated dust extraction port.
- All in one: mix, transport, and pour.

Technical specifications

Item No.	Control unit	Mixing quantity	Power	Voltage	Weight	Dimensions
37041	Timer and speed setting	14,5 gal	2,15 hp	120 V	108 lbs	30.2 in x 21.7 in x 47.8 in

Scope of delivery



VLX 160 HF
Standard paddle for LevMix 750.

Floating screed
Fillers
Fiber-reinforced self levelling compounds
Epoxy coatings
Egalisation mortar
Self-leveling compounds
Decorative concrete surfaces



Set mixTUB 20 gal + Spout
Set consisting of the high-quality, durable mixTUB 20 gal and the matching spout for LevMix 750.

Product Benefits



Full control over the mixing process

Stay in full control at all times: The built-in digital mixing time display and electronic speed control (450 and 600 rpm) deliver consistent mixing results at the touch of a button—precisely tailored to material properties and manufacturer specifications. For consistent quality with every mix.



Ergonomics and Dust Protection

Large wheels and ergonomic handles make it easy to maneuver, even when fully loaded. Perfect balance during tipping—controlled and effortless emptying, even when fully loaded. And an integrated dust extraction port keeps dust on the job site to a minimum.

Collomix



VLX Special Mixing Tool

The innovative VLX mixing tool was developed specifically for self-leveling materials. It ensures optimal consistency without clumping —even with large batches. For perfect quality, bucket after bucket.



Mobility

Thanks to its compact design and four smooth-rolling, sturdy wheels, the LevMix 750 can be easily maneuvered through narrow hallways, doorways, or construction sites with underfloor heating. This maneuverability saves time and makes work easier.