

HDMI Version	Model No.	Pictures	Description	List Price
HDMI Splitter				
HDMI 2.0V	HDTV-HDSP1X2		HDMI Splitter 1x2 4k 60hz, plastic * Support HDCP2.2 ; * Support HDR ; * Support Full 3D ; * Support 4K to 2K output ; * Support HDMI resolution up to 3840x2160/60Hz ; * Support the max baud rate of 6G and max bandwidth of 600Mhz	130 USD/PCS
HDMI 2.0V	HDTV-HDSP1X4		HDMI Splitter 1x4 4k 60hz, plastic * Support HDCP2.2 ; * Support HDR ; * Support Full 3D ; * Support 4K to 2K output ; * Support HDMI resolution up to 3840x2160/60Hz ; * Support the max baud rate of 6G and max bandwidth of 600Mhz	134 USD/PCS
Best Seller	HDTV-HDSP2-P		V1.4 HDMI Splitter 1X2 (Mini Type) plastic. [Black&White] * One HDMI input signal split to two HDMI sink devices * Support deep color 30bit, 36bit * Support Blue-Ray 24/50/60fs/HD-DVD/xvYCC * Digital audio format, as DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD/HD(HBR) * Support signal retiming * Support input up to 15metres AWG26 HDMI standard cable length, output up to 20metres AWG26 cable length * No loss of quality	110 USD/PCS
Best Seller	HDTV-HDSP2		v1.4 HDMI Splitter 1X2 * Support HDMI 1.4b * Support Full 3D * Support HDMI resolution up to 3840x2160/30Hz * Support the max baud rate of 3.4G and max bandwidth of 340Mhz * Support deep color 8/10/12bit * Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8 metres AWG26 HDMI standard cable length * Displaying single source, multi-output high-definition signal source from DVD player A/V receiver, set-top box	122 USD/PCS

Best Seller	HDTV-HDSP2-V2.0		<p>V2.0 HDMI Splitter 1X2</p> <ul style="list-style-type: none"> * Support HDMI 2.0b version * Support 3D video format * Support high resolution up to 3840X2160/60HZ * Support highest rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 20 meters. (resolution 1080P,4K/30Hz) * Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters (resolution 4K/60HZ) * Support one single HDMI source,accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and ect 	135.2 USD/PCS
HDMI 2.0V	HDTV-HDSP2-A		<p>V2.0 HDMI Splitter 1X2 with audio</p> <ul style="list-style-type: none"> * Support HDCP2.2 * Support 3.5mm stereo audio output and optical audio output * Support downscaling output * Support HDMI resolution up to 4K/60Hz * Support input up to 15 metres AWG26 HDMI standard cable length, output up to 20 metres AWG26 HDMI standard cable length(1080p,4k/30Hz resolution) * Support input up to 5meters AWG26 HDMI Standard cable length,output up to 5m (4K/60Hz resolution) 	150.4 USD/PCS
Best Seller	HDTV-HDSP4-P		<p>V1.4 Plastic HDMI Splitter 1x4 4k 30hz</p> <ul style="list-style-type: none"> * Support HDMI 1.4V * Support 3D video format * Support high resolution up to 3840x2160/30Hz * Support highest rate of 2.25 G and TMDS clock can be up to 225 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 15 meters. (when the resolution is 4K, input up to 8 meters, output up to 8 meters.) 	118 USD/PCS
Best Seller	HDTV-HDSP4		<p>V1.4 HDMI Splitter 1X4</p> <ul style="list-style-type: none"> * Support HDMI 1.4b version * Support 3D video format * Support high resolution up to 3840x2160/30Hz * Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 15 meters. (when the resolution is 4K, input up to 8 meters, output up to 8 meters.) 	124 USD/PCS

Best Seller	HDTV-HDSP4-V2.0		<p>V2.0 HDMI Splitter 1X4</p> <ul style="list-style-type: none"> * Support HDMI 2.0b version * Support 3D video format * Support high resolution up to 3840X2160/60HZ * Support highest rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 20 meters. (resolution 1080P,4K/30Hz) * Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters (resolution 4K/60HZ) * Support one single HDMI source,accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and ect 	139.2 USD/PCS
Best Seller	HDTV-HDSP8-P		<p>v1.4 HDMI Splitter 1x8,Plastic</p> <ul style="list-style-type: none"> * Support 3D video format * Support high resolution up to 3840X2160/30HZ * Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: <p>1)when the resolution is 1080p and below, input up to 15 meters,output up to 15 meters. 2)when the resolution is 4K, input up to 8 meters, output up to 8 meters.</p> <ul style="list-style-type: none"> * Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and etc. 	126 USD/PCS
Best Seller	HDTV-HDSP8		<p>V1.4 HDMI Splitter 1X8</p> <ul style="list-style-type: none"> * Support HDMI 1.4b version * Support 3D video format * Support high resolution up to 3840x2160/30Hz * Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 15 meters. (when the resolution is 4K, input up to 8 meters, output up to 8 meters.) 	148 USD/PCS

Best Seller	HDTV-HDSP8-V2.0		<p>V2.0 HDMI Splitter 1x8</p> <ul style="list-style-type: none"> * Support HDMI 2.0b * Support Full 3D * Support HDMI resolution up to 3840x2160/60Hz * Support the max baud rate of 6G and max bandwidth of 600Mhz * Support deep color 8/10/12bit * When you use AWG26 HDMI standard cable , Support input up to 15 metres ,output up to 20 metres(1080p,4K/30Hz resolution) When you use AWG26 HDMI standard cable, support input up to 5 metres, output up to 5 metres (4K/60hz) * Displaying single source, multi-output high-definition signal source from DVD player A/V receiver, set-top box 	172 USD/PCS
HDMI 1.4V	HDTV-HDSP10-V1.4		<p>V1.4 HDMI Splitter 1x10</p> <ul style="list-style-type: none"> * Support HDMI 1.4b ,HDCP1.4 * Support CEC (only output1) * Support high resolution up to 3840X2160/30Hz * Support highest rate of 3.4G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable,input up to 5 meters ,output up to 10 meters. * Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and etc. * Built-in IR extension function (via the IR-RX of HDMI repeater to control the HDMI sources) * Support serial port online upgrade * Support EDID management 	172 USD/PCS
HDMI 2.0V	HDTV-HDSP10-V2.0		<p>V2.0 HDMI Splitter 1x10</p> <ul style="list-style-type: none"> * Support HDMI 2.0 ,HDCP2.2 * Support 3D video format * Supports HDR * Support CEC (only output1) * Support high resolution up to 3840X2160/60Hz * Support highest rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable,input up to 5 meters ,output up to 10 meters. * Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and etc. * Built-in IR extension function (via the IR-RX of HDMI repeater to control the HDMI sources) * Support serial port online upgrade * Support EDID management 	220 USD/PCS

Best Seller	HDTV-HDSP16-V1.4		<p>V1.4 4K HDMI Splitter 1X16</p> <ul style="list-style-type: none"> * Support HDMI 1.4b * Support 3D video format * Resolution up to 3840x2160/30Hz * Support 3.4Gbps data rate for TMDS clock up to 340MHz * Support deep color 8/10/12bit * Support AWG26 HDMI standard cable: <p>1)when the resolution is 1080p and below, input up to 10 meters,output up to 15 meters. 2)when the resolution is 4K, input up to 5 meters, output up to 10 meters.</p> <ul style="list-style-type: none"> * Support displaying single source, multi-output high-definition signal source from DVD player A / V receiver, set-top box 	188 USD/PCS
HDMI 2.0V	HDTV-HDSP16-V2.0		<p>V2.0 HDMI Splitter 1X16</p> <ul style="list-style-type: none"> * Support HDMI 2.0 * Support 3D video format * Supports HDR * Resolution up to 3840x2160/60Hz * Support 6Gbps data rate for TMDS clock up to 600MHz * Support deep color 8/10/12bit * Support AWG26 HDMI standard cable: <p>when the resolution is 1080p and below, input up to 10 meters, output up to 15 meters. when the resolution is 4K/30Hz, input up to 5 meters, output up to 10 meters.</p> <ul style="list-style-type: none"> * Support displaying single source, multi-output high-definition signal source from DVD player A / V receiver, set-top box 	296 USD/PCS
HDMI 1.4V	HDTV-HDSP2-M		MINI HDMI Splitter 1X2 V1.4 ,4Kx2K	126 USD/PCS
HDMI 1.4V	HDTV-HDSP4-M		MINI HDMI Splitter 1X4 V1.4 ,4Kx2K	131.2 USD/PCS
HDMI 1.4V	HDTV-HDSP8-M		MINI HDMI Splitter 1X8 V1.4 ,4Kx2K	148 USD/PCS

<p>Best Seller</p>	<p>HDTV-SFX911-2</p>		<p>V2.0 HDMI Splitter 1x2</p> <ul style="list-style-type: none"> * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support the max baud rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: 1) when the resolution is 1080p and below, input up to 8 meters,output to 8 meters. 2) when the resolution is 4K, input up to 8 meters, output up to 8 meters. * Built-in IR extension function.(it can work with our hdmi 2.0 repeater which has IR- RX to receive the IR command to remote control the source) * Support serial port online upgrade * Support EDID management 	<p>148 USD/PCS</p>
<p>Best Seller</p>	<p>HDTV-SFX911-4</p>		<p>V2.0 HDMI Splitter 1x4</p> <ul style="list-style-type: none"> * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support the max baud rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: 1) when the resolution is 1080p and below, input up to 8 meters,output to 8 meters. 2) when the resolution is 4K, input up to 8 meters, output up to 8 meters. * Built-in IR extension function.(it can work with our hdmi 2.0 repeater which has IR-RX to receive the IR command to remote control the source) * Support serial port online upgrade * Support EDID management 	<p>156 USD/PCS</p>

<p>Best Seller</p>	<p>HDTV-SFX911-8</p>		<p>V2.0 HDMI Splitter 1x8</p> <ul style="list-style-type: none"> * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support highest rate of 6 G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable:input up to 8 meters,output to 8 meters. * Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and etc. * Built-in IR extension function. * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command) * Support serial port online upgrade * Support EDID management * Support output downscaling 	<p>212 USD/PCS</p>
<p>New Items</p>	<p>HDTV-HDSP8K-16</p>		<p>8K 60Hz 1x16 HDMI Splitter</p> <ul style="list-style-type: none"> * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 8K/60Hz; * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command); * Support EDID management; * Support output downscaling. 	<p>532 USD/PCS</p>
<p>New Items</p>	<p>HDTV-HDSP8K-10</p>		<p>8K 60Hz 1x10 HDMI Splitter</p> <ul style="list-style-type: none"> * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 8K/60Hz; * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command); * Support EDID management; * Support output downscaling. 	<p>328 USD/PCS</p>

New Items	HDTV-HDSP8K-8		<p>V2.1 1X8 HDMI Splitter 8K 60Hz</p> <ul style="list-style-type: none"> * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 8K/60Hz; * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command); * Support EDID management; * Support output downscaling. 	272 USD/PCS
New Items	HDTV-HDSP8K-4		<p>V2.1 HDMI Splitter 1x4 8K 60Hz</p> <ul style="list-style-type: none"> * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 7680X4320/60Hz; * Support the max baud rate of 40Gbps; * Support 8/10/12 bit deep color; * Built-in IR extension function. (it can work with our hdmi 2.0 repeater which has IR-RX to receive the IR command to remote control the source); * Support EDID management; * Support IR-TX (only output2-4) 	196 USD/PCS
New Items	HDTV-HDSP8K-2		<p>V2.1 HDMI Splitter 1x2 8K 60Hz</p> <ul style="list-style-type: none"> * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 7680X4320/60Hz; * Support the max baud rate of 40Gbps; * Support 8/10/12 bit deep color; * Built-in IR extension function. (it can work with our hdmi 2.0 repeater which has IR-RX to receive the IR command to remote control the source); * Support EDID management; * Support IR-TX (only output2) 	188 USD/PCS
HDMI Extender				
New Items	HDTV-HDRE3		<p>V2.1 8K HDMI Repeater</p> <ul style="list-style-type: none"> * Input cable 15m, output cable 10m * Support CEC; * Support 3D video format; * Support repeater up to 7680x4320/60Hz; * Product shape is small and beautiful. 	122 USD/PCS

HDMI 2.0V	HDTV-HDRE1-V2.0		HDMI 2.0V Repeater up to 40m, Plastic * 1080p: 40m * 4k 30hz: 15m * 4k 60hz: 5m * Support high resolution up to: 3840x2160/60Hz * Support highest rate of 6 G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Built-in IR-RX extension function, (via the IR-TX of HDMI splitter to receive the IR command)	118 USD/PCS
HDMI 2.0V	HDTV-HDRE2		HDMI 2.0V Repeater up to 40m * 1080p: 40m * 4k 30hz: 15m * 4k 60hz: 8m * Support high resolution up to: 3840x2160/60Hz * Support highest rate of 6 G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color	118 USD/PCS
Best Seller	HDTV-HDRE1-V1.4		V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate:3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm	110 USD/PCS
New Items	HDTV-HDES39		4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out ; * Low power consumption, low temperature and high safety ; * Both the TX and RX support 3.5MM left and right audio output ; * Support IR control ; * Support mouse and keyboard extension; * Support the switch of EDID between 4K and 1080P	160 USD/PCS
60M HDMI Extender				

Best Seller	HDTV-HDES60		<p>4k HDMI Extender single via cat5e/6 60M</p> <ul style="list-style-type: none"> * Support HDMI 1.4b,DVI1.0,HDCP1.4 * support HDMI output downscaling by EDID button * Low power consumption,low temperature and high safety * HDMI Input : 4K/1080p/1080i/720p/576p/576i/480p/480i * HDMI Output : 4K/1080p/1080i/720p/576p/576i/480p/480i * Max bandwidth : 340MHz * Max baud rate : 3x3.4Gbps * Input video signal : 0.5~1.5Volts p-p * Output DDC signal : 5Volts p-p (TTL) * Input HDMI cable distance : ≤10m AWG26 HDMI standard cable * Output HDMI cable distance : ≤10m AWG26 HDMI standard cable 	172 USD/PCS
Best Seller	HDTV-HDES14		<p>60M HDMI Extender over single cat 5e/6</p> <ol style="list-style-type: none"> 1.Low power consumption, low temperature and high safety 2. Support the switch of EDID between 720P and 1080P 3.Support 1080p@60Hz 	134 USD/PCS
Best Seller	HDTV-HDES15		<p>60M HDMI Extender over single cat 5e/6</p> <ol style="list-style-type: none"> 1.Low power consumption, low temperature and high safety 2. Support the switch of EDID between 720P and 1080P 3.Support 1080p@60Hz 4. Both the TX and RX support 3.5MM left and right audio output 	144 USD/PCS
HDMI 1.3V	HDTV-HDES22		<p>60M HDMI Extender with loop out and audio output</p> <ol style="list-style-type: none"> 1.Support 1080P/60Hz; 2.Support local loop-out ; 3.Support 60m long distance transmission : CAT 5E/6 Cable (60M) 4.Low power consumption, low temperature and high safety ; 5. Both the TX and RX support 3.5MM left and right audio output ; 	144 USD/PCS
HDMI 1.3V	HDTV-HDES20		<p>60M HDMI Extender POC</p> <p>Support highest video resolution 1080p/60Hz; 2: 60M long distance transmission: 3: Low power consumption, low temperature and high safety. 4: Support poc function: power over cable, only needs one power adapter to be connected to the TX terminals to power the entire kit operation.</p>	128 USD/PCS
Best Seller	HDTV-HDES60-V2.0		<p>V2.0 60m HDMI Extender cascade connection</p> <ol style="list-style-type: none"> 1.support cascade connection and local loop out 2.you can extend the HDMI 2.0 4K@60Hz signal to 60 meters and 4K@30Hz and 1080P signal to 120 meters 3.support IR control 	228 USD/PCS

Best Seller	HDTV-HDES18		60M HDMI Extender with KVM 1.support highest video resolution 1080p/60hz. 2.both the TX and RX support 3.5mm left and right audio output 3.low power consumption, low temperature and high safety. 4.support IR control. 5.support USB mouse and keyboard extension 6.To switch of EDID between 720P and 1080P	152 USD/PCS
Best Seller	HDTV-HDES24		60M HDMI Extender with KVM 1.Support 1080P/60Hz; 2.Support local loop-out ; 3.Support 60m long distance transmission : CAT 5E/6 Cable (60M) 4.Low power consumption, low temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output ; 6.Support IR control ; 7.Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P	156 USD/PCS
Best Seller	HDTV-HDES60-KVM		2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function	264 USD/PCS
New Items	HDTV-HDES40		4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below.	172 USD/PCS
100m HDMI Extender				
HDMI 1.4V	HDTV-HDES21		V1.4 4K 100M HDMI Extender 1.Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety.	172 USD/PCS
Best Seller	HDTV-HDES100		4K 100M HDMI Extender over cat 5e/6 1.support hdmi output downscaling by EDID button 2. plug and play 3. Low power consumption, low temperature and high safety 4.Black & Silver choice	176 USD/PCS

Best Seller	HDTV-HDES100-A		4K Ultrathin HDMI Extender 100m over cat 5e/6 1. support ir and 3.5mm audio output 2. Low power consumption, low temperature and high safety.	184 USD/PCS
Best Seller	HDTV-HDES100-P		4k 100m hdmi extender over cat 5e/6 1. support local loop out 2. with ir and audio out 3.Low power consumption, low temperature and high safety.	184 USD/PCS
120m HDMI Extender				
Best Seller	HDTV-HDES16		4K 120M HDMI Extender 1. Low power consumption, low temperature and high safety 2. The button can support the switch of EDID between 1080P and 4K.(4K is the default EDID when the power is on).	180 USD/PCS
Best Seller	HDTV-HDES17		4K 120M HDMI Extender with audio Support 120m long distance transmission: CAT 5E/6 Cable(120M) * Both the TX and RX support 3.5MM left and right audio output; * Low power consumption, low temperature and high safety;	184 USD/PCS
HDMI 1.4V	HDTV-HDES120-A		4k 120m HDMI Extender over single cat 5e/6 1.Support local loop out 2.Support 3840*2160P/30Hz 3. Both the TX and RX support 3.5MM left and right audio output; 4.support the switch of EDID between 1080P and 4K 5. Low power consumption, low temperature and high safety.	188 USD/PCS
Best Seller	HDTV-HDES120		4K 120M HDMI Extender over cat 5e/6 1.support hdmi output downscaling by EDID button 2. plug and play 3. Low power consumption, low temperature and high safety 4. Black & Silver choice	184 USD/PCS
Best Seller	HDTV-HDES02-C		4K 120M HDMI Extender cascade connection 1.support cascade connection 2.support local loop out 3.support IR control	188 USD/PCS

HDMI 1.4V	HDTV-HDES120-POC		4K 120M HDMI Extender support POC support local loop out support 3.5mm audio output support IR control support POC, you just need one power supply for TX or RX	252 USD/PCS
Best Seller	HDTV-HDES120-KVM		4K 120M HDMI Extender support KVM support local loop out support 3.5mm audio output support IR control	184 USD/PCS
150m HDMI Extender				
	HDTV-HDES150		150M HDMI Extender over IP * H.264 code transmission, transmission rate 16Mbps; * Support point-to-point mode, one point-to-multi point mode and cascade connection mode; * 802.3 Ethernet standard ; * Support IR remote control ; * The transmitter support HDMI loop-out function ;	220 USD/PCS
Best Seller	HDTV-HDES28		150M HDMI Extender over IP * Support HDCP1.4 * Decoding Mode MJPEG * Support point-to-point mode, point-to-multipoint mode, multipoint-to- multipoint mode and cascade connection mode; * 802.3 Ethernet standard ; * The design of pure hardware, plug and play, no need for additional software.	192 USD/PCS
HDMI 1.3V	HDTV-HDES30		150M HDMI Extender * Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety ; * The design of pure hardware, plug and play, no need for additional software ; * No compression, lossless transmission	180 USD/PCS
	HDTV-HDES33		150M HDMI POC Extender * Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety ; * The design of pure hardware, plug and play, no need for additional software ; * Support unilateral power supply * No compression, lossless transmission	176 USD/PCS

Best Seller	HDTV-HDES31		<p>150M HDMI KVM Extender</p> <ul style="list-style-type: none"> * Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety ; * Support IR remote control; * Support USB mouse and keyboard extension; * The design of pure hardware, plug and play, no need for additional software. * No compression, lossless transmission 	192 USD/PCS
Best Seller	HDTV-HDES150-KVM		<p>V1.4 4K 150M HDMI/KVM Extender over IP,</p> <ul style="list-style-type: none"> * Support point-to-point mode, one point-to-multi point mode and cascade connection mode ; * Support mouse and keyboard ; * Support unidirectional IR extension ; * Support the max resolution 3840×2160/30Hz; * Lossless video compression, support HD display; * Video latency time < 100us; * Support video format:8/10/12 bit deep color * Audio format:LPCN, Dlby, DTS, etc. 	480 USD/PCS
200m HDMI Extender				
HDMI 1.3V	HDTV-HDES200		<p>200m HDMI Matrix Extender over IP</p> <ul style="list-style-type: none"> * H.264 code transmission, transmission rate 8.1Mbps ; * Support point-to-point mode, multipoint-to-multipoint mode and cascade connection mode ; * 802.3 Ethernet standard ; * Support IR remote control ; * The transmitter support HDMI loop-out function ; * Support software management during multiple-to-multiple transfers. 	244 USD/PCS
New Items	HDTV-HDES32		<p>200m HDMI Extender over IP</p> <ul style="list-style-type: none"> * Support HDCP1.4 * Decoding Mode MJPEG * Support point-to-point mode, point-to-multipoint mode, multipoint-to- multipoint mode and cascade connection mode; * 802.3 Ethernet standard ; * The design of pure hardware, plug and play, no need for additional software. 	204 USD/PCS

New Items	HDTV-HDES36		<p>200M HDMI IP Extender H.264</p> <ul style="list-style-type: none"> * Support decoding mode H.264 * Support point-to-point mode, one point-to-multi point mode and cascade connection mode. * 802.3 Ethernet standard. * Resolutions :480P/720P/1080P * Audio: Stereo 	200 USD/PCS
New Items	HDTV-HDES37		<p>200m HDMI KVM IP Extender H.264</p> <ul style="list-style-type: none"> * Support decoding mode H.264 * 802.3 Ethernet standard. * Support IR remote control. * Support USB mouse and keyboard extension. * Support USB port touch screen function; * The design of pure hardware, plug and play, no need for additional software. 	228 USD/PCS
	HDTV-HDES200-KVM		<p>200M HDMI KVM Extender over IP</p> <ul style="list-style-type: none"> * Support H.264 * Support point-to-point mode, point-to-multipoint mode; and cascade connection mode; * 802.3 Ethernet standard; * Support IR remote control; * Support USB mouse and keyboard extension; 	240 USD/PCS
Best Seller	HDTV-HDES29		<p>200m HDMI KVM Extender</p> <ul style="list-style-type: none"> * Support HDCP1.4 * Decoding Mode MJPEG * Support point-to-point mode, one point-to-multi point mode and cascade connection mode. * 802.3 Ethernet standard. * Support IR remote control * Support USB mouse and keyboard extension. * The design of pure hardware, plug and play, no need for additional software. 	204 USD/PCS

New Items	HDTV-HDES25		<p>4K 200M HDMI KVM Extender over IP</p> <ul style="list-style-type: none"> * Support point-to-point mode, multipoint-to-multipoint mode ; and cascade connection mode ; * Support RS232; * 802.3 Ethernet standard ; * Support IR remote control ; * Support HDMI loop out * Support USB mouse and keyboard extension ; * Resolutions: 480p,720p,1080p,4K/30Hz * Audio :Sample rate:32kHz,44.1kHz and 48kHz code * IR remote control :38 KHz(NEC) * The design of pure hardware, plug and play, no need for additional software. 	360 USD/PCS
Best Seller	HDTV-HDES26		<p>300m HDMI IP Extender</p> <ul style="list-style-type: none"> * Support HDCP1.4 * Decoding Mode MJPEG * Support point-to-point mode, point-to-multipoint mode, multipoint-to-multipoint mode and cascade connection mode ; * 802.3 Ethernet standard ; * The design of pure hardware, plug and play, no need for additional software. * Resolutions: 480P/720P/1080P * Audio:Sample rate:32kHz,44.1kHz and 48kHz 	204 USD/PCS
Best Seller	HDTV-HDES27		<p>300M HDMI KVM Extender over IP</p> <ul style="list-style-type: none"> * Support HDCP1.4. * Decoding mode MJPEG. * Support point-to-point mode, one point-to-multi point mode and cascade connection mode. * 802.3 Ethernet standard. * Support IR remote control. * Support USB mouse and keyboard extension. * The design of pure hardware, plug and play, no need for additional software. 	216 USD/PCS

<p>New Items</p>	<p>HDTV-HDES38</p>		<p>HDMI Splitter Extender up to 4 receivers, KVM</p> <ul style="list-style-type: none"> * Support MJPEG decoding; * Support HDCP1.4; * Support 802.3 Ethernet standard; * Replace the switch, to achieve one to four functions; * Support switch connection; * Support for infrared extension; * Support USB mouse and keyboard extension. * Support standard TCP/IP protocol * Video resolution: 480P, 720P, 1080P * Support video format :RGB, YCbCr444, YCbCr422 * Support audio format : Stereo:32kHz,44.1kHz and 48kHz * RX you can choose from (HDES28, HDES29, HDES32) 	<p>180 USD/PCS</p>
<p>HDMI 1.4V</p>	<p>HDTV-HDES12</p>		<p>4k 30hz HDMI Extender over fiber 10km</p> <ul style="list-style-type: none"> * Support 4K@30Hz/HDCP1.4 (HDCP transmission 300 meters); * Support point-to-point mode; * Support signal mode and LC single core fiber transmission; * Support mouse and keyboard extension; * Support touch screen function; * Pure hardware design, plug and play, do not need to install additional software. 	<p>572 USD/PCS</p>
<p>Best Seller</p>	<p>HDTV-HDES19</p>		<p>V2.0 20KM HDMI Fiber extender with KVM</p> <ul style="list-style-type: none"> * Support HDMI 4K@60Hz/HDCP2.2; * Support transmitter HDMI Loop out; * Support 3.5mm stereo output; * Support IR; * Support KVM; * Support RS232; * Comply with SFP MSA and SFF-8472 standard protocol; * Pure hardware design, plug and play, do not need to install additional software; * Support 4K to 1080P resolution (Downscaling). 	<p>540 USD/PCS</p>
<p>HDMI 1.3V</p>	<p>HDTV-HDES23</p>		<p>20KM HDMI Fiber Extender over IP, with KVM</p> <ul style="list-style-type: none"> * Support HDMI 1080p 60Hz. * It supports one-to-one or one to many transmission and can pass through fiber switch. * Support single-mode single fiber LC, SC interface module, factory default is LC interface module. * TX side supports HDMI loop out. * Support KVM function. * Support IP transmission. * Pure hardware design, plug and play, no need to install additional software. 	<p>332 USD/PCS</p>

Best Seller	HDTV-HDES34		<p>20KM HDMI KVM Fiber extender over IP</p> <ul style="list-style-type: none"> * Support HDMI 1080p 60Hz; * It supports point-to-point mode; point-to-multipoint, multipoint-to-multipoint mode and can pass through fiber switch. * Support single-mode single fiber LC, SC interface module, factory default is LC interface module; * TX side supports HDMI loop out; * Support KVM function; * Support IP transmission; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. 	292 USD/PCS
HDMI 1.4V	HDTV-HDES03		<p>100M HDBaseT Extender with IR-Ethernet,RS232 port ,4Kx2K resolution</p>	652 USD/PCS
HDMI 1.4V	HDTV-HDES07		<p>100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi-directional IR)[Silver]</p>	600 USD/PCS
Best Seller	HDTV-HDES09		<p>Wireless HDMI Extender 30m</p>	412 USD/PCS
HDMI 1.3V	HDTV-HDES11		<p>Wireless HDMI Extender 50m</p>	452 USD/PCS
HDMI 1.3V	HDTV-HDES11-1080		<p>50M HDMI/KVM Wireless Extender 1080p Suuport KVM, Loop out,one to two mode</p>	548 USD/PCS

Best Seller	HDTV-HDWE150		<p>150m HDMI Wireless Extender</p> <ul style="list-style-type: none"> * Support HDCP1.3; * Support standard IEEE802.11a/b/g/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers, normal go through the wall up to 40 meters. 	308 USD/PCS
New Items	HDTV-HDWE03		<p>200m HDMI Wireless Extender</p> <ul style="list-style-type: none"> * Support HDCP1.3; * Support one to one and one to four transmission modes ; * Support local loop out. * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 200m when open space without any barriers,normal go through the wall up to 40 meters. 	332 USD/PCS
Best Seller	HDTV-HDWE200		<p>200m HDMI/KVM Wireless Extender</p> <ul style="list-style-type: none"> *Support HDCP1.3; *Support one TX to 4 RX transmission mode * Support standard IEEE802.11a/b/g/n; * Support the highest resolution up to 1920x1080/60Hz; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Support IR control; * Support KVM function; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 200m when open space without any barriers,normal go through the wall up to 40 meters. 	372 USD/PCS
Best Seller	HDTV-HDWE01		<p>150M HDMI Wireless Extender</p> <ul style="list-style-type: none"> * Support HDCP1.3; * Support standard IEEE802.11a/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers,normal go through the wall up to 40 meters. * HDMI Resolution :up to 1920x1080p/60Hz 	252 USD/PCS

New Items	HDTV-HDWE02		<p>Type-C 150M wireless screen projector</p> <ul style="list-style-type: none"> * Support HDCP1.3; * Support standard IEEE802.11a/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers,normal go through the wall up to 40 meters; * The Type-c port support charging while casting the screen, or directly use the power on the Type-C device. 	252 USD/PCS
HDMI Video wall Controller				
	HDTV-HDVW16		<p>4K auto switching video wall controller 4x4</p> <ul style="list-style-type: none"> * Supports 4 HDMI outputs * Supports automatic switching of 4 HDMI input signals * Support a variety of conventional splicing, easy to operate, plug and play * Input resolution : 1920x1080P 25/30/50/60Hz,3840x2160P 25/30Hz * Output resolution : up to 4 ways 1080P/60Hz * Support video format : YUV422 16bit, RGB444 24bit * Support audio format : PCM 	292 USD/PCS
	HDTV-HDVW12-C		<p>4K 60Hz Multi-Screen Box Cascading connection</p> <ul style="list-style-type: none"> * Support 4 HDMI outputs with each resolution maximum 1920 x1200@60hz; * Point to point, no stretching, no deformation, no need to compress the input source, clear picture; * Support HDMI/DP inputs; * Support four HDMI outputs, one 3.5mm stereo output; and a fiber audio output; * Support RS232 protocol; * Support the power-off-memory function; * Support 2x2 splicing, easy to operate, plug and play ; * Support cascading to achieve maximum resolution splicing, for example: 4x4 splicing wall, through four Multi-screen boxes to achieve 7682x4320, 8K display 	560 USD/PCS

New Items	HDTV-HDVW12		<p>4K 60Hz Multi-Screen Box</p> <ul style="list-style-type: none"> *Support 4 HDMI outputs with each resolution maximum 1920 x1080p@60hz; * Point to point, no stretching, no deformation, no need to compress the input source, clear picture; * Support two HDMI inputs, HDMI IN2 is 4K@60Hz, HDMI IN1 is 1080P@60Hz.(Signal source select IN2, only in 2x2 mode have picture in picture (PIP) function); * Support four HDMI outputs, one 3.5mm stereo output; and a fiber audio output; * Support RS232 protocol; * Support the power-off-memory function; * Support 2x2, 1x2,1x3,1x4,2x1,3x1,4x1splicing mode, plug and play. * HDMI input resolution :3840x2400@60Hz/7680x1200@60Hz/1920x4800@60Hz and lower * HDMI output resolution:1920x1080P@60Hz/1920x1200P@60Hz * Support video format: YUV444 YUV422 YUV420 RGB444 	572 USD/PCS
New Items	HDTV-HDVW11		<p>V1.4 4k 4x4 HDMI Video Wall Controller</p> <ul style="list-style-type: none"> * Support HDMI video source input; * Support 16-ways HDMI output; * Support multiple splicing modes, easy to handle, plug and play ; * Support IR control. * HDMI input resolution:the highest support 3840x2160/30Hz * HDMI output resolution:support 1920x1080/60Hz(one port) * Support the splicing mode: 1x1/1x2/2x1/1x3/3x1/2x2/1x4/4x1/1x5/5x1/1x6/6x1/2x3/3x2/2x4/4x2/2x5/5x2/2x6/6x2/2x7/7x2/2x8/8x2/3x3/3x4/4x3/3x5/5x3/4x4 	732 USD/PCS
New Items	HDTV-HDVW4X4-A		<p>V1.4 4K 4X4 Art Video Wall Controller</p> <ul style="list-style-type: none"> * Support HDMI/USB3.0 video source input; * Support 16-ways HDMI output; * Support multiple splicing modes, easy to handle, plug and play ; * Support discretionary splicing ; * Effectively solve the splicing deformation ; * Perfectly show images without stretching ; * Only support Win10 system 64 bit ; * Support screen any degree rotation ; * HDMI input resolution : the highest support 3840x2160/30Hz * HDMI output resolution : support 1920x1080/60Hz(one port) 	1812 USD/PCS

New Items	HDTV-HDVW3X3-A		<p>V1.4 4K 3x3 Art Video Wall Controller</p> <ul style="list-style-type: none"> * Support HDMI/USB3.0 video source input; * Support 9-ways HDMI output; * Support multiple splicing modes, easy to handle, plug and play; * Support discretionary splicing; * Automatically calculates optimal resolution to monitor; * Effectively solve the splicing deformation; * Perfectly show images without stretching; * Only support Win10 system 64 bit; * Support screen any degree rotation; * HDMI input resolution :the highest support 3840x2160/30Hz * HDMI output resolution :support 1920x1080/60Hz(one port) 	1336 USD/PCS
New Items	HDTV-HDVW05		<p>V1.4 4K 5X9 HDMI Video wall processor</p> <p>Supports 5 HDMI inputs (3way 4k@30hz, 2way 1080P), 9 HDMI outputs (1080p@60hz), 1 HDMI loop out (picture is consistent with the splicing picture), one 3.5 mm headphones stereo output.</p> <ul style="list-style-type: none"> * Various splicing modes: horizontal / vertical. * Support a variety of segmentation modes (PIP, POP, PBP, Single picture, dual pictures, four pictures segmentation). Each split screen can be moved and zoomed in and out independently (Put mouse on top left, drag by the left key to zoom in/out the picture). Click the lower right corner of the screen to switch the sound. * Support Wifi and Bluetooth. * No stretching, no deformation, no need to compress the input source, the picture is clear. 	1172 USD/PCS
HDMI 2.0V	HDTV-HDVW03		<p>V2.0 5X9 HDMI Video wall controller</p> <p>support 4k 60hz support multi video wall splicing mode support multi segmentation mode support 90°and 180° rotation support PIP</p>	1452 USD/PCS
Best Seller	HDTV-HDVW2X3-K		<p>4k 2x3 HDMI Video wall controller</p> <ol style="list-style-type: none"> 1.Support multiple splicing modes; 2.Support cascade splicing,you can splice more than 6 video walls; 3.Support function of audio extraction, digital optical fiber and analog 3.5mm audio output; 4.Pure hardware design, plug and play, no need any software. 5.Support 4k 30hz input and 1080p 60hz output 	572 USD/PCS

Best Seller	HDTV-HDVW2X3-M		<p>4k 2X3 HDMI Video Wall Controller with media player function</p> <ol style="list-style-type: none"> 1.Support multiple splicing modes 2.Support cascade splicing,you can splice more than 6 video walls 3.Player support WIFI, DLAN connection 4.Player support 2-ways USB 2.0 input 5.Support function of audio extraction, digital optical fiber and analog 3.5mm audio output 6.Pure hardware design, plug and play, no need any software 7.Support 4k 30hz input and 1080p 60hz output 	700 USD/PCS
New Items	HDTV-HDVW07		<p>V1.4 4K 2X3 HDMI Video Wall Controller</p> <ul style="list-style-type: none"> * Support multiple splicing modes ; * Support function of audio extraction, digital optical fiber and analog 3.5mm audio output ; * Support IR control ; * Pure hardware design, plug and play, no need any software. * HDMI resolution : the highest support 3840x2160/30Hz * Support audio format : stereo * Support RS232 	412 USD/PCS
	HDTV-HDVW13		<p>1080P 2X3 HDMI Video Wall Controller</p> <ul style="list-style-type: none"> * Support HDMI/DVI video source input; * Support 6-ways HDMI output; * With power off memory function; * Support multiple splicing modes, easy to handle, plug and play; * Support RS232/IR control. * HDMI input resolution:1080P/720P/576p/576i/480P * HDMI output resolution : support 1920x1080/60Hz * Support video formats:RGB,YCbCr444,YCbCr442,YCbCr440 * Support audio formats :. Stereo 	332 USD/PCS
New Items	HDTV-HDVW10		<p>8K 2X2 HDMI Video wall controller</p> <ul style="list-style-type: none"> * Support HDMI input; * Solve the splicing mode of 4 screens (splicing mode only 2x2) * The design of pure hardware, plug and play, no need for additional software ; * Support the input 8K30Hz, 4K60Hz, 4K30Hz ; * Support the output 4K30Hz,1080p60Hz,1080p30Hz; * Support video format :RGB, YCbCr4:4:4, YCbCr4:2:2 * Support audio format : L-PCM2.0 	1212 USD/PCS

Best Seller	HDTV-HDVW06		V1.4 4K 2X2 HDMI Video Wall Controller * Support HDMI and DVI input; * Support 4 HDMI outputs; * Output support RGB 4:4:4; * Support RS232 control; * Support 2X2/1X2/2X1 splicing, easy operation, plug and play; * Support 2X2 automatic splicing function; * Support the highest input 4K/30Hz, the highest output of four each 1080P/60Hz; * Support audio format : stereo	216 USD/PCS
HDMI 1.4V	HDTV-HDVW09		V1.4 4K 2x2 HDMI Video Wall Controller * Support HDMI and DVI input; * Support 4 HDMI outputs; * Output support RGB 4:4:4; * Support RS232 control; * Support 2X2/1X2/2X1 splicing, easy operation, plug and play; * Support 2X2 automatic splicing function; * Support the highest input 4K/30Hz, the highest output of four each 1080P/60Hz; * Support audio format : stereo	240 USD/PCS
Best Seller	HDTV-HDVW02		V2.0 2X2 Video Wall Controller(4K@60Hz) Support 4 HDMI outputs,and 3.5mm audio output; * Input resolution include 1920x1080P 25/30/50/60Hz,3840x2160P 60Hz; * Output resolution include 3840x2160P 60Hz or 1920x1080P 60Hz; * Input format: YUV4:2:2 24bit, YUV4:4:4 24bit, YUV4:2:0 24bit, RGB4:4:4 24bit;; Output format: RGB4:4:4 24bit; * Support RS232 protocol (Net port RJ45); * Easy to operate, plug and play; * Support rotation of 90 degrees、180degrees、270degrees;	932 USD/PCS
Best Seller	HDTV-HDVW2X2-M		V1.4 4K 2X2 HDMI Video Wall Controller with media player function, 1.support 3.5mm audio output 2.support 180°flip 3.support bezel compensation 4.support USB and SD card input	600 USD/PCS
Best Seller	HDTV-HDVW2X2-N		V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip	416 USD/PCS

HDMI 1.3V	HDTV-HDVW04		V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip	200 USD/PCS
Best Seller	HDTV-HDVW2X2		V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes	496 USD/PCS
Best Seller	HDTV-HDVW3X3-M		4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support IR control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output	960 USD/PCS
Best Seller	HDTV-HDVW3X3-K		V1.4 4k 3x3 HDMI Video Wall Controller 1.Support 9 HDMI outputs; 2.Support multiple splicing modes, easy to operate, plug and play; 3.Support 8/10/12 bit deep color; 4.Support IR control. 5.Support 4k 30hz input and 1080p 60hz output 6.Support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode.	892 USD/PCS
New Items	HDTV-HDVW08		V1.4 4K 3X3 HDMI Video Wall Controller * Support HDMI input; * Support 9 HDMI outputs; * Support multiple splicing modes, easy to operate, plug and play; * Support 8/10/12 bit deep color; * Support IR control.	452 USD/PCS

	HDTV-HDVW14		V1.3 3x3 HDMI Video Wall Controller * Support HDMI/DVI video source input; * Support 9-ways HDMI output; * With power off memory function; * Support multiple splicing modes, easy to handle, plug and play; * Support RS232/IR control. * HDMI input resolution: 1080P/720P/576p/576i/480P * HDMI output resolution : support 1920x1080/60Hz * Support video formats :RGB,YCbCr444,YCbCr442,YCbCr440 * Support audio formats :Stereo	372 USD/PCS
New Items	HDTV-HDVW15		V1.3 3X4 HDMI Video Wall Controller * Support HDMI video source input; * Support 12-ways HDMI output; * With power off memory function; * Support multiple splicing modes, easy to handle, plug and play; * Support RS232/IR control. * HDMI input resolution :1080P/720P/576p/576i/480P * HDMI output resolution :support 1920x1080/60Hz * Support video formats :RGB,YCbCr444,YCbCr442,YCbCr440 * Support audio formats :. Stereo	412 USD/PCS
HDMI Switch Splitter				
Best Seller	HDTV-HDSS2-2-V2.0		HDMI Switcher Splitter 2x2 V2.0, support audio out with IR remote control, support down scaler function	144 USD/PCS
Best Seller	HDTV-HDSS2-4-V2.0		HDMI Switcher 2x4 V2.0 support audio out with IR remote control, support down scaler function	152 USD/PCS
Best Seller	HDTV-HDSS2-6		4K 2X6 HDMI Splitter Extender 2 HDMI inputs 2 HDMI outputs, 4 UTP 120m extension outputs (with 4 receivers)	536 USD/PCS
Best Seller	HDTV-HDSS2-8-V1.4		HDMI Switcher Splitter 2X8 3D ,4Kx2K V1.4b with IR remote control	184 USD/PCS

New Items	HDTV-HDSS2-8-V2.0		<p>4K 60Hz HDMI Switcher Splitter 2x8</p> <ul style="list-style-type: none"> * Support 18 Gbps data rate for tmnds clock up to 600Mhz; * Support 8/10/12 bit deep color; * Support 2-channel HDMI signal input, multi-channel HDMI signal output to the display, the input source can be DVD player, A / V receiver, set-top box; * support IR remote control. * Support audio format:LPCM * Max bandwidth : 600MHz * Max baud rate :18Gbps 	204 USD/PCS
HDMI Matrix				
HDMI 1.4V	HDTV-HDMX03-V1.4		<p>4K 30Hz HDMI Matrix 4x4 with audio</p> <ul style="list-style-type: none"> * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D ; * Support IR Remote Control ; * Support RS232 Control; * The four outputs could show the same or different source simultaneously ; 	196 USD/PCS
Best Seller	HDTV-HDMX03-V2.0		<p>4K 60Hz HDMI Matrix 4x4 with audio</p> <ul style="list-style-type: none"> *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D ; * Support IR Remote Control ; * Support RS232 Control; * The four outputs could show the same or different source simultaneously ; 	240 USD/PCS
New Items	HDTV-HDMX4X4-S		<p>4k HDMI Matrix 4x4 ,Seamless switching</p> <ul style="list-style-type: none"> *Support 4k 30hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D ; * Support IR Remote Control ; * Support RS232 Control; * The four outputs could show the same or different source simultaneously ; 	232 USD/PCS
Best Seller	HDTV-HDMX04		<p>4K 60Hz HDMI Matrix 4x2 with audio</p> <ul style="list-style-type: none"> Support 3D video format; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 4 HDMI inputs switch and split to 2 HDMI displays; * Support LPCM/Dolby/DTS 5.1 channel; 	148 USD/PCS

Best Seller	HDTV-HDMX05-M		4K 60Hz HDMI Matrix 2x2 * Support 3D video format; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 2 HDMI inputs switch and split to 2 HDMI displays; * Support LPCM/Dolby/DTS 5.1 channel;	144 USD/PCS
Best Seller	HDTV-HDMX05-N		4K 60Hz HDMI Switcher Splitter 2x2 Support for 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * Two HDMI signal input are switch and split to two HDMI displays; * Support for LPCM / Dolby / DTS 5.1 channel extraction;	144 USD/PCS
Best Seller	HDTV-HDMX06-M		4K 60Hz HDMI Matrix 2x4 * Support 3D video format ; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 2 HDMI inputs switch and split to 4 HDMI displays ; * Support LPCM/Dolby/DTS 5.1 channel ;	148 USD/PCS
Best Seller	HDTV-HDMX06-N		4K 60Hz HDMI Switcher Splitter 2x4 * Support for 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * Two HDMI signal input are switch and split to four HDMI displays; * Support for LPCM / Dolby / DTS 5.1 channel extraction;	148 USD/PCS
HDMI 2.0V	HDTV-HDMX01		HDMI Matrix 6x2 4k 60hz Support 3D video format * Support for 4K (input) resolution 2K (output)(Down scaler) * Support 2 HDMI audio outputs, 3.5mm earphone jack and optical output at same time * 6 HDMI inputs switch and split to 2 HDMI displays. * Support LPCM/Dolby/DTS 5.1 channel.	212 USD/PCS
HDMI 2.1V	HDTV-HDMX02		V2.1 8K 60Hz HDMI Matrix 4x2 * Support HDCP2.3; * Support HDR; * Support 3D video format; * Support 8K@60Hz; * Support audio outputs, 3.5mm earphone jack output; * 4 HDMI inputs switch and split to 2 HDMI displays; * HDMI output1 support 8K 60Hz .	320 USD/PCS

HDMI 2.0V	HDTV-HDMX4X2-KVM		HDMI 4x2 KVM Matrix (4K@60Hz) 1.Support HDMI resolution up to 3840*2160/60Hz; 2.Support 3D video format; 3.Support 3 kinds of switching modes:IR remote control,button,keyboard hotkeys; 4.Support 4K (input) resolution turn to 2K (output) (Down scaler) ; 5.Support 2 HDMI audio extraction, 3.5mm earphone jack and optical fiber interface output at same time; 6.4 HDMI inputs switch and split to 2 HDMI displays; 7.Support LPCM/Dolby/DTS 5.1 channel. Support keyboard and mouse.	276 USD/PCS
	HDTV-HDAF4X4		Audio Matrix 4x4 1.Support 4 digital audio fiber inputs; 2.Support 4 digital audio fiber outputs; 3.Support 5.1 channel/DTS/Dolby-AC3/LPCM audio format; 4.Support button and remote control to switch.	148 USD/PCS
Best Seller	HDTV-HDMX2X4-V2.0		V2.0 HDMI Matrix 2x4 support 2 audio outputs, support down scaler function	156 USD/PCS
HDMI 2.0V	HDTV-HDMX4X2N-V2.0		4K HDMI Matrix 4x2 support 2 audio outputs, support down scaler function.	172 USD/PCS
Best Seller	HDTV-HDMX4X2-V2.0		V2.0 4X2 HDMI Matrix, support 2 audio outputs, with down scaler function	164 USD/PCS
Best Seller	HDTV-HDMX4X2-NS		4K HDMI Matrix 4x2 support 2 audio outputs, support down scaler function.	156 USD/PCS

HDMI 2.0V	HDTV-HDMX4x4-V2.0		<p>4Kx2K HDMI Matrix 4x4 Support HDMI 2.0,HDCP 2.2; * Support 3D; * Support high definition resolutions 4K/60Hz,1080p, 1080i, 720p and other standard video formats; * Support audio format DTS-HD/Dolby-trueHD/LPCM/DTS/DOLBY -AC3/DSD; * Support IR Remote Control; * Support RS232 * The four outputs could show the same or different source simultaneously; * Support 4K (input) resolution 2K (output) (Downscaling)</p>	452 USD/PCS
Best Seller	HDTV-HDMX4x4-B		<p>V2.0 4Kx2K 60hz HDMI Matrix 4x4 * Very compact structure * Stable and reliable * Economical and cost-effective * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; * Support 4K (input) resolution 2K (output) (Downscaling)</p>	284 USD/PCS
HDMI 2.0V	HDTV-HDMX8x8-V2.0		<p>4Kx2K 60hz HDMI Matrix 8x8 Support 3D; * Support IR Remote Control; * Support RS232 Control; * The eight outputs could show the same or different source simultaneously; * Support 4K (input) resolution 2K (output) (Downscaling);</p>	1188 USD/PCS
New Items	HDTV-HDMX8x8-S		<p>8X8 HDMI Matrix, seamless switching * Support HDCP1.4; * Support 8 channels HDMI signal seamless switching; * Very compact structure; * Stable and reliable; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support RS232 Control; * Support native IR extension; * The eight outputs could show the same or different source simultaneously; * HDMI input resolution : up to 1080P/60Hz * HDMI output resolution :up to 1080P/60Hz * Support video format :.8/10/12 bit deep color * Support audio format:DTS-HD/Dolby-trueHD/LPCM5.1/DTS/Dolby -AC3/DSD</p>	772 USD/PCS
HDMI Switcher				

New Items	HDTV-HDSW2		4k 60hz hdmi switcher 2x1, with audio, support bluetooth	208 USD/PCS
New Items	HDTV-HDSW8K-4		8K HDMI Switcher 4x1 with audio <ul style="list-style-type: none"> * Support 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 	220 USD/PCS
HDMI 2.0V	HDTV-SW001		4K 60Hz HDMI Switcher 4x1 with audio <ul style="list-style-type: none"> *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 	140 USD/PCS
HDMI 2.0V	HDTV-HDSW3X1		4K 60Hz HDMI Switcher 3x1,plastic <ul style="list-style-type: none"> * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Supports highest video resolution 4K/60Hz. * Support HDR. * Support 24/30/36 bit deep color . * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 	126 USD/PCS
HDMI 2.0V	HDTV-HDSW4X1		4K 60Hz HDMI Switcher 4x1,plastic <ul style="list-style-type: none"> * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Supports highest video resolution 4K/60Hz. * Support HDR. * Support 24/30/36 bit deep color . * Support automatic switching of HDMI input ports (for 4 ports, the last one has priority). 	127.2 USD/PCS

HDMI 2.0V	HDTV-HDSW5X1		<p>4K 60Hz HDMI Switcher 5x1,plastic</p> <ul style="list-style-type: none"> * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Supports highest video resolution 4K/60Hz. * Support HDR. * Support 24/30/36 bit deep color . * Support automatic switching of HDMI input ports (for 5 ports, the last one has priority). 	136 USD/PCS
HDMI 1.3V	HDTV-HDSW4-KVM		<p>4x1 HDMI Switcher support KVM 4k 30hz</p> <ul style="list-style-type: none"> * Support 3D; * Support highest video resolution 4K/30Hz; * Support 3.4Gbps data rate for tmds clock up to 340MHz; * Support 24/30/36 bit deep color; * Can automatically switch HDMI input port (in 4 ports, the last one is priority); * Support USB 2.0; * Support 4 USB host (PC), 2 USB device (mouse/keyboard/U disk); * Support wireless mouse and keyboard; * Support Windows, Linux, MAC OS and Android operation system, etc; * Plug and play, no need to install any driving program; 	152 USD/PCS
HDMI 2.0V	HDTV-HDSW4-KVM- V2. 0		<p>V2.0 4X1 HDMI Switcher support KVM 4K 60Hz</p> <ul style="list-style-type: none"> * Support 3D; * Support highest video resolution 4K/30Hz; * Support 3.4Gbps data rate for tmds clock up to 340MHz; * Support 24/30/36 bit deep color; * Can automatically switch HDMI input port (in 4 ports, the last one is priority); * Support USB 2.0; * Support 4 USB host (PC), 2 USB device (mouse/keyboard/U disk); * Support wireless mouse and keyboard; * Support Windows, Linux, MAC OS and Android operation system, etc; * Plug and play, no need to install any driving program; 	160 USD/PCS

HDMI 2.0V	HDTV-HDUSB4X1		<p>2.0V HDMI Switcher 4x1 support KVM 4K 60Hz</p> <ul style="list-style-type: none"> * Support HDMI 2.0b * Supports 4 HDMI input, 1 HDMI output * Support highest video resolution 4K/60Hz * Support 6Gbps data rate for tmds clock up to 600MHz * Support 24/30/36 bit deep color * Can automatically switch HDMI input port (in 4 ports, the last one is priority) * Support standard AWG26 cable, input up to 8 metres ,output up to 8 metres (4K/30Hz or lower) * Support standard HDMI 2.0 cable, input up to 3 metres ,output up to 5 metres (4K/60Hz) * Supports USB 2.0 * Supports 4 USB host (PC), 4 USB device (mouse/keyboard) * Supports wireless mouse and keyboard * Supports Windows, Linux, MAC OS and Android operation system, etc. * Plug and play, no need to install any driving program 	332 USD/PCS
Best Seller	HDTV-HDSW3-N		<p>4K HDMI Switcher 3x1 (Mini Type)</p> <ul style="list-style-type: none"> * Support 2.25 Gbps data rate for tmds clock up to 225MHz * Support HDMI1.4a * Support 3D * Support highest video resolution 4K/30Hz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable,Input up to 10 metres ,output up to 10 metres * Support single high definition display for multiple sources, such as DVD Players and Satellite Receivers, Digital Projectors, A/V Receivers, Set Top Boxes 	108.8 USD/PCS
Best Seller	HDTV-HDSW3		<p>HDMI Switcher 3X1</p> <ul style="list-style-type: none"> * Support 2.25Gbps data rate for tmds clock up to 225MHz。 * Support HDMI1.4a。 * Support 3D。 * Supports highest video resolution 1080p/60Hz。 * Support UXGA,WUXGA。 * Support 8/10/12 bit deep color。 * Support AWG26 HDMI standard cable,Input up to 10 metres ,output up to 10 metres。 * Supports single high definition display for multiple sources, such as DVD Players and Satellite Receivers, Digital Projectors, A/V Receivers, Set Top Boxes. * Remote Control for operational flexibility and easy to control。 	126 USD/PCS

Best Seller	HDTV-HDSW4-M		<p>v1.4 HDMI Switcher 4X1, Plastic</p> <ul style="list-style-type: none"> * Support HDMI 1.4b * Support 3D video format * Support highest video resolution up to 4K/30Hz * Support 3.4Gbps data rate for tmds clock up to 340MHz * Support 24/30/36 bit deep color * Support AWG26 HDMI standard cable,Input up to 8 metres ,output up to 8 metres 	121.2 USD/PCS
Best Seller	HDTV-HDSW4		<p>4K 30Hz HDMI Switcher 4X1</p> <ul style="list-style-type: none"> * Support HDMI1.4b. * Support HDCP1.4. * With audio output (3.5mm Stereo, Toslink or coaxial) * Support highest video resolution 3840*2160/30Hz. * Support 3.4Gbps data rate for tmds clock up to 340MHz. * Support 24/30/36 bit deep color. * Support standard AWG26 cable, input up to 8 metres ,output up to 8 metres * Support single and high definition display for multiple sources, such as DVD Players and Satellite Receivers, Digital Projectors, A/V Receivers,Set top boxes. * Remote Control for operational flexibility and easy to control. 	144 USD/PCS
Best Seller	HDTV-HDSW4-N2.0		<p>4K 60Hz HDMI Switcher 4X1</p> <ul style="list-style-type: none"> * Support HDCP 2.2 * Support highest video resolution 3840x2160/60Hz * Support 24/30/36 bit deep color * Support ARC * Support single and high definition display for multiple sources, such as DVD Players, A/V Receivers and Set top boxes * DC5V/1A power supply 	148 USD/PCS
Best Seller	HDTV-HDSW5		<p>4K 30Hz HDMI Switcher 5X1</p> <ul style="list-style-type: none"> * Support 2.5Gbps data rate for tmds clock up to 250MHz * Support HDMI1.4a * Supports highest video resolution 1080p/60Hz * Support 36 bit deep color * Support input up to 15 metres AWG26 HDMI standard cable length, output up to 25metres AWG26 cable length 	131.2 USD/PCS

Best Seller	HDTV-HDSW3-V2.0		<p>V2.0 HDMI Switcher 3x1, Plastic</p> <ul style="list-style-type: none"> * Support 6Gbps data rate for tmds clock up to 600MHz * Support HDMI2.0b * Supports highest video resolution 4K/60Hz * Support HDR * Support 24/30/36 bit deep color * Support AWG26 HDMI standard cable,Input up to 8metres ,output up to 8metres (4K/30Hz resolution and below) * Support 2.0 HDMI standard cable, input up to 3 meters, output up to 5 meters (4K/60Hz resolution) 	148 USD/PCS
Best Seller	HDTV-HDSW4-V2.0		<p>V2.0 HDMI Switcher 4x1,Plastic</p> <ul style="list-style-type: none"> * Support HDMI 2.0b * Support highest video resolution 4K/60Hz * Support 6Gbps data rate for tmds clock up to 600MHz * Support 24/30/36 bit deep color * Supports auto switch of HDMI input (priority of the last port in 4) * Support standard AWG26 cable, input up to 8 metres ,output up to 8 metres (4K/30Hz or lower) * Support standard HDMI 2.0 cable, input up to 3 metres ,output up to 5 metres (4K/60Hz) 	154 USD/PCS
Best Seller	HDTV-HDSW5-V2.0		<p>V2.0 HDMI Switcher 5x1</p> <ul style="list-style-type: none"> * Support highest video resolution 4K/60Hz * Support 6Gbps data rate for tmds clock up to 600MHz * Support 24/30/36 bit deep color * Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8metres AWG26 cable length(4K/30Hz and lower resolution) * Support input up to 3 metres 4K/60Hz HDMI standard cable length, output up to 5metres 4K/60Hz HDMI cable length(4K/60Hz resolution) 	156 USD/PCS
Best Seller	HDTV-HDSW7-V2.0		<p>V2.0 HDMI Switcher 7x1,Plastic</p> <ul style="list-style-type: none"> * Support 6Gbps data rate for tmds clock up to 600MHz * Support HDMI 2.0b * Supports highest video resolution 4K/60Hz * Support 24/30/36 bit deep color * Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8metres AWG26 cable length(4K/30Hz and lower resolution) * Support input up to 3 metres 2.0 HDMI standard cable length, output up to 5metres 2.0 HDMI cable length(4K/60Hz resolution) 	190 USD/PCS

	HDTV-HDSW4-USB		4X1 kvm/usb switcher, keyboard and mouse synchronous controller <ul style="list-style-type: none"> * Support wireless keyboard and mouse * Support most games/multimedia keyboard and multimedia mouse * Support IR remote control and switching PC by hot key * Support cascade (up to 5 concatenation) * Support systems such as Windows, Linux, MAC OS and Android, etc. * Support Standard USB 2.0 male to male cable * Plug and play, no need to install any driving program * Using PC port power, no need for extra power adapter 	168 USD/PCS
	HDTV-HDSW8-USB		8X1 kvm/usb switcher, keyboard and mouse synchronous controller <ul style="list-style-type: none"> * Supports wireless keyboard and mouse * Supports most games/multimedia keyboard and multimedia mouse * Supports unlimited cascade function * Supports synchronization function * Supports mouse pass screen automatically with virtual switch * Supports keyboard repeated function * Supports for iphone operation (need to connect connector converter such as: Lightning to USB) * Supports systems such as Windows, Linux, MAC OS and Android, etc. * Supports standard USB 2.0 A male to B male cable * Plug and play, no need to install any driving program * Using PC port power, no need for extra power adapter 	188 USD/PCS
New Items	HDTV-HDSW8		4K 8x1 HDMI Switcher with EARC(4K@60Hz) <ul style="list-style-type: none"> * Support HDMI signal switching, audio return signal distribution; * Support ARC,EARC (power amplifier, sound bar etc.); * Support audio return only through HDMI signal source not through the display device;; * Support 3.5 stereo, coaxial, fiber audio output; 	468 USD/PCS
HDMI Multiviewer				
Best Seller	HDTV-HDSW4-Q1		4x1 HDMI Quad multi-viewer <ul style="list-style-type: none"> * Support 4 channels HDMI signal screen segmentation ; * Support 4 channels HDMI signal seamless switching ; * Support highest resolution up to 1080P/60Hz ; * Support IR control ; * Input support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on ; * Support audio output format: PCM2 ; 	168 USD/PCS

Best Seller	HDTV-HDSW4-Q		<p>HDMI 4x1 Quad Multi-Viewer</p> <ul style="list-style-type: none"> *Compatible HDMI 1.3a, HDCP1.2, input compatible DVI 1.0 Version * Support 4 channels HDMI signal screen segmentation ; * Support 4 channels HDMI signal seamless switching ; * Support highest resolution up to 1080P/60Hz ; * Support IR control ; * Input support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on ; * Support audio output format: PCM2 ; 	184 USD/PCS
Best Seller	HDTV-HDSW4-Q2		<p>4K 4X1 HDMI Quad Multi-viewer</p> <ul style="list-style-type: none"> * Support 4 HDMI input, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support 4 channels HDMI signal seamless switching ; * Support highest resolution up to 4K/30Hz ; * Support IR control ; * Input support resolution: 4K,1080P,720P,1080i,1024X768,1360X768 and so on ; * Support audio output format: LPCM2.0 ; 	204 USD/PCS
New Items	HDTV-HDSW4-Q3		<p>4K 60Hz HDMI Quad multiviewer 4x1</p> <ul style="list-style-type: none"> * Support 4 HDMI inputs, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support input highest resolution up to 4K/30Hz ; * Support Output resolution 4K@60Hz, 4K@30Hz, 2560x1600@60Hz,1080P@60Hz ; * Support IR control ; * Support audio output format: PCM2.0 ; * Support 24/30/36 bit deep color ; * Support cable distance 4K@30Hz/2560x1600@60Hz ≤15M; 1080P≤20M; 4K@60Hz input ≤15M /output≤5M. * Color format : RGB 4:4:4; YUV 4:4:4; YUV 4:2:2 * Audio format :Stereo * Output max bandwidth : 600MHz * Output max baud rate : 6x3Gbps 	256 USD/PCS

	HDTV-HDSW4-Q4		<p>4X1 HDMI Multi-Viewer with PIP function</p> <ul style="list-style-type: none"> * Support 4 HDMI inputs, one HDMI output; * Support 4 HDMI signal screen segmentation; * Support 4 HDMI signal seamless switching; * Support a variety of video segmentation (PIP/POP/PBP/Single image/ Dual image/Four image etc); Each screen segmentation can move freely/expand/shrink (Put the mouse on the top left of image and press the left mouse button to zoom in and out); Click the mouse on the bottom right corner of the screen to switch the sound ON/OFF; * Support touch screen; * Support keyboard shortcut switching segmentation mode; * Support IR /Button/RS232 control; * Support audio and video superposition; * More clearer subtitles. 	492 USD/PCS
HDMI 1.3V	HDTV-HDSW4-V		<p>1080p KVM HDMI 4X1 Quad multiviewer</p> <ul style="list-style-type: none"> * Support 4 HDMI input, 1 HDMI output * Support 4 channels HDMI signal screen segmentation * Support 4 channels HDMI signal seamless switching * Support highest resolution up to 1080P/60Hz * Support IR control * Compatible HDMI1.3a, HDCP1.2, input compatible DVI1.0 version * Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres ,output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows ; Linux ; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s) ; Full speed(12Mb/s) 	372 USD/PCS
Best Seller	HDTV-HDSW4-V1		<p>4K 60HZ KVM HDMI 4X1 Quad multiviewer</p> <ul style="list-style-type: none"> * Support 4 HDMI input, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support 4 channels HDMI signal seamless switching ; * Support highest resolution up to 4K/60Hz ; * Support IR control ; * Support audio output format: PCM2.0 ; * Support standard AWG26 cable, input up to 15 metres ,output up to 15 metres ; * Supports 1 way mouse and keyboard to control 4 ways PC host ; * USB supports Windows ; Linux ; MAC OS and Android operation system, etc. plug and play ; * Supports USB 2.0 Low speed(1.5Mb/s) ; Full speed(12Mb/s) ; 	400 USD/PCS

HDMI 1.3V	HDTV-HDSW4-V2		<p>HDMI 4X1 Quad Multi-Viewer support KVM</p> <ul style="list-style-type: none"> * Support 4 HDMI inputs, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support highest resolution up to 1080P@60Hz ; * Support IR control ; * Support audio output format: PCM2.0 ; * Supports 1 way mouse and keyboard to control 4 ways PC host ; * USB supports Windows、Linux、 MAC OS and Android operation system,etc;Plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) ; Compatible with USB2.0 Full/Low speed 	200 USD/PCS
HDMI 1.4V	HDTV-HDSW4-V3		<p>4K HDMI 4X1 Quad Multi-Viewer support KVM</p> <ul style="list-style-type: none"> * Support 4 HDMI inputs, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support highest resolution up to 4K@30Hz ; * Support IR control ; * Support audio output format: PCM2.0 ; * Supports 1 way mouse and keyboard to control 4 ways PC host ; * USB supports Windows、Linux、 MAC OS and Android operation system,etc;Plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) ; Compatible with USB2.0 Full/Low speed; 	220 USD/PCS
New Items	HDTV-HDSW4-V4		<p>KVM HDMI 4x1 Quad Multi-viewer (4K@30Hz)</p> <p>Support 4 HDMI inputs, 1 HDMI output ;</p> <ul style="list-style-type: none"> * Support 4 channels HDMI signal screen segmentation ; * Support highest resolution up to 4K@30Hz ; * Support resolution 4K,1080P,720P,1080i,1024X768,1360X768,etc; * Support IR control ; * Support audio output format: PCM ; * Supports 1 way mouse and keyboard to control 4 ways PC host ; * USB supports Windows/Linux/MAC OS and Android operation system, etc; Plug and play; * Support USB 1.1 Low speed(1.5Mb/s); Full speed(12Mb/s) ; 	332 USD/PCS

<p>New Items</p>	<p>HDTV-HDSW4-V5</p>		<p>KVM HDMI 4x1 Quad Multi-viewer 4k 60hz</p> <ul style="list-style-type: none"> * Support 4 HDMI inputs, 1 HDMI output ; * Support 4 channels HDMI signal screen segmentation ; * Support input highest resolution up to 4K/30Hz; * Support Output resolution 4K@60Hz, 4K@30Hz, 1080P@60Hz, 1080P@30Hz; * Support IR control ; * Support audio output format: PCM2.0 ; * Support 24/30/36 bit deep color; * Support standard AWG26 cable, input up to 10 metres ,output up to 10 metres ; * Supports 1 way mouse and keyboard to control 4 ways PC host ; * USB supports Windows、Linux、 MAC OS and Android operation system,etc; Plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) ; 	<p>316 USD/PCS</p>
<p>New Items</p>	<p>HDTV-HDSW6-Q</p>		<p>6X1 HDMI Multi-viewer</p> <ul style="list-style-type: none"> * Support 6 HDMI inputs, one HDMI output; * Support 6 HDMI signal screen segmentation; * Support 6 HDMI signal seamless switching; * Support a variety of video segmentation (PIP/POP/PBP/Single image/ Dual image/Four image ect) ; Each screen segmentation can move freely/expand/shrink/rotate 180 degree (put mouse on the top left of image can expand or shrink ; Click the top right of image can acheive rotate) ; Click the mouse on the bottom right corner of the screen to switch the sound ON/OFF ; * Support touch screen ; * Support IR /Button/RS232 control ; * Support audio and video superposition ; * More clearer subtitles ; * HDMI Input resolution: Max 1080P/60Hz * HDMI output resolution: Max 4K/60Hz * Audio format .: Stereo 	<p>532 USD/PCS</p>
<p>Best Seller</p>	<p>HDTV-HDSW8-Q4</p>		<p>4K HDMI 8x2 Multi-viewer</p> <ul style="list-style-type: none"> * Support 8 HDMI inputs, Two HDMI output; * Support the dynamic display of subtitles, Pop-up mode is from left to right or top to bottom, the subtitles can be scaled; * Support PIP function, mode from left to right or top to bottom, scalable; * Support seamless switching (single image) ; * Support stereo 3.5 headphone output and optical fiber audio output; * Support 4 control modes: button, remote , RS232 and network port control. * Input resolution :the highest support 1080P/60Hz * Output resolution :the highest support 4K/60Hz * Audio format :Stereo 	<p>552 USD/PCS</p>

Best Seller	HDTV-HDSW8-Q3		<p>V1.4 4K HDMI 8x1 Multi-Viewer</p> <ul style="list-style-type: none"> * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support IR control; * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60HZ,3840x2160@30HZ ; * Support audio and video superposition; * More clearer subtitles ; 	328 USD/PCS
	HDTV-HDSW8-Q2		<p>HDMI 8x1 Multi-Viewer</p> <ul style="list-style-type: none"> * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support IR control; * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60HZ * Support audio and video superposition; * More clearer subtitles ; 	240 USD/PCS
Best Seller	HDTV-HDSW8-Q1		<p>4K 60Hz 8X1 HDMI Multiviewer</p> <ul style="list-style-type: none"> * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support 4 ways to switch audio and video (remote, button, RS232, and Ethernet port IP: 192.168.1.166); * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60Hz, 3840x2160@30Hz/60Hz ; * Support audio and video superposition; * More clearer subtitles ; 	560 USD/PCS
New Items	HDTV-HDSW8-V		<p>4k 30Hz 8X1 HDMI Multiviewer KVM</p> <ul style="list-style-type: none"> * Support 8 HDMI inputs, 1 HDMI output ; * Support 8 channels HDMI signal screen segmentation ; * Support resolution 4K@30Hz/1080P/720P/1024*768/1360*768 etc; * Support IR control ; * Supports 1 way mouse and keyboard to control 8 ways PC host ; * USB supports Windows、Linux、 MAC OS and Android operation system,etc; * Support RS232 Control; * Supports USB 1.1 Low speed(1.5Mb/s); Full speed(12Mb/s) ; 	400 USD/PCS

Best Seller	HDTV-HDSW9-Q1		V1.4 4K HDMI 9X1 Multi-Viewer * Support 9 HDMI inputs, one HDMI output; * Support 9 HDMI signal screen segmentation; * Support 9 HDMI signal seamless switching; * Support IR remote control; * More clearer subtitles; * HDMI input resolution : up to 1080P/60Hz * HDMI output resolution: up to 4K/30Hz	412 USD/PCS
Best Seller	HDTV-HDSW9-Q2		4K 60Hz HDMI 9X1 Multiviewer * Support 9 HDMI inputs, one HDMI output; * Support 9 HDMI signal screen segmentation; * Support 9 HDMI signal seamless switching; * Support 4 ways to switch audio and video (remote, button, RS232, and Ethernet port IP: 192.168.1.166); * Compatible DVI 1.0 version; * Support audio and video superposition; * More clearer subtitles HDMI input resolution : 1080P,720P,1080i,1024x768,1360x768 etc. HDMI output resolution : 1080P@60HZ, 2560x1600@60HZ, 2560x1440@60HZ, 3840x2160@30HZ	572 USD/PCS
HDMI 1.3V	HDTV-HDSW16-Q1		1080p HDMI 16x1 Multiviewer * Support 16 HDMI inputs, one HDMI output; * Support 16 HDMI signal screen segmentation; * Support 16 HDMI signal seamless switching; * Support IR remote control; * HDMI input resolution:1080P,720P,1080i,1024x768,1360x768 etc * HDMI output resolution :1080P@60Hz	492 USD/PCS
Best Seller	HDTV-HDSW16-Q2		V1.4 4K HDMI 16x1 Multi-viewer * Support 16 HDMI inputs, one HDMI output; * Support 16 HDMI signal screen segmentation; * Support 16 HDMI signal seamless switching; * Support IR remote control; * HDMI input resolution: up to 1080P/60Hz * HDMI output resolution: up to 4K/30Hz	652 USD/PCS
New Items	HDTV-HDSW16-Q3		4K 60Hz HDMI 16x1 Multiviewer	840 USD/PCS

New Items	HDTV-HDSW16-V		16x1 KVM HDMI Multiviewer 1080p * Support 16 HDMI inputs, one HDMI output; * Support 16 HDMI signal screen segmentation; * Support 16 HDMI signal seamless switching; * Supports 1 way mouse and keyboard to control 16 ways PC host ; * Support IR remote control;	652 USD/PCS
HDMI 1.3V	HDTV-HDVC1		HDMI to HDMI+USB3.0 Video capture 1.support 1080p 60hz video recording and video pass through 2.support online display and USB storage by computer 3.support most capture software, such as VLC,OBS,Amcap	220 USD/PCS
Best Seller	HDTV-HDVC2		HDMI Video capture USB 2.0 1.Used for high definition acquisition, teaching recording, medical imaging, etc. 2.Support input 4k and output 1080p 30hz 3.Support most acquisition software, such as VLC、OBS、Amcap, etc; 4.Support Windows、Android and MacOS 5. Conform to USB Video and UVC standard; 6. Conform to USB Audio UAC standard; 7.Without external power supply, compact and portable.	111.6 USD/PCS
New Items	HDTV-HDVC2-C		HDMI TO USB 2.0 Video Capture * Support input max resolution 4K 30Hz; * Support output max resolution 1080P 60Hz; * Support 8/10/12bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * No need external power supply, compact and portable.	114.4 USD/PCS

New Items	HDTV-HDVC2-TC		<p>HDMI TO Type-C Video Capture</p> <ul style="list-style-type: none"> * Support input max resolution 4K 30Hz; * Support output max resolution 1080P 60Hz; * Support 8/10/12bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Without external power supply, compact and portable. 	115.2 USD/PCS
	HDTV-HDVC2-2C		<p>HDMI TO USB 2.0+Type-C 2.0 Video Capture</p> <ul style="list-style-type: none"> * Support input max resolution 4K 30Hz; * Support output max resolution 1080P 60Hz; * Support 8/10/12bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * No need external power supply, compact and portable. 	116.8 USD/PCS
Best Seller	HDTV-HDVC3		<p>HDMI Video capture with loop out</p> <ol style="list-style-type: none"> 1.Support HDMI loop out 2.Support 4k input and 1080p output 3.Support most acquisition software, such as VLC、OBS、Amcap, etc; 4.Support Windows、Android and MacOS; 5.Conform to USB Video and UVC standard; 6.Conform to USB Audio UAC standard; 7.Compact and portable. 	124.8 USD/PCS
Best Seller	HDTV-HDVC4		<p>HDMI Video Capture with loop out and audio</p> <ol style="list-style-type: none"> 1.Support microphone audio input,3.5 stereo output. 2.Support microphone audio and hdmi audio superimpose capture. 3.Support 4k input and 1080p output 4.Support most acquisition software, such as VLC、OBS、Amcap, etc; 5.Support Windows、Android and MacOS; 6.Conform to USB Video and UVC standard; 7.Conform to USB Audio UAC standard; 8.Compact and portable. 	136.8 USD/PCS

HDMI 1.4V	HDTV-HDVC5		HDMI Video capture USB2.0 1. Used for high definition acquisition, teaching recording, medical imaging, etc. 2. Support input 4k and output 1080p 60Hz 3. Support most acquisition software, such as VLC、OBS、Amcap, etc; 4. Support Windows、Android and MacOS 5. Conform to USB Video and UVC standard; 6. Conform to USB Audio UAC standard; 7. Without external power supply, compact and portable.	114 USD/PCS
HDMI 2.0V	HDTV-HDVC6		HDMI Video Capture With Loop out (4K@60Hz) Support HDMI loop out; * Support input max resolution 4K@60Hz; * Support output max resolution 4K@60Hz; * Support USB video capture max resolution 1080P@60Hz; * Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters; * Support most acquisition software, such as VLC、OBS、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Compact and portable.	144 USD/PCS
Best Seller	HDTV-HDVC7		HDMI Video Capture With Loop (4K@60Hz) 1. Support max resolution up to 4K/60Hz; 2. Support many capture software, such as VLC、OBS、Amcap and so on 3. Conform to USB video 1.5 and USB audio 1.0 standard 4. The stripped coaxial or optical fiber digital audio can connect with an amplifier 5. Support USB 2.0 6. Support HDMI loop out	140 USD/PCS
HDMI 2.0V	HDTV-HDVC8		HDMI Video Capture With Loop (4K@60Hz U3) 1. Support max resolution up to 4K/60Hz; 2. Support USB 3.0 standard cable, output up to 1.5m; 3. Support many capture software, such as VLC、OBS、Amcap and so on 4. Conform to USB video 1.5 and USB audio 1.0 standard. 5. The stripped coaxial or optical fiber digital audio can connect with an amplifier 6. Support HDMI loop out	184 USD/PCS

HDMI 2.0V	HDTV-HDVC9		HDMI to HDMI+USB3.0 Video capture 1.support 4K 60hz video recording and video pass through 2.support online display and USB storage by computer 3.support most capture software, such as VLC,OBS,Amcap	184 USD/PCS
Best Seller	HDTV-HDVC10		HDMI TO USB 3.0 Video capture with audio 1.Support microphone audio input,3.5 stereo output. 2.Support microphone audio and hdmi audio superimpose capture. 3.Support 4k 60hz 4.Support most acquisition software, such as VLC、OBS、Amcap, etc; 5.Support uncompressed(YUV2 1080P@60Hz)acquisition (USB 3.0) 6.confirm to USB video 1.5 and USB audio 1.0 standard. 7.Support AWG26 HDMI Standard cable, input up to 8m and output up to 8m.(1080p and below resolution) 8.support USB 3.0 standard cable, output up to 1.5m	164 USD/PCS
Best Seller	HDTV-HDVC12		HDMI TO USB Video capture with audio *Support max resolution up to 4K/60Hz; * Support microphone audio input, 3.5 stereo ouput * Support microphone audio and hdmi audio overlay capture * Support the max baud rate of 18G and TMDS clock can be up to 600 MHz; * Support deep color; * Support AWG26 HDMI standard cable: HDMI input up to 8 meters,HDMI outputup to 8 meters. (1080P and below resolution); * Support many capture software,such as VLC、OBS、Amcap and so on... * Conform to USB video 1.5 and USB audio 1.0 standard;	144 USD/PCS
	HDTV-HDVC13		USB Video Capture With Audio * Support USB signal is converted to the HDMI signal; * Support microphone audio input, 3.5mm headphone jack and optical output at the same time; * Support microphone audio and hdmi audio overlay capture; * Support AWG26 HDMI standard cable: HDMI output up to 8 meters. (1080P and below resolution); * Support many capture software,such as VLC、OBS、Amcap and so on... * Conform to USB video 1.5 and USB audio 1.0 standard;	176 USD/PCS

	HDTV-HDVC14		<p>HDMI Video capture USB 3.0</p> <ul style="list-style-type: none"> *Support input max resolution 4K@30Hz; * Support output max resolution 1080P@60Hz; * Support 24/30/36bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS 、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Without external power supply, compact and portable. 	128 USD/PCS
Best Seller	HDTV-HDVC14-C		<p>HDMI TO USB 3.0 Video Capture</p> <ul style="list-style-type: none"> * Support input max resolution 4K@30Hz; * Support output max resolution 1080P@60Hz; * Support 24/30/36bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS 、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0); * No need external power supply, compact and portable. 	120 USD/PCS
Best Seller	HDTV-HDVC14-TC		<p>HDMI TO Type-C Video Capture USB 3.0</p> <ul style="list-style-type: none"> * Support input max resolution 4K@30Hz; * Support output max resolution 1080P@60Hz; * Support 24/30/36bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS 、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0); * No need external power supply, compact and portable. 	121.2 USD/PCS

Best Seller	HDTV-HDVC14-2C		<p>HDMI TO Type-C Video Capture USB 3.0</p> <ul style="list-style-type: none"> * Support input max resolution 4K@30Hz; * Support output max resolution 1080P@60Hz; * Support 24/30/36bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC、OBS、Amcap, etc; * Support Windows、Android and MacOS; * Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard; * Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0); * No need external power supply, compact and portable. 	123.6 USD/PCS
New Items	HDTV-HDVC15		<p>4k 60Hz HDMI Video capture with audio Type-C 3.0</p> <ul style="list-style-type: none"> * Supports HDCP2.2/HDCP1.4/HDR10. * Input: 4k HDMI2.0 input, microphone input. * Output: 4k HDMI 2.0 loop out, Type-c (5Gbps) output, audio output. * Automatic detection of the input signals, resolution up to 4K@60Hz. * Support video format: MJPEG/YUY2/NV12/I420,etc. * Uncompressed video and audio acquisition, meet the UVC and UAC standards. * USB Type-c power supply, plug and play, no drive. * Compatible with Windows, MacOS. * Compatible OBS, Potplayer, VLC, Vmix and etc. Input resolution : maximum 4k@60Hz 4:4:4 Output resolution :maximum 4k@60Hz 	248 USD/PCS
HDMI Converter				
HDMI 2.1V	HDTV-HDP01		<p>This HDMI to DP converter can convert high-definition HDMI signal to DP signal output, HDMI input resolution support up to 8K@30Hz;DP output resolution support up to 8K@30Hz. Plug and play, convenient and reliable, Suitable for HDMI to DP signal or DP interface display equipment, etc.</p> <ul style="list-style-type: none"> * Support HDCP2.3 , DP1.4a; * Support 8K@60Hz with compression data (bypass mode); * HDMI input support up to 8K@30Hz,compatible with 4K@120Hz and below resolution; * DP output support up to 8K@30Hz,compatible with 4K@120Hz and below resolution; * Support HDR10, FEC, VRR,Visually realistic and perfect; * No software driver, plug and play; * Product shape is small and beautiful. 	212 USD/PCS

HDMI 2.1V	HDTV-HDP02		<p>This DP TO HDMI converter can convert high-definition DP signal to HDMI signal</p> <ul style="list-style-type: none"> *Support HDCP2.3 , DP1.4a; * Support 8K@60Hz; * DP input support up to 8K@60Hz,compatible with 4K@120Hz and below resolution; * HDMI output support up to 8K@60Hz,compatible with 4K@120Hz and below resolution; * Support HDR10, FEC, VRR,Visually realistic and perfect; * No software driver, plug and play; * Product shape is small and beautiful. 	152 USD/PCS
HDMI 1.3V	HDTV-HDUSB01		<p>USB 3.0 to HDMI Adapter</p> <ul style="list-style-type: none"> *Support 1080P High Resolution *Support Mirror & Extend Mode: 1.Allow your computer to open different screens and carry out different tasks on multiple screens at the same time; 2. Synchronize content on your computer screen, including audio and video *Driver Installation* The driver is built into this product. Connect this product to your computer, Open the removable drive and select the corresponding driver, install the driver and restart the computer to use it *Compatible with Windows 7/10 1607 or above,Android5.1 or above. Mac OS(PC) 10.14 or above * Support high-bandwidth (5 Gbps) 	127.6 USD/PCS
HDMI 2.0	HDTV-HDBOX01		<p>The HDMI Sync box give you an ultimate TV lighting experience,Sync your light strips to the content on your TV screen. Expand your home theater with surround lighting and make your light strips dance, flash, dim, and brighten with the content on your screen.</p>	480 USD/PCS
Best Seller	HDTV-HDC7		Digital To Analog (with 3.5) Audio Converter Digital to Analog Audio converter	119.6 USD/PCS
Best Seller	HDTV-HDC8		Analog to Digital Audio converter	122 USD/PCS
Best Seller	HDTV-HDCVGA01-M		VGA to HDMI Converter (Mini Type) (with USB charging cable)[Black/white]	119.2 USD/PCS

Best Seller	HDTV-HDCVGA02-M		HDMI to VGA+Audio Converter (Mini Type) (with USB charging cable)[Black/white]	119.2 USD/PCS
Best Seller	HDTV-HDCA03		4K 30hz HDMI to HDMI +audio out Converter	160 USD/PCS
HDMI 2.0V	HDTV-HDCA03-V2.0		4K 60Hz HDMI to HDMI +audio out Converter	164 USD/PCS
Best Seller	HDTV-HDCA04		4K HDMI TO HDMI+Audio Converter 1.Support 3D 4K@30Hz 2.Support HDMI/Optical/Coaxial output 3.Support R/L and EDID	127.2 USD/PCS

Remark

The pictures are only for reference, please make the object the standard. Payment term: T/T in advance

All products come with **FREE SHIPPING** with less than a week delivery

Quotation validity: 90 days

Currency: All prices are CFR in US dollars.