SFX-USA

HDMI Version	Model No.	Pictures	Description	List Price with Free Shipping		
	1		HDMI Splitter			
			HDMI Splitter 1x2 4k 60hz, plastic			
HDMI 2.0V	HDSP1X2		* Support HDCP2.2; * Support HDR; * Support Full 3D; * Support 4K to 2K output; * Support HDMI resolution up to 3840x2160/60Hz; * Support the max baud rate of 6G and max bandwidth of 600Mhz	130 USD/PCS		
HDMI 2.0V	HDSP1X4	09000	HDMI Splitter 1x4 4k 60hz, plastic * Support HDCP2.2; * Support HDR; * Support Full 3D; * Support 4K to 2K output; * Support HDMI resolution up to 3840x2160/60Hz; * Support the max baud rate of 6G and max bandwidth of 600Mhz	134 USD/PCS		
Best Seller	HDSP2-P		V1.4 HDMI Splitter 1X2 (Mini Type) plastic.[Black&White] * One HDMI input signal split to two HDMI sink devices * Support deep color 30bit, 36bit * Support Blue-Ray 24/50/60fs/HD-DVD/xvYCC * Digital audio format, as DTS-HD/Dolby-trueHD/DTS/Dolby-AC3/DSD/HD(HBR) * Support signal retiming * Support input up to 15metres AWG26 HDMI standard cable length, output up to 20metres AWG26 cable length * No loss of quality	110 USD/PCS		
Best Seller	HDSP2	TOWN SECTION 1978	v1.4 HDMI Splitter 1X2 * Support HDMI 1.4b * Support Full 3D * Support Full 3D * Support HDMI resolution up to 3840x2160/30Hz * Support HDMI resolution up to 3840x2160/30Hz * Support the max baud rate of 3.4G and max bandwidth of 340Mhz * Support deep color 8/10/12bit * Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8 metres AWG26 HDMI standard cable length * Displaying single source, multi-output high-definition signal source from DVD player A/V receiver, set-top box	122 USD/PCS		
Best Seller	HDSP2-V2.0	Market and the state of the sta	V2.0 HDMI Splitter 1X2 * Support HDMI 2.0b version * Support 3D video format * Support high resolution up to 3840X2160/60HZ * Support highest rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 20 meters.(resolution 1080P,4K/30Hz) * Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters(resolution 4K/60HZ) * Support one single HDMI source,accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and ect	135.2 USD/PCS		
HDMI 2.0V	HDSP2-A	FORTE SEARCH CONTRACT OF THE PARTY OF THE PA	V2.0 HDMI Splitter 1X2 with audio * Support HDCP2.2 * Support 3.5mm stereo audio output and optical audio output * Support downscaling output * Support HDMI resolution up to 4K/60Hz * Support input up to 15 metres AWG26 HDMI standard cable length, output up to 20 metres AWG26 HDMI standard cable length(1080p,4k/30Hz resolution) * Support input up to 5meters AWG26 HDMI Standard cable length,output up to 5m(4K/60Hz resolution)	150. 4 USD/PCS		
Best Seller	HDSP4-P	12 mm mm mm	V1.4 Plastic HDMI Splitter 1x4 4k 30hz * Support HDMI 1.4V * Support 3D video format * Support high resolution up to 3840x2160/30Hz * Support highest rate of 2.25 G and TMDS clock can be up to 225 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters,output up to 15 meters.(when the resolution is 4K, input up to 8 meters.)	118 USD/PCS		
Best Seller	HDSP4	Marie Commission of the Commis	V1.4 HDMI Splitter 1X4 * Support HDMI 1.4b version * Support 3D video format * Support high resolution up to 3840x2160/30Hz * Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: input up to 15 meters, output up to 15 meters.(when the resolution is 4K, input up to 8 meters, output up to 8 meters.)	124 USD/PCS		

		1	T	
			V2.0 HDMI Splitter 1X4	
			* Support HDMI 2.0b version	
			* Support 3D video format	
	HDSP4-V2.0		* Support high resolution up to 3840X2160/60HZ * Support highest rate of 6G and TMDS clock can be up to 600 MHz	
		4Kx2K	* Support 8/10/12 bit deep color	
Best Seller		HOMI SPLITTER 1X4 90	* Support AWG26 HDMI standard cable: input up to 15 meters,output up to 20 meters, (resolution	139. 2 USD/PCS
		SPLITTER dans their black had press	1080P.4K/30Hz)	
			* Support AWG26 HDMI standard cable: input up to 5 meters,output up to 5 meters(resolution	
			4K/60HZ)	
			* Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD	
			player, A/V receiver, set top box and ect	
			v1.4 HDMI Splitter 1x8,Plastic	
			* Support 3D video format	
			* Support high resolution up to 3840X2160/30HZ	
			* Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz * Support 8/10/12 bit deep color	
Best Seller	HDSP8-P	7 7 7 7	* Support AWG26 HDMI standard cable:	126 USD/PCS
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1) when the resolution is 1080p and below, input up to 15 meters, output up to 15 meters.	
			2) when the resolution is 4K, input up to 8 meters, output up to 8 meters.	
			* Support one single HDMI source, accessing to multiple HDMI sinks, the source can be	
			DVD player, A/V receiver, set top box and etc.	
			V1.4 HDMI Splitter 1X8	
			* Support HDMI 1.4b version	
			* Support 3D video format	
Best Seller	HDSP8		* Support high resolution up to 3840x2160/30Hz	148 USD/PCS
Lost Beller	1.12010	HOM	* Support highest rate of 3.4 G and TMDS clock can be up to 340 MHz	170 000/100
		15	* Support 8/10/12 bit deep color	
			* Support AWG26 HDMI standard cable: input up to 15 meters, output up to 15 meters.	
			(when the resolution is 4K, input up to 8 meters, output up to 8 meters.)	
			V2.0 HDMI Splitter 1x8 * Support HDMI 2.0b	
			* Support Full 3D	
			* Support HDMI resolution up to 3840x2160/60Hz	
			* Support the max baud rate of 6G and max bandwidth of 600Mhz	
D (C II	TIDODO VO	STEEL	* Support deep color 8/10/12bit	470 1100 /000
Best Seller	HDSP8-V2.0		* When you use AWG26 HDMI standard cable, Support input up to 15 metres, output up to 20	172 USD/PCS
			metres(1080p,4K/30Hz resolution)	
			When you use AWG26 HDMI standard cable, support input up to 5 metres, output up to 5 metres	
			(4K/60hz)	
			* Displaying single source, multi-output high-definition signal source from DVD player A/V	
			receiver, set-top box	
			V1.4 HDMI Splitter 1x10 * Support HDMI 1.4b ,HDCP1.4	
			* Support CEC (only output1)	
			* Support high resolution up to 3840X2160/30Hz	
			* Support highest rate of 3.4G and TMDS clock can be up to 340 MHz	
IIID) II 1 III	11DGD10 1/1 4		* Support 8/10/12 bit deep color	
HDMI 1.4V	HDSP10-V1.4	71.4	* Support AWG26 HDMI standard cable,input up to 5 meters ,output up to 10 meters.	172 USD/PCS
			* Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD	
			player, A/V receiver, set top box and etc.	
			* Built-in IR extension function (via the IR-RX of HDMI repeater to control the HDMI sources)	
			* Support serial port online upgrade	
—	+		* Support EDID management	
			V2.0 HDMI Splitter 1x10 * Support HDMI 2.0 ,HDCP2.2	
			* Support 3D video format	
			* Supports HDR	
			* Support CEC (only output1)	
			* Support high resolution up to 3840X2160/60Hz	
HDMI 2.0V	HDSP10-V2.0		* Support highest rate of 6G and TMDS clock can be up to 600 MHz	220 Heb /boo
111111111111111111111111111111111111111	11DSF 10- V 2.0	HRIDE	* Support 8/10/12 bit deep color	220 USD/PCS
		. HDMI Spinter 1x10	* Support AWG26 HDMI standard cable, input up to 5 meters, output up to 10 meters.	
			* Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD	
			player, A/V receiver, set top box and etc.	
			* Built-in IR extension function (via the IR-RX of HDMI repeater to control the HDMI sources)	
			* Support serial port online upgrade * Support EDID management	
			V1.4 4K HDMI Splitter 1X16	
			* Support HDMI 1.4b	
			* Support 3D video format	
			* Resolution up to 3840x2160/30Hz	
			* Support 3.4Gbps data rate for TMDS clock up to 340MHz	
Best Seller	HDSP16-V1.4	ANCIO PREMIUS CONTESTANO	* Support deep color 8/10/12bit	188 USD/PCS
		Hami eplitier	* Support AWG26 HDMI standard cable:	
			1) when the resolution is 1080p and below, input up to 10 meters, output up to 15 meters.	
			2) when the resolution is 4K, input up to 5 meters, output up to 10 meters.	
			* Support displaying single source, multi-output high-definition signal source from DVD player A	
	T		/ V receiver, set-top box	1

HDMI 2.0V	HDSP16-V2.0	FIOTH 10 to the party of the same to the s	V2.0 HDMI Splitter 1X16 * Support HDMI 2.0 * Support 3D video format * Supports HDR * Resolution up to 3840x2160/60Hz * Support 6Gbps data rate for TMDS clock up to 600MHz * Support deep color 8/10/12bit * Support AWG26 HDMI standard cable: when the resolution is 1080p and below, input up to 10 meters, output up to 15 meters. when the resolution is 4K/30Hz, input up to 5 meters, output up to 10 meters. * Support displaying single source, multi-output high-definition signal source from DVD player A / V receiver, set-top box	296 USD/PCS
HDMI 1.4V	HDSP2-M	1000	MINI HDMI Splitter 1X2 V1.4 ,4Kx2K	126 USD/PCS
HDMI 1.4V	HDSP4-M		MINI HDMI Splitter 1X4 V1.4 ,4Kx2K	131. 2 USD/PCS
HDMI 1.4V	HDSP8-M		MINI HDMI Splitter 1X8 V1.4 ,4Kx2K	148 USD/PCS
Best Seller	SFX911-2	At Wish domin't 2	V2.0 HDMI Splitter 1x2 * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support the max baud rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: 1) when the resolution is 1080p and below, input up to 8 meters, output to 8 meters. 2) when the resolution is 4K, input up to 8 meters, output up to 8 meters. * Built-in IR extension function.(it can work with our hdmi 2.0 repeater which has IR- RX to receive the IR command to remote control the source) * Support EDID management	148 USD/PCS
Best Seller	SFX911-4	AN VERM SQUARE VAN	V2.0 HDMI Splitter 1x4 * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support high resolution up to 3840X2160/60HZ * Support the max baud rate of 6G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable: 1) when the resolution is 1080p and below, input up to 8 meters, output to 8 meters. 2) when the resolution is 4K, input up to 8 meters, output up to 8 meters. * Built-in IR extension function.(it can work with our hdmi 2.0 repeater which has IR-RX to receive the IR command to remote control the source) * Support serial port online upgrade	156 USD/PCS
Best Seller	SFX911-8	ADM STORM 100	* Support EDID management V2.0 HDMI Splitter 1x8 * Support HDMI 2.0 ,HDCP2.2 * Support HDR * Support CEC (only output1) * Support RS232 * Support high resolution up to 3840X2160/60HZ * Support high resolution up to 3840X2160/60HZ * Support highest rate of 6 G and TMDS clock can be up to 600 MHz * Support 8/10/12 bit deep color * Support AWG26 HDMI standard cable:input up to 8 meters, output to 8 meters. * Support one single HDMI source, accessing to multiple HDMI sinks, the source can be DVD player, A/V receiver, set top box and etc. * Built-in IR extension function. * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command) * Support EDID management * Support EDID management	212 USD/PCS
New Items	HDSP8K-16	F-ICOTON ON HIGHI Spaller 1/10	* Support output downscaling 8K 60Hz 1x16 HDMI Splitter * Support HDR; * Support 3D video format; * Support CEC (only output1); * Support high resolution up to 8K/60Hz; * Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command); * Support EDID management; * Support output downscaling.	532 USD/PCS

			8K 60Hz 1x10 HDMI Splitter	
l			* Support HDR;	
l			* Support 3D video format;	
		MARINE TO THE STATE OF THE STAT	* Support CEC (only output1);	
New Items	HDSP8K-10	OF A STANGE CASE STANGE CASE	* Support high resolution up to 8K/60Hz;	328 USD/PCS
ļ		BK HOMI OF	* Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive the IR command):	
l				
l			* Support EDID management; * Support output downscaling.	
			V2.1 1X8 HDMI Splitter 8K 60Hz	
l			* Support HDR;	
ļ			* Support 3D video format;	
l		HOMI Solitor IVB	* Support CEC (only output1);	
New Items	HDSP8K-8		* Support high resolution up to 8K/60Hz;	272 USD/PCS
			* Remote control the source (via the IR-RX of HDMI repeater which splitter works with to receive	2/2 000/100
l			the IR command);	
l			* Support EDID management;	
			* Support output downscaling.	
l			V2.1 HDMI Splitter 1x4 8K 60Hz	
l			* Support HDR;	
l			* Support 3D video format;	
l		an additional final fin	* Support CEC (only output1);	
	TTD GDOTT 4		* Support high resolution up to 7680X4320/60Hz;	
New Items	HDSP8K-4	• •	* Support the max baud rate of 40Gbps;	196 USD/PCS
		10 0001	* Support 8/10/12 bit deep color; * Puilt in IP extension function (it can work with our bdmi 2.0 repeater which has IP. P.V to	
			* Built-in IR extension function. (it can work with our hdmi 2.0 repeater which has IR- RX to receive the IR command to remote control the source);	
			* Support EDID management;	
			* Support IR-TX (only output2-4)	
			V2.1 HDMI Splitter 1x2 8K 60Hz	
			* Support HDR;	
l			* Support 3D video format;	
l		2000 grant 2000	* Support CEC (only output1);	
l		No. Comment State of State	* Support high resolution up to 7680X4320/60Hz;	
New Items	HDSP8K-2		* Support the max baud rate of 40Gbps;	188 USD/PCS
ļ		OK HDMI Spiller 142	* Support 8/10/12 bit deep color;	
l			* Built-in IR extension function. (it can work with our hdmi 2.0 repeater which has IR- RX to	
l			receive the IR command to remote control the source);	
ļ			* Support EDID management;	
			* Support IR-TX (only output2)	
			HDMI Extender	
			V2.1 8K HDMI Repeater	
l		O Opposite St.	* Input cable 15m, output cable 10m	
New Items	HDRE3		* Support CEC;	122 USD/PCS
itew Items	INDICES		* Support 3D video format;	122 000/100
ļ			* Support repeater up to 7680x4320/60Hz;	
			* Product shape is small and beautiful.	
l			HDMI 2.0V Repeater up to 40m, Plastic * 1080p: 40m	
l			* 4k 30hz: 15m	
l	HDRE1-V2.0		* 4k 60hz: 5m	118 USD/PCS
HDMI 2.0V			* Support high resolution up to: 3840x2160/60Hz	
l			* Support highest rate of 6 G and TMDS clock can be up to 600 MHz	
		W.	* Support 8/10/12 bit deep color	
			* Built-in IR-RX extension function, (via the IR-TX of HDMI splitter to receive the IR command)	
			HDMI 2.0V Repeater up to 40m	
			* 1080p: 40m	
		8	* 4k 30hz: 15m	
HDMI 2.0V	HDRE2	Hami G	* 4k 60hz: 8m	118 USD/PCS
	HDRE2	Perphasin of the Paris	* Support high resolution up to: 3840x2160/60Hz	
1	1	~ * 8 1/4	1* Command high and made of C and TMDC alords on he can be come to COO MILE	
		* 8	* Support highest rate of 6 G and TMDS clock can be up to 600 MHz	
		* 3 Å	* Support 8/10/12 bit deep color	
		3	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M	
		, and	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m	
			* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m	
Doot Caller	HDDE1 VI 4		* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b	440 1100 /000
Best Seller	HDRE1-V1.4	Likaria.	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz	110 USD/PCS
Best Seller	HDRE1-V1.4	Time of the state	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4	110 USD/PCS
Best Seller	HDRE1-V1.4	J. Litaria	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz	110 USD/PCS
Best Seller	HDRE1-V1.4	S. S	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate:3.4Gbps(Single link)	110 USD/PCS
Best Seller	HDRE1-V1.4	in the state of th	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate:3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm	110 USD/PCS
Best Seller	HDRE1-V1.4	The state of the s	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender	110 USD/PCS
Best Seller	HDRE1-V1.4	Hadring and the state of the st	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz;	110 USD/PCS
		Taning and the same of the sam	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out;	
Best Seller New Items	HDRE1-V1.4	Litaria de la constante de la	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out; * Low power consumption, low temperature and high safety;	110 USD/PCS
			* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate:3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out; * Low power consumption, low temperature and high safety; * Both the TX and RX support 3.5MM left and right audio output;	
		The state of the s	* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out; * Low power consumption, low temperature and high safety; * Both the TX and RX support 3.5MM left and right audio output; * Support mouse and keyboard extension;	
			* Support 8/10/12 bit deep color V1.4 HDMI Repeater up to 40M * 1080p: 40m * 4k 30hz: 15m *SupportHDMI1.4b *Support3D,4Kx2K@30Hz *Compliant withHDCP1.4 *Operation frequency:upto340MHz *HDMIdata rate: 3.4Gbps(Single link) *Dimensions(WxHxD):28x13x51mm 4K 50M HDMI KVM Extender * Support 4K/30Hz; * Support local loop-out; * Low power consumption, low temperature and high safety; * Both the TX and RX support 3.5MM left and right audio output; * Support IR control;	

Mark Bandwallan 1900 190				,	
For Sciller				* Support HDMI 1.4b,DVI1.0,HDCP1.4	
High					
Bost Saller HDES00			Transfer of the state of the st		
Mas hamiswells SAMMIZ Mas hamiswells SAMMIZ Mas hamiswells MAS hamiswells SAMMIZ Mas hamiswells Mas hamiswe			TOM ROAD EXAM		
**Mak Suadr atter. 3x 3 4 Gips. **Input video signal : 0.5-1 Molts pr.) **Input video signal : 0.5-1 Molts pr.) **Output DDC signal : 3x 500s pp. CTTL. **Output DDC s	Best Seller	HDES60	Market Parket		172 USD/PCS
Figure Vision Signal Soft			OCSV DOSV		
Osigna DDC signal - Svolte por [17]			Sunta Orlina		
* Imput IDML cibb distance: \$10m AVGS FIDML standard cable * Output IBML cibb distance: \$10m AVGS FIDML cibb distance: \$10m AVGS FI			•		
Bool Seller HDES14					
Host Seller HDES14					
Sept Seller HDES15 Support the swinch of EDID between 720P and 1060P 154 1950/PP 158 proport 1880/96/01F2 158 proport					
Best Seller HDES15 Best Seller HDES15 Best Seller HDES22 HDMI 1.3V HDES22 HDMI 1.3V HDES22 HDMI 1.3V HDES24 HDMI 1.3V HDES24 HDMI 1.3V HDES26 HDMI 1.3V HDES27 As a support 1.80 Myoline, low temperature and high andrey and the support 1.80 Myoline and 1.80 Myoli	Best Seller	HDES14			134 USD/PCS
Best Seller HDES15					101 000/100
ILDes Seller IIDES ILDES IL	+				
14 USD/P 14 USD/P 15 USD/P 15 USD/P 15 USD/P 15 USD/P 16 U					
## A Both the TX and RX support 3.5MM left and right audio output ## A Both the TX and RX support 3.5MM left and right audio output Som HDME Extender with loop out and audio output Support 1808/96/Hz. Som HDME TX and RX support 3.5MM left and right audio output; MDMI 1.3V	Best Seller	HDES15			144 USD/PCS
HDMI 1.3V HDES22 HDES23 HDES24 HDES26 HDES24 HDES26 HDES24 HDES26					
IDMI 3V IIDES22 Support local beginned on the properties of the properties o					
HDMI 13V HDES22 2 Support local loop-out; 3 Support 65M long distance transmission: CAT 5E/6 Cable (66M) 41 ow power consumption, low temperature and high safety; 5. Roch the TX and RX support 15M local loop out; 4. Support 15M local loop out; 4. Support poc function: power over each local loop out; 5. Journal local					
## HDES22 Salupport flow long distance transmission: CAT \$26 Cable (60M) 144 Vsp. pweer consumption, low temperature and high safety;					
Support following character arrangements on EA 1956 clabe (6M)	HDMI 1 3V	HDES22			144 HSD/PCS
Best Seller HDES20 Solution HDES20	111511111151	1102022			144 000/100
IIDMI 1.3V IIDES20 IIDES20 Support highest video resolution 1080p/60Hz; 2: 660M long distance transmission: 3: Low power consumption, low temperature and high safety.			0		
HDMI 3V					
## HDES20 Since power consumption, low temperature and high safety.					
## Support pose functions power over cable, only needs one power adapter to be connected to the TX terminals to power the entire kit operation. ## Support Is power the entire kit operation. ## U2.0 60m HDMI Extender cascade connection all tool loop out 2 you can extend the HDMI 2.0 4K@60Hz signal to 60 meters and 4K@30Hz and 1080P singal to 120 meters 3 support Is control 1.00 meters 3.0 meters 3.0 meters 3.0 meters 3.0 meters 4	HDMI 1 3V	HDES20	The state of the s	3. Low power consumption, low temperature and high safety	128 HSD/DCS
Best Seller HDES18	IIDWII 1.5 V	HDE320	6		120 030/103
Best Seller HDES60-V2.0 Was a compared to the HDM 2.0 4K (% 60Hz signal to 60 meters and 4K (% 30Hz and 1080P singal to 120 meters 3 support IR control 120 meters 13 meters 130					
Best Seller HDES60-V2.0 Best Seller HDES18 HDES18 HDES18 HDES18 HDES18 HDES24 HDES24 HDES24 HDES24 HDES24 HDES24 HDES24 HDES24 HDES60-KVM HDES60-					
Best Seller HDES18 Best Seller HDES24 Best Seller HDES25 Best Seller HDES26 Best Seller HDES26 Best Seller HDES27 A A A A A A A A A A A A A A A A A A A				1.support cascade connection and local loop out	
Best Seller IIDES18 Best Seller IIDES18 Best Seller IIDES18 Best Seller IIDES18 Best Seller IIDES24 Best Sell	Best Seller	HDES60-V2.0		2.you can extend the HDMI 2.0 4K@60Hz signal to 60 meters and 4K@30Hz and 1080P singal to	228 USD/PCS
Best Seller HDES18 HDES18					
1. support highest video resolution 1080p/60hz.				3.support IR control	
Best Seller HDES18 2 both the TX and RX support 3.5mm left and right audio output 3 low power consumption, low temperature and high safety. 4 support IR control 5 support USB mouse and keyboard extension 6 To switch of EDID between 720P and 1080P 60M HDMI Extender with KVM 1. Support 1080P/60Hzz 2. Support 1080 loop-out; 3. Support 60m long distance transmission: CAT 5E/6 Cable: (60M) 4 Low power consumption, low temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output; 6 Support IR control; 7 Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support fouch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender 1172 USD/Pi 1172 USD/Pi 1174 USD/Pi 1174 USD/Pi 1175 USD/Pi 1175 USD/Pi 1176 USD/Pi 1177 USD/Pi 1177 USD/Pi 1177 USD/Pi 1178 USD/Pi 1179 USD/Pi 1179 USD/Pi 1170 USD/Pi 1171 USD/Pi 1172 USD/Pi 1172 USD/Pi 1173 USD/Pi 1174 USD/Pi 1175 USD/Pi 1175 USD/Pi 1176 USD/Pi 1177 USD/Pi 1177 USD/Pi 1177 USD/Pi 1178 USD/Pi 1179 USD/Pi 1179 USD/Pi 1179 USD/Pi 1179 USD/Pi 1170 USD/Pi 1170 USD/Pi 1170 USD/Pi 1170 USD/Pi 1170 USD/Pi 1171 USD/Pi 1171 USD/Pi 1172 USD/Pi 1172 USD/Pi 1172 USD/Pi 1173 USD/Pi 1174 USD/Pi 1175 USD/Pi 1175 USD/Pi 1176 USD/Pi 1177 USD/Pi 1177 USD/Pi 1177 USD/Pi 1177 USD/Pi 1177 USD/Pi					
Best Seller HDES18 3.1 low power consumption, low temperature and high safety. 4. support IR control. 5. support USB mouse and keyboard extension 6. To switch of EDID between 720P and 1080P 60M HDMI Extender with KVM 1. Support 1080P(60Hz; 2. Support 1060P(60Hz; 3. Support 1060P(60Hz; 4. Low power consumption, low temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output; 6. Support IR control; 7. Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support 1060P(60Hz) 4K 60Hz 60M HDMI Extender 1x2 4M 60Hz 60M HDMI Extender 1x2 4M 60Hz 60M HDMI Extender 1x2 5 Support two Ethernet port outputs; 6 Support HDCP2.2 or below. 100M HDMI Extender 1172 USD/P6 1173 USD/P6 1174 USD/P6 1175 USD/P6 1175 USD/P6 1176 USD/P6 1177 USD/P6 11			THE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLU	1. support highest video resolution 1080p/60hz.	
A support IR control.	Dogt Collon	IIDEC10	And I want		152 HCD /DOC
S. support USB mouse and keep yobard extensions (6 To switch of Found in 180P)	Best Seller	презто	1 . 1100		152 050/1965
Best Seller HDES24 Fig. 156 USD/P6 Best Seller HDES60-KVM Fig. 156 USD/P6 Be					
Support los0P/60Hz; 2.Support logo_out; 3.Support of long distance transmission: CAT 5E/6 Cable (60M) 4.Low power consumption, low temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output; 6.Support lR control; 7.Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P Best Seller			•		
Best Seller HDES24				60M HDMI Extender with KVM	
Best Seller HDES24 ### HDES24 #### HDES24 ##### HDES24 ##### HDES24 ###################################					
Best Seller HDES24 CAT 5E/6 Cable (60M) 4. Low power consumption, low temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output; 6. Support Rouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2. 100M long distance transmission: 3. Low power consumption, low temperature and high safety. 4K 100M HDMI Extender 172 USD/Pt 172 USD/Pt 172 USD/Pt 173 USD/Pt 174 USD/Pt 175 USD/Pt 176 USD/Pt 177 USD/Pt 178 USD/Pt 179 USD/Pt 170 USD/Pt 170 USD/Pt 170 USD/Pt 171 USD/Pt 172 USD/Pt 173 USD/Pt 174 USD/Pt 175 USD/Pt 176 USD/Pt 177 USD/Pt 177 USD/Pt 178 USD/Pt 179 USD/Pt 179 USD/Pt 170 USD/Pt 170 USD/Pt 170 USD/Pt 171 USD/Pt 172 USD/Pt 173 USD/Pt 174 USD/Pt 175 USD/Pt 176 USD/Pt 177 USD/Pt 177 USD/Pt 178 USD/Pt 179 USD/Pt 179 USD/Pt 170 USD/Pt 170 USD/Pt 170 USD/Pt 171 USD/Pt 171 USD/Pt 172 USD/Pt 173 USD/Pt 174 USD/Pt 175 USD/Pt 176 USD/Pt 177 USD/Pt					
ALLOW power consumption, low temperature and high safety; S. Both the TX and RX support 3.5MM left and right audio output; 6.Support IR control; 7.Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P Best Seller					
ALLow power consumption, tow temperature and high safety; 5. Both the TX and RX support 3.5MM left and right audio output; 6. Support IR control; 7. Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender 1. Support 4K 30Hz 2. 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender 1. Support 4K 30Hz 2. 100M long distance transmission: 3: Low power consumption, low temperature and high safety.	Best Seller	HDES24	See sprant 2		156 USD/PCS
6. Support IR control; 7. Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2. OV 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; 8 Support two Ethere port outputs; 100m HDMI Extender * Support HDCP2.2 or below. 100m HDMI Extender V1.4 4K 100M HDMI Extender 1. Support May 30Hz 2. 100M long distance transmission: 3 Low power consumption, low temperature and high safety. 172 USD/Pti			E E		
7. Support mouse and keyboard extension; 8. To switch of EDID between 720P and 1080P 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender 172 USD/P0 4K 100M HDMI Extender 172 USD/P0 172 USD/P0 172 USD/P0 173 USD/P0 174 USD/P0 175 USD/P0 176 USD/P0 177 USD/P0 177 USD/P0 178 USD/P0 179 USD/P0 179 USD/P0 170 USD/P0 170 USD/P0 170 USD/P0 171 USD/P0 172 USD/P0 173 USD/P0 174 USD/P0 175 USD/P0 176 USD/P0 177 USD/P0 177 USD/P0 178 USD/P0 179 USD/P0 179 USD/P0 170 USD/P0 170 USD/P0 170 USD/P0 170 USD/P0 171 USD/P0 172 USD/P0 173 USD/P0 174 USD/P0 175 USD/P0 176 USD/P0 177 USD/P0 177 USD/P0 177 USD/P0 178 USD/P0 179 USD/P0 170 USD/P0				1 1 1	
Best Seller HDES60-KVM 2.0V 60M HDMI Extender with KVM support local loop out support 3.5mm audio output support IR control support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender V1.4 K 100M HDMI Extender 1.Support MSDHZ 2: 100M log distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender 172 USD/PG 4K 100M HDMI Extender over cat 5e/6 1.support hdmi output downscaling by EDID button					
Best Seller HDES60-KVM				8. To switch of EDID between 720P and 1080P	
Support local loop out support 3.5mm audio output support IR control support local loop out support 3.5mm audio output support IR control support support local loop out support 3.5mm audio output support IR control support local loop out support 3.5mm audio output support IR control support local loop out support IR control support				V. 10 STANIEST EDID OCCUPANT / 201 WING 10001	
Support local loop out support 3.5mm audio output support IR control support local loop out support 3.5mm audio output support IR control support support local loop out support 3.5mm audio output support IR control support local loop out support 3.5mm audio output support IR control support local loop out support IR control support			PATRICIA AND COURT AND AN EXPENSION	2 OV SOM HDMI Extender with KVM	
Support touch screen function 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button	Rest Caller	HDES60 NAW			264 Hen/Doe
New Items HDES40 4K 60Hz 60M HDMI Extender 1x2 * Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. 100m HDMI Extender V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button	Dest Seller	TIDESOU-K VIVI	.11		204 USD/PGS
* Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. ** Support HDCP2.2 or below. ** Toom HDMI Extender **U1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. ** Toom HDMI Extender ** Award 1. Support 4K 30Hz 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. ** Award 1. Support 4K 100M HDMI Extender over cat 5e/6 1. Support hdmi output downscaling by EDID button				support toden serven random	
* Multi-transmitter cascade transmission; * Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. ** Support HDCP2.2 or below. ** Toom HDMI Extender **U1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. ** Toom HDMI Extender ** Award 1. Support 4K 30Hz 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. ** Award 1. Support 4K 100M HDMI Extender over cat 5e/6 1. Support hdmi output downscaling by EDID button					
* Support two Ethernet port outputs; * Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. * Support HDCP2.2 or below. **			and the second	4K 60Hz 60M HDMI Extender 1x2	
* Low power consumption, low temperature and high safety; * Support HDCP2.2 or below. * Support HDCP2			B. P.	* Multi-transmitter cascade transmission;	
* Support HDCP2.2 or below. 100m HDMI Extender V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button	New Items	HDES40	$\mathcal{D}_{\mathcal{U}}^{p}$		172 USD/PCS
HDMI 1.4V HDES21 W1.4 K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button					
HDMI 1.4V HDES21 V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button				* Support HDCP2.2 or below.	
HDMI 1.4V HDES21 V1.4 4K 100M HDMI Extender 1. Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button	<u> </u>			100m HDMI Extender	
HDMI 1.4V HDES21 1.Support 4K 30Hz 2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1.support hdmi output downscaling by EDID button					
2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1.support hdmi output downscaling by EDID button					
2: 100M long distance transmission: 3: Low power consumption, low temperature and high safety. 4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button	HDMI 1.4V	HDES21			172 USD/PCS
4K 100M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button					555,100
1.support hdmi output downscaling by EDID button			•	3: Low power consumption, low temperature and high safety.	
1.support hdmi output downscaling by EDID button					
			A STATE OF THE STA		
1 DEST APPEL 1 THE STUD 1 1 DIRECTOR OF THE STUDY 1 DI	Dogt C-ll-	IIDEC100			47/ 1100 /000
2. plug and play 3. Low power consumption, low temperature and high safety	Best Seller	HDES100		2. plug and play 3. Low power consumption, low temperature and high safety.	176 USD/PCS
3. Low power consumption, low temperature and high safety 4.Black & Silver choice			100		
4.Dlack & Silvel Choice			<u> </u>	T.DIACK & SHYEL CHOICE	

Best Seller	HDES100-A	CVOW Exercise Auto Control Secretary Auto Control Se	4K Ultrathin HDMI Extender 100m over cat 5e/6 1. support ir and 3.5mm audio output 2. Low power consumption, low temperature and high safety.	184 USD/PCS
Best Seller	HDES100-P		4k 100m hdmi extender over cat 5e/6 1. support local loop out 2. with ir and audio out 3.Low power consumption, low temperature and high safety.	184 USD/PCS
			120m HDMI Extender	
Best Seller	HDES16		4K 120M HDMI Extender 1. Low power consumption, low temperature and high safety 2. The button can support the switch of EDID between 1080P and 4K.(4K is the default EDID when the power is on).	180 USD/PCS
Best Seller	HDES17		4K 120M HDMI Extender with audio Support 120m long distance transmission: CAT 5E/6 Cable(120M) * Both the TX and RX support 3.5MM left and right audio output; * Low power consumption, low temperature and high safety;	184 USD/PCS
HDMI 1.4V	HDES120-A		4k 120m HDMI Extender over single cat 5e/6 1.Support local loop out 2.Support 3840*2160P/30Hz 3. Both the TX and RX support 3.5MM left and right audio output; 4.support the switch of EDID between 1080P and 4K 5. Low power consumption, low temperature and high safety.	188 USD/PCS
Best Seller	HDES120	11 III ·	4K 120M HDMI Extender over cat 5e/6 1. support hdmi output downscaling by EDID button 2. plug and play 3. Low power consumption, low temperature and high safety 4. Black & Silver choice	184 USD/PCS
Best Seller	HDES02-C		4K 120M HDMI Extender cascade connection 1.support cascade connection 2.support local loop out 3.support IR control	188 USD/PCS
HDMI 1.4V	HDES120-POC	THINKS	4K 120M HDMI Extender support POC support local loop out support 3.5mm audio output support IR control support POC, you just need one power supply for TX or RX	252 USD/PCS
Best Seller	HDES120-KVM	Ţ :	4K 120M HDMI Extender support KVM support local loop out support 3.5mm audio output support IR control	184 USD/PCS
			150m HDMI Extender	
	HDES150	D D	150M HDMI Extender over IP * H.264 code transmission, transmission rate 16Mbps; * Support point-to-point mode, one point-to-multi point mode and cascade connection mode; * 802.3 Ethernet standard; * Support IR remote control; * The transmitter support HDMI loop-out function;	220 USD/PCS
Best Seller	HDES28		* Support HDCP1.4 * Decoding Mode MJPEG * Support point-to-point mode, point-to-multipoint mode, multipoint-to- multipoint mode and cascade connection mode: * 802.3 Ethernet standard: * The design of pure hardware, plug and play, no need for additional software.	192 USD/PCS
HDMI 1.3V	HDES30	and the second s	150M HDMI Extender * Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety; * The design of pure hardware, plug and play, no need for additional software; * No compression, lossless transmission	180 USD/PCS
	HDES33	A A A A A ST A ST A ST A ST A ST A ST A	150M HDMI POC Extender * Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety; * The design of pure hardware, plug and play, no need for additional software; * Support unilateral power supply * No compression, lossless transmission	176 USD/PCS

			AFONE LIDER IZ ON F. Co L.	
			150M HDMI KVM Extender	
			* Support 150m long distance transmission; * Support point-to-point mode and cascade connection mode;	
			* Support point-to-point mode and cascade connection mode; * Low power consumption, low temperature and high safety;	
Best Seller	HDES31	PARTIES AND ADDRESS OF PROPERTY.	* Support IR remote control;	192 USD/PCS
		SALDING SALVAN SERVICE	* Support USB mouse and keyboard extension;	
			* The design of pure hardware, plug and play, no need for additional software.	
			* No compression, lossless transmission	
			V1.4 4K 150M HDMI/KVM Extender over IP,	
			* Support point-to-point mode, one point-to-multi point mode and cascade connection mode;	
			* Support mouse and keyboard ;	
		Dan to	* Support unidirectional IR extension;	
Best Seller	HDES150-KVM	PACIFIE STREET, ST.	* Support the max resolution 3840×2160/30Hz;	480 USD/PCS
			* Lossless video compression, support HD display;	100 000/100
			* Video latency time <100us;	
			* Support video format:8/10/12 bit deep color	
			* Audio format:LPCN, Dlby, DTS, etc.	
			200m HDMI Extender	
			200m HDMI Matrix Extender over IP	
		200	* H.264 code transmission, transmission rate 8.1Mbps;	
		Hami	* Support point-to-point mode, multipoint-to-multipoint mode and cascade connection mode;	
HDMI 1.3V	HDES200	200M ID.	* 802.3 Ethernet standard;	244 USD/PCS
		Andrew with the state of the st	* Support IR remote control;	7
		R. Marce	* The transmitter support HDMI loop-out function;	
I		11	* Support software management during multiple-to-multiple transfers.	
			200m HDMI Extender over IP	
			* Support HDCP1.4	
			* Decoding Mode MJPEG	
New Items	HDES32	MARINE	* Support point-to-point mode, point-to-multipoint mode, multipoint-to- multipoint mode	204 USD/PCS
		SCHARLES STREET	and cascade connection mode;	
			* 802.3 Ethernet standard;	
		and the same of th	* The design of pure hardware, plug and play, no need for additional software.	
			200M HDMI IP Extender H.264	
			* Support decoding mode H.264	
New Items	HDES36		* Support point-to-point mode, one point-to-multi point mode and cascade connection mode.	200 USD/PCS
rew Items	TIDESSO		* 802.3 Ethernet standard.	200 030/ F03
			* Resolutions :480P/720P/1080P	
			* Audio: Stereo	
		_	200m HDMI KVM IP Extender H.264	
		The state of the s	* Support decoding mode H.264	
	******	The state of the s	* 802.3 Ethernet standard.	
New Items	HDES37		* Support IR remote control.	228 USD/PCS
			* Support USB mouse and keyboard extension.	
			* Support USB port touch screen function; * The design of pure hardware, plug and play, no need for additional software.	
			200M HDMI KVM Extender over IP	
			* Support H.264	
		111	* Support point-to-point mode, point-to-multipoint mode; and cascade connection mode;	
	HDES200-KVM	The rest of the second second	* 802.3 Ethernet standard;	240 USD/PCS
		10	* Support IR remote control;	
			* Support USB mouse and keyboard extension:	
			200m HDMI KVM Extender	
			* Support HDCP1.4	
			* Decoding Mode MJPEG	
5	TIP POST		* Support point-to-point mode, one point-to-multi point mode and cascade connection mode.	
Best Seller	HDES29	The state of the s	* 802.3 Ethernet standard.	204 USD/PCS
			* Support IR remote control	
			* Support USB mouse and keyboard extension.	
			* The design of pure hardware, plug and play, no need for additional software.	
			4K 200M HDMI KVM Extender over IP	
			* Support point-to-point mode, multipoint-to-multipoint mode; and cascade connection mode;	
			* Support RS232;	
			* 802.3 Ethernet standard;	
		AK 200M KYM IP EXAMPLE	* Support IR remote control;	
New Items	HDES25		* Support HDMI loop out	360 USD/PCS
			* Support USB mouse and keyboard extension;	
			* Resolutions: 480p,720p,1080p,4K/30Hz	
			* Audio :Sample rate:32kHz,44.1kHz and 48kHz code	
			* IR remote control :38 KHz (NEC)	
			* The design of pure hardware, plug and play, no need for additional software.	
			300m HDMI IP Extender	
			* Support HDCP1.4	
			* Decoding Mode MJPEG	
		and the second	* Support point-to-point mode, point-to-multipoint mode, multipoint-to-multipoint mode and cascade	
Best Seller	HDES26		connection mode;	204 USD/PCS
			* 802.3 Ethernet standard;	
			* The design of pure hardware, plug and play, no need for additional software.	
1			* Resolutions: 480P/720P/1080P	
ļ			* Audio:Sample rate:32kHz,44.1kHz and 48kHz	

Bost Scilor				200M LIDMI (VIM Finter des aussi ID	
Post Sciller HDES27				300M HDMI KVM Extender over IP * Support HDCP1 4	
Section 100					
Page 100	Post Saller	HDEC27			214 HCD /DOC
Support ISIN mouse and keyboard extensions The design of page hadders, in mocol for additional software.	Best Seller	IDES2/	A STATE OF THE PARTY OF THE PAR	* 802.3 Ethernet standard.	210 050/205
This design of pure landware, plus and plus, no need for additional software.			Accepted systems and discontinuous		
HDMI 14V HDESI2 HDMI Splitter Extender up to 4 receivers, KVM					
Support MDPC1 developed Support MDPC1 developed Support MDC1 Elementary Support MDC2 Elementary Supp					
New Items					
Support 802.5 Ethernet standard; Replace the switch, to schow one to four functions; Support 802.5 Ethernet standard; Replace the switch, to schow one to four functions; Support 802.5 Ethernet standard; Replace the switch, to schow one to four functions; Support 802.5 Ethernet standard; Replace the switch; to schow of the switch; Support 802.5 Ethernet standard; Replace the switch; Replace the					
Register the switch, to achieve one to four functions;					
Support switch connection: Support ISB Support switch connection: Support ISB muse and keyboard extension. Support ISB muse and Keyboard extensi			Mary and American State Control of State		
Support for affired extension. Support for affired extension.					
Support USB mouse and keyboard extensions	Now Itoms	HDEC20	HOMI		100 HCD /DOC
Support Name (Age) **LUCK/H. **LUCK/**	New Items	преззо	SAMPLE SA		180 0SD/PGS
Video resolution—480P, 720P, 180P					
Support Valor Genal KGB. YCK-CH44.** YCK-CH42.** **RX you can choose from (IDDSS).** IDDSSS.** IDDSSS.** IDDSSS.** **Support policy from the control of the Characteristics of the Characterist			1 11 11 11		
# Support allow formers: Sincro 324Ft, 44 Liktz and 484Ft/			KVM HDMI Extender 1x4		
#KX you can choose from (#DBS28, #DBS28, #DBS29) #M 30hr HDM Lettonder over fiber flows * Support Holder of the Wind (#DBCP) * Support Holder of the Wind (#DBCP) * Support Invalidation of the Sension (#DBCP) * Support Invalidation of the Sension (#DBCP) * Support Invalidation of the Sension (#DBCP) * Support Invalidation of the Wind (#DBCP) * Support Invalidation (#DBCP) * Support I					
HDMI 1.4V HDES12 ### HDES12 ### HDES12 ### HDES12 ### HDES19 ### HDES23					
## Support point-to-point mode;					
# Support signal mode and LC single core filter transmission; * Support touch screen function; * Support screen function; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant in Plant Loop out; * Support Size in Plant In Plant Loop out; * Support Size in Plant In Plant Loop out; * Support Size in Plant In Plant Loop out; * Support Size in Plant In Plant Loop out; * Support In Plant In In Plant In Pla			TOTTIN LA FIRM	* Support 4K@30Hz/HDCP1.4 (HDCP transmission 300 meters);	
## Support mouse and keyboard extension; **Support mouse and keyboard extension; **Purch hardware design, plug and pluy, do not need to install additional software. ### Purch hardware design, plug and pluy, do not need to install additional software. ### Purch hardware design, plug and pluy, do not need to install additional software. ### Support IDMI 4&(@60f2/HIXC.P.2.); **Support IDMI 4&(@60f2/HIXC.P.2.); **Support IRMI 14 (@60f2/HIXC.P.2.); **Support IRMI 14 (@60f2/HIXC.P.			THE FACING TANKS	* Support point-to-point mode;	
# Surport touch screen function: * Pure hardware design, plug and play, do not need to install additional software. **V2.0 20KM HDMI Fiber extender with KVM** **Surport III.** **Surport II	HDMI 1.4V	HDES12	A STATE OF THE STA		572 USD/PCS
Best Seller HDES19 HDES23 HDES24 HDES25 HDES25 HDES26 HDES26 HDES27 HDES27 HDES27 HDES27 HDES28 HDES29 HDES28 HDES28 HDES28 HDES28 HDES28 HDES28 HDES28 HDES29 HDES28 H					
Best Seller HDES19					
Best Seller HDES19 ### HDES19 ### HDES19 ### HDES19 ### Support HDMI 4-Ka@dollarIIDCP2-2; **Support ansmirer HDMI Loop out; **Support AS'ms serece output; **Support KYM; **Support MIDI Rosp Goll2. #### AND HDES23 #### HDES23 ###################################					
Best Seller HDES19 **Support IR MIDES19 **Support IR MIDES23 **Support KVM; Support RS32; Support KVM; Support RS32; Comply with SFF MSA and SFF-8472 standard protocol; Pure hardware design, plug and play, do not need to install additional software; Support RS MIDES23 **Support KVM; Support MIDES23 **DOWN HDM Fiber Extender over IP, with KVM Support MIDES23 **Support RS MIDES23 **DOWN HDM Fiber Extender over IP, with KVM Support MIDES23 **Support RS MIDES23 **DOWN HDM KVM Fiber extender over IP With KVM Support MIDES23 **Support RS MIDES23 **DOWN HDM KVM Fiber extender over IP With KVM Support MIDES23 **DOWN HDM KVM Fiber extender over IP With KVM Support MIDES23 **Support RS MIDES23 **Support RS MIDES23 **DOWN HDM KVM Fiber extender over IP With RS MIDES23 **Support RS MIDES23 **Suppo					
Best Seller HDES19 **Support IR; Support KVM; Support RS32; Comply with SFP MSA and SFF-8472 standard protocol; Pure hardware design, plug and play, do not need to install additional software; Support RK to 10809 resolution (Downscaling). 200M HDMI HDMI 1080 foiltz. It supports support BMI bloop out; Support RSMD one-to-one or one to many transmission and can pass through fiber switch. Support RSMD one-to-one or one to many transmission and can pass through fiber switch. Support RSMD foiltz. TA side support BMI 1080 pop out. Support RSMD floop out.					
Support RX			Halli		
Support KVM; Support RS232; Comply with SFP MSA and SFF-8472 standard protocol; Pure hardware design, plug and play, do not need to install additional software; Support 4K to 1080P resolution (Downscaling). 20KM HDM Fliber Extender over IP, with KVM Support HDM 1080p 60Hz. It supports ene-to-one or one to many transmission and can pass through fiber switch. Support IBM I 1080p 60Hz. Support IBM I 1080p 6			HOMM.		
## Support RS232; **Comply with SFP MSA and SFF-8472 standard protocol; **Pure hardware design, plug and play, do not need to install additional software; **Support RX to 1809? resolution (Downscaling). **ZOKM HDMI Fiber Extender over IP, with KVM **Support IPMI 10890 foltz. **It supports one-to-one or one to many transmission and can pass through fiber switch. **Support BipMI 10890 foltz. **It supports one-to-one or one to many transmission and can pass through fiber switch. **Support IPMI 10890 foltz. **It supports none-to-one or one to many transmission and can pass through fiber switch. **Support IPMI 10890 foltz. **It supports point-to-mit mode;	Best Seller	HDES19	Committee Commit	* Support VVM	540 USD/PCS
#*Comply with SFP MSA and SFF-8472 standard protocol: Pure hardware design, plug and play, no need to install additional software; **Support HSM I 1080P resolution (Downscaling). ##BOMI 1.3V ##BDES23 ##BDES23 ##BDES24 ##BDES24 ##BDES25 ##BDES24 ##BDES25 ##BDES26 ##BDES26 ##BDES26 ##BDES26 ##BDES26 ##BDES26 ##BDES26 ##BDES27 ##BDES27 ##BDES27 ##BDES27 ##BDES28 ##B			Fine Entertal with NA		
* Pure hardware design, plug and play, do not ned to install additional software; * Support IPM II supports one-to-one or one to many transmission and can pass through fiber switch. * Support IPM II supports ingle-mode single fiber LC, SC interface module, factory default is LC interface module. * TX side supports HDMI loop out. * Support IPM II supports ingle-mode single fiber LC, SC interface module, factory default is LC interface module. * TX side supports HDMI loop out. * Support IPM II supports play and play, no need to install additional software. * 20KM HDMI KVM Fiber extender over IP * Support IPM II supports point-to-multipoint, multipoint and play, no need to install additional software. * 20KM HDMI KVM Fiber extender over IP * Support IPM II supports point-to-multipoint, multipoint mode and can pass through fiber switch. * Support IPM II supports point-to-multipoint mode and can pass through fiber switch. * Support IPM II supports point-to-multipoint mode and can pass through fiber switch. * Support RV M function. *					
#*Support & No. 1080P resolution (Downscaling.) #*Support Bodd Holm Fiber Extender over IP, with KVM **Support Hild Holm Fiber Extender over IP, with KVM **Support Hild Holm Fiber Extender over IP, with KVM **Support Brainsmission. **Support Brainsmission. **Pure hardware design, plug and play, no need to install additional software. **Disport Single-mode single fiber LC, SC interface module, factory default is LC interface module. **Support RVM function. **Support RVM function. **Support Brainsmission. **Pure hardware design, plug and play, no need to install additional software. **Disport Hild Holm Fiber extender over IP **Support Brainsmission. **Pure hardware design, plug and play, no need to install additional software. **Pix Support Brainsmission. **Pure hardware design, plug and play, no need to install additional software. **Support Brainsmission. **Pure hardware design, plug and play, no need to install additional software; **Pix Support RVM function: **Support RVM function: *					
HDMI 1.3V HDES23 ### HDES23 ### HDES23 ### HDES23 ### HDES23 ### HDES24 ### HDES24 ### HDES24 ### HDES24 ### HDES25 ### HDES25 ### HDES25 ### HDES26 ### HDES26 ### HDES26 ### HDES27 ### HDES27 ### HDES26 ### HDES27 ### HDES27 ### HDES27 ### HDES28					
# It supports one-to-one or one to many transmission and can pass through fiber switch. * Support By Cardon Supports HDM I loop out. * Support IP transmission. * Purch hardware design, plug and play, no need to install additional software. * Support IP transmission. * Purch hardware design, plug and play, no need to install additional software. * Support IP transmission. * Support IP					
# Support S HDM loop out. * Support FVM function. * S				* Support HDMI 1080p 60Hz.	
# TX side supports HDMI loop out. * Support IV Mr function. * Support IV Pransmission. * Pure hardware design, plug and play, no need to install additional software. ### 20KM HDMI 1/80p o6Hz; * Support HDMI 1080p o6Hz; * Pure hardware design, plug and play, no need to install additional software. #### 20KM HDMI 1080p o6Hz; * Support HDMI 1080p o6Hz; * Support HDMI 1080p o6Hz; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. #### 100M HDBaseT Extender with IR-Ethernet,RS232 port #### 4Kx2K resolution ##### 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi-directional IR)[Silver] ###################################			HOW! KAW Liber Expender Over In	* It supports one-to-one or one to many transmission and can pass through fiber switch.	
* 1X side supports HDMI floop out. * Support IV function. * Pure hardware design, plug and play, no need to install additional software. 20KM HDMI KVM Fiber extender over IP * Support IIDMI 1080p 60Hz. * It supports point-to-point mode; point-to-multipoint, multipoint-to-multipoint mode and can pass through fiber switch. * Support IV function; * Support IV function; * Support IV function; * Support IV function; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. 100M HDBaseT Extender with IR-Ethernet,RS232 port * 4Kx2K resolution 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi-directional IR)[Silver] 652 USD/PCS Wireless HDMI Extender 30m 412 USD/PCS	HDMI 1 3V	HDES23	Four Air		332 HSD/DCS
Best Seller HDES34 HDES34 HDES34 HDES34 Best Seller HDES34 HDES34 Best Seller HDES34 Best Seller HDES34 HDES34 Best Seller HDES34 HDES34 HDES34 HDES34 HDES34 Best Seller HDES35 Best Seller HDES34 Best Seller Best Seller Best Seller HDES34 Best Seller Be	IIDMI 1.5 V	HDE525			332 00D/1 03
# Pure hardware design, plug and play, no need to install additional software. 20KM HDMI KVM Fiber extender over IP					
Best Seller HDES34 HDES35 HDMI 1.4V HDES36 HDES36 HDES36 HDMI 1.4V HDES37 HDES37 HDES37 HDMI 1.4V HDES37 HDES37 HDES38 HDMI 1.4V HDES38 HDES39 HDMI 1.4V HDES39 HDES39 HDMI 1.4V HDES39 HDES39 Wireless HDMI Extender 30m HDMI Extender 30m HDMI Extender 30m HDMI Extender 30m HDMI LEXPOPCS					
Best Seller HDES34 **Support HDMI 1080p 60Hz; 1 is supports point-to-point mode; point-to-multipoint, multipoint mode and can pass through fiber switch. **Support single-mode single fiber LC, SC interface module, factory default is LC interface module; **Support single-mode single fiber LC, SC interface module, factory default is LC interface module; **TX side supports HDMI loop out; **Support KVM function; **Support KVM function; **Support KVM function; **Support KVM function; **Decoding Mode MJPEG. **Decoding Mode MJPEG. **HDMI 1.4V** **HDES03 **It supports point-to-multipoint mode and can pass through fiber switch. **Support single-mode single fiber LC, SC interface module, factory default is LC interface module; **TX side supports HDMI loop out; **Support KVM function; **Prevalent/variation; **Decoding Mode MJPEG. **HDMI 1.4V* HDES03 **It supports VM function; **Support KVM functio				* Pure hardware design, plug and play, no need to install additional software.	
* It supports point-to-point mode; on the point mode and can pass through fiber switch. * Support multipoint, multipoint mode and can pass through fiber switch. * Support single-mode single fiber LC, SC interface module, factory default is LC interface module; * TX side support RVM finction; * Support RVM finction; * Support RVM finction; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. * 100M HDBaseT Extender with IR-Ethernet,RS232 port * JAKX2K resolution * HDMI 1.4V * HDES07 * HDES07 * HDMI 1.4V * HDES09 * Wireless HDMI Extender (Support HDBaseT,4Kx2K,POE,Ethernet,RS232,BI - directional IR)[Silver] * Wireless HDMI Extender 30m * 412 USD/PCS					
Best Seller HDES34 HDES35 HDMI 1.4V HDES36 HDES34 HDES35 HDMI 1.4V HDES36 HDES36 HDES37 HDES37 HDES37 HDES37 HDES37 HDES38 HDES38 HDES39 Wireless HDMI Extender 30m HDES38 HDES39 Wireless HDMI Extender 30m HDES39 HDES34 HDES35 HDES35 HDES36 HDES36 HDES37 HDES37 HDES37 HDES37 HDES38 HDE			PACKETTS SCHOOL Extension Over 157 1-004 School From School School Street SF		
# Support single-mode single fiber LC, SC interface module, factory default is LC interface module; * TX side support BMI loop out; * Support RVM function; * Support P transmission; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. # DES03 # DOWN HDBaseT Extender with IR-Ethernet,RS232 port # AKx2K resolution # DOWN Ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] # OWN Ultrathin HDBT Extender 30m # Support BMI Extender 30			Transcotor State Type Size Size		
* TX side supports HDMI loop out; * Support KVM function; * Support P transmission; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. 100M HDBaseT Extender with IR-Ethernet,RS232 port 4Kx2K resolution 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 652 USD/PCS Wireless HDMI Extender 30m 412 USD/PCS					
* Support KVM function; * Support IP transmission; * Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. 100M HDBaseT Extender with IR-Ethernet,RS232 port 4Kx2K resolution 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 652 USD/PCS Wireless HDMI Extender 30m 412 USD/PCS	Best Seller	HDES34			292 USD/PCS
*Support IP transmission; *Pure hardware design, plug and play, no need to install additional software; *Decoding Mode MJPEG. #DESO3 #DOM HDBaseT Extender with IR-Ethernet,RS232 port _4Kx2K resolution #DESO7 #DOM ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] #Support IP transmission; *Pure hardware design, plug and play, no need to install additional software; #DESO3 #DOM HDBASET Extender with IR-Ethernet,RS232 port _4Kx2K resolution #DESO9 #DOM ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] #UDESO9 #IDESO9 #IDE			The state of	* Support KVM function:	
* Pure hardware design, plug and play, no need to install additional software; * Decoding Mode MJPEG. 100M HDBaseT Extender with IR-Ethernet,RS232 port 4Kx2K resolution 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 652 USD/PCS Wireless HDMI Extender 30m 412 USD/PCS					
* Decoding Mode MJPEG. 100M HDBaseT Extender with IR-Ethernet,RS232 port ,4Kx2K resolution 100M HDBaseT Extender with IR-Ethernet,RS232 port ,4Kx2K resolution 652 USD/PCS 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 600 USD/PCS Wireless HDMI Extender 30m 412 USD/PCS					
HDMI 1.4V HDES07 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 600 USD/PCS Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS					
HDMI 1.4V HDES07 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 600 USD/PCS Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS					
HDMI 1.4V HDES07 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - directional IR)[Silver] 600 USD/PCS Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS				400M UDBoooT Extender with ID Ethornet BC222 next	
HDMI 1.4V HDES07 100M ultrathin HDBT Extender(Support HDBaseT,4Kx2K,POE,Ethernet,RS232,Bi - 600 USD/PCS Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS	HDMI 1.4V	HDES03			652 USD/PCS
Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS			1 3 80	,4KXZK resolution	
Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS					
Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS			Marght		
Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS			HDBsset Winder	400M ultrathin UDDT Extender/Compart UDDT 41/-01/ DOE Eth B0000 D	
Best Seller HDES09 Wireless HDMI Extender 30m 412 USD/PCS	HDMI 1.4V	HDES07	2.		600 USD/PCS
			0. M	unectional ix)[Sliver]	
			D No 18 Worders 20m W 18 W		
HDMI 1.3V HDES11 Wireless HDMI Extender 50m 452 USD/PCS	Best Seller	HDES09	\$ H \\	Wireless HDMI Extender 30m	412 USD/PCS
HDMI 1.3V HDES11 Wireless HDMI Extender 50m 452 USD/PCS					
HDMI 1.3V HDES11 Wireless HDMI Extender 50m 452 USD/PCS					
HDMI 1.3V HDES11 Wireless HDMI Extender 50m 452 USD/PCS			1		
HDMI 1.3V HDES11 Wireless HDMI Extender 50m 452 USD/PCS					
452 USD/PUS	HDMI 1 3V	HDFS11		Wireless HDMI Extender 50m	452 Hen/Dee
	111211111.3 V	1100011	MANUAL MA	THI VICES FIDMI LAGRICE VIII	402 000/700

HDMI 1.3V	HDES11-1080		50M HDMI/KVM Wireless Extender 1080p Suuport KVM, Loop out,one to two mode	548 USD/PCS
Best Seller	HDWE150		150m HDMI Wireless Extender * Support HDCP1.3; * Support standard IEEE802.11a/b/g/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers, normal go through the wall up to 40 meters.	308 USD/PCS
New Items	HDWE03		200m HDMI Wireless Extender * Support HDCP1.3; * Support one to one and one to four transmission modes; * Support local loop out. * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 200m when open space without any barriers,normal go through the wall up to 40 meters.	332 USD/PCS
Best Seller	HDWE200		200m HDMI/KVM Wireless Extender *Support HDCP1.3; *Support one TX to 4 RX transmission mode * Support standard IEEE802.11a/b/g/n; * Support the highest resolution up to 1920x1080/60Hz; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Support IR control; * Support KVM function; * Working in 2.4G/5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 200m when open space without any barriers,normal go through the wall up to 40 meters.	372 USD/PCS
Best Seller	HDWE01	The same of the sa	150M HDMI Wireless Extender * Support HDCP1.3; * Support standard IEEE802.11a/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers,normal go through the wall up to 40 meters. * HDMI Resolution :up to 1920x1080p/60Hz	252 USD/PCS
New Items	HDWE02		Type-C 150M wireless screen projector * Support HDCP1.3; * Support standard IEEE802.11a/n; * Support the highest rate 1.485G and TMDS clock up to 148.5Mhz; * Working in 5G frequency band,not easy disturbed to wireless signals; * The longest distance can be 150m when open space without any barriers,normal go through the wall up to 40 meters; * The Type-c port support charging while casting the screen, or directly use the power on the Type-C device.	252 USD/PCS
			HDMI Video wall Controller	
	HDVW16	· · · · · · · · · · · · · · · · · · ·	## Supports 4 HDMI outputs * Supports 4 HDMI outputs * Supports automatic switching of 4 HDMI input signals * Support a variety of conventional splicing, easy to operate, plug and play * Input resolution: 1920x1080P 25/30/50/60Hz,3840x2160P 25/30Hz * Output resolution: up to 4 ways 1080P/60Hz * Support video format: YUV422 16bit, RGB444 24bit * Support audio format: PCM	292 USD/PCS
	HDVW12-C		#K 60Hz Multi-Screen Box Cascading connection * Support 4 HDMI outputs with each resolution maximum 1920 x1200@60hz; * Point to point, no stretching, no deformation, no need to compress the input source, clear picture; * Support HDMI/DP inputs; * Support four HDMI outputs, one 3.5mm stereo output; and a fiber audio output; * Support RS232 protocol; * Support the power-off-memory function; * Support 2x2 splicing, easy to operate, plug and play; * Support cascading to achieve maximum resolution splicing, for example: 4x4 splicing wall, through four Multi-screen boxes to achieve 7682x4320, 8K display	560 USD/PCS
New Items	HDVW12	Bill 100 100 100 100 100 100 100 100 100 1	#K 60Hz Multi-Screen Box *Support 4 HDMI outputs with each resolution maximum 1920 x1080p@60hz; *Point to point, no stretching, no deformation, no need to compress the input source, clear picture; *Support two HDMI inputs, HDMI IN2 is 4k@60Hz, HDMI IN1 is 1080P@60Hz.(Signal source select IN2, only in 2x2 mode have picture in picture (PIP) function); *Support four HDMI outputs, one 3.5mm stereo output; and a fiber audio output; *Support RS232 protocol; *Support he power-off-memory function; *Support 2x2, 1x2,1x3,1x4,2x1,3x1,4x1splicing mode, plug and play. *HDMI input resolution :3840x2400@60Hz/7680x1200@60Hz/1920x4800@60Hz and lower *HDMI output resolution:1920x1080P@60Hz/1920x1200P@60Hz *Support video format: YUV444 YUV422 YUV420 RGB444	572 USD/PCS

			V1.4 4k 4x4 HDMI Video Wall Controller	
			* Support HDMI video source input;	
		- Carrent	* Support 16-ways HDMI output;	
		ALL AND THE PERSON OF THE PERS	* Support multiple splicing modes, easy to handle, plug and play;	
New Items	HDVW11	1	* Support IR control.	732 USD/PCS
Tiew Items	1115 / 11/11		* HDMI input resolution:the highest support 3840x2160/30Hz	702 000/100
			* HDMI output resolution:support 1920x1080/60Hz (one port)	
			* Support the splicing mode:	
			1x1/1x2/2x1/1x3/3x1/2x2/1x4/4x1/1x5/5x1/1x6/6x1/2x3/3x2/2x4/4x2/2x5/5x2/2	
			x6/6x2/2x7/7x2/2x8/8x2/3x3/3x4/4x3/3x5/5x3/4x4	
			V1.4 4K 4X4 Art Video Wall Controller	
			* Support HDMI/USB3.0 video source input;	
			* Support 16-ways HDMI output;	
			* Support multiple splicing modes, easy to handle, plug and play;	
		White His Commission	* Support discretionary splicing;	
New Items	HDVW4X4-A	On ax and the	* Effectively solve the splicing deformation;	1812 USD/PCS
		a second	* Perfectly show images without stretching;	
		05	* Only support Win10 system 64 bit;	
			* Support screen any degree rotation;	
			* HDMI input resolution: the highest support 3840x2160/30Hz	
			* HDMI output resolution: support 1920x1080/60Hz (one port)	
			V1.4 4K 3x3 Art Video Wall Controller	
			* Support HDMI/USB3.0 video source input;	
		well-depend	* Support 9-ways HDMI output;	
			* Support multiple splicing modes, easy to handle, plug and play;	
		1	* Support discretionary splicing;	
			* Automatically calculates optimal resolution to monitor;	
New Items	HDVW3X3-A	M 💰 🤸 🌟 🗯 🐠	* Effectively solve the splicing deformation;	1336 USD/PCS
		non St. Alah Mari San	* Perfectly show images without stretching;	
		A A A MAIN MAIL	* Only support Win10 system 64 bit;	
			* Support screen any degree rotation;	
			* HDMI input resolution: the highest support 3840x2160/30Hz	
			* HDMI output resolution: support 1920x1080/60Hz (one port)	
			V1.4 4K 5X9 HDMI Video wall processor	
			Supports 5 HDMI inputs (3way 4k@30hz, 2way 1080P), 9 HDMI outputs (1080p@60hz),	
		W05	1 HDMI loop out (picture is consistent with the splicing picture), one 3.5mm headphones	
			stereo output.	
			* Various splicing modes: horizontal / vertical.	
New Items	HDVW05		* Support a variety of segmentation modes (PIP, POP, PBP, Single picture, dual pictures,	1172 USD/PCS
			four pictures segmentation). Each split screen can be moved and zoomed in and out independently	
		180	(Put mouse on top left, drag by the left key to zoom in/out the picture). Click the lower right corner	
			of the screen to switch the sound.	
			* Support Wifi and Bluetooth.	
			* No stretching, no deformation, no need to compress the input source, the picture is clear.	
	HDVW03		V2.0 5X9 HDMI Video wall controller	
			support 4k 60hz	
HDMI 2.0V		HDVW03	support multi video wall splicing mode support multi segmentation mode support 90° and 180°	1452 USD/PCS
			rotation	
			support PIP	
			4k 2x3 HDMI Video wall controller	
			1. Support multiple splicing modes;	
		W. SACE AND AND AND STATEMENT	2. Support cascade splicing, you can splice more than 6 video walls;	
Best Seller	HDVW2X3-K		3. Support function of audio extraction,	572 USD/PCS
			digital optical fiber and analog 3.5mm audio output;	
			4. Pure hardware design, plug and play, no need any software.	
			5.Support 4k 30hz input and 1080p 60hz output	
			4k 2X3 HDMI Video Wall Controller with media player function	
			1. Support multiple splicing modes	
			2. Support cascade splicing, you can splice more than 6 video walls	
		The New Southern Street Continuent of Lines	3. Player support WIFI, DLAN connection	
Best Seller	HDVW2X3-M		4.Player support 2-ways USB 2.0 input	700 USD/PCS
			5. Support function of audio extraction,	
		R = = = = = = = = = = = = = = = = = = =	digital optical fiber and analog 3.5mm audio output	
			6. Pure hardware design, plug and play, no need any software	
			7. Support 4k 30hz input and 1080p 60hz output	
			V1.4 4K 2X3 HDMI Video Wall Controller	
			* Support multiple splicing modes;	
			* Support function of audio extraction,	
		THE SAME AND APPLICATIONS	digital optical fiber and analog 3.5mm audio output;	
New Items	HDVW07	6 . II III	* Support IR control;	412 USD/PCS
inew items	IID v WU/		* Pure hardware design, plug and play, no need any software.	412 000/700
			* HDMI resolution: the highest support 3840x2160/30Hz	
			* Support audio format : stereo	
		1	* Support RS232	1

				1
			1080P 2X3 HDMI Video Wall Controller	
I			* Support HDMI/DVI video source input;	
			* Support 6-ways HDMI output; * With power off memory function;	
		Section State Contraction	* Support multiple splicing modes, easy to handle, plug and play;	
	HDVW13	: 60 - 50 - 50	* Support RS232/IR control.	332 USD/PCS
			* HDMI input resolution:1080P/720P/576p/576i/480P	
		and the state of t	* HDMI output resolution : support 1920x1080/60Hz	
			* Support video formats:RGB,YCbCr444,YCbCr442,YCbCr440	
			* Support audio formats :. Stereo	
			8K 2X2 HDMI Video wall controller	
		MADERA SERVICIONA	* Support HDMI input;	
		We and women	* Solve the splicing mode of 4 screens (splicing mode only 2x2)	
New Items	HDVW10		* The design of pure hardware, plug and play, no need for additional software;	1212 USD/PCS
rew items	110 4 11 10		* Support the input 8K30Hz, 4K60Hz, 4K30Hz;	1212 030/103
			* Support the output 4K30Hz,1080p60Hz,1080p30Hz;	
			* Support video format :RGB, YCbCr4:4:4, YCbCr4:2:2	
			* Support audio format : L-PCM2.0	
			V1.4 4K 2X2 HDMI Video Wall Controller	
			* Support HDMI and DVI input;	
		CANCELL CONTRACTOR OF THE PARTY	* Support 4 HDMI outputs;	
D 4 C - 11	HDVW06	And design consistency insulate extraording	* Output support RGB 4:4:4; * Support RS232 control;	04 / 1100 /000
Best Seller	HDV W06		* Support 2X2/1X2/2X1 splicing, easy operation, plug and play;	216 USD/PCS
		# 5 5 5°	* Support 2X2/1X2/2X1 splicing, easy operation, plug and play,	
		S 1000	* Support the highest input 4K/30Hz, the highest output of four each 1080P/60Hz;	
			* Support audio format: stereo	
			V1.4 4K 2x2 HDMI Video Wall Controller	
			* Support HDMI and DVI input;	
			* Support 4 HDMI outputs;	
		Will Confident	* Output support RGB 4:4:4;	
HDMI 1.4V	HDVW09	THE PROPERTY OF THE PARTY OF TH	* Support RS232 control;	240 USD/PCS
		5 5 5	* Support 2X2/1X2/2X1 splicing, easy operation, plug and play;	
		Q 5	* Support 2X2 automatic splicing function;	
			* Support the highest input 4K/30Hz, the highest output of four each 1080P/60Hz;	
			* Support audio format : stereo	
			V2.0 2X2 Video Wall Controller(4K@60Hz)	
			Support 4 HDMI outputs, and 3.5mm audio output;	
	HDVW02		* Input resolution include 1920x1080P 25/30/50/60Hz,3840x2160P 60Hz;	
		We have severe when comments	* Output resolution include 3840x2160P 60Hz or 1920x1080P 60Hz;	
Best Seller			* Input format: YUV4:2:2 24bit、YUV4:4:4 24bit、YUV4:2:0 24bit、RGB4:4:4 24bit;; Output	932 USD/PCS
			format: RGB4:4:4 24bit;	
			* Support RS232 protocol (Net port RJ45);	
			* Easy to operate, plug and play;	
			* Support rotation of 90 degrees, 180degrees, 270degrees;	
	HDVW2X2-M	A PARTY.	V1.4 4K 2X2 HDMI Video Wall Controller with media player function, 1.support 3.5mm audio output	
Best Seller		0.17	2.support 180°flip	(00 1105 (500
Best Seller		VW2X2-M	[2.support 180 Hip	
Dest Seller II			2 support hazal componentian	600 USD/PCS
			3. support LISP and SD card input	600 USD/PCS
			4.support USB and SD card input	600 USD/PCS
		Bonne	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz	600 USD/PCS
Best Seller	HDVW2X2-N	The same of the sa	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input	
Best Seller	HDVW2X2-N	Figure 1.	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes	416 USD/PCS
Best Seller	HDVW2X2-N	The state of the s	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input	
Best Seller	HDVW2X2-N	A CONTRACTOR OF THE PARTY OF TH	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip	
Best Seller	HDVW2X2-N	The state of the s	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output	
Best Seller HDMI 1.3V	HDVW2X2-N HDVW04	The state of the s	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes	
			4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output	416 USD/PCS
			4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip	416 USD/PCS
			4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz	416 USD/PCS
		STATE OF THE STATE	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input	416 USD/PCS
HDMI 1.3V	HDVW04	A TO A LAND AND A LAND A LAND A LAND AND A LAND AND A LAND AND A LAND A LAND AND A LAND AND A LAND A LA	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 4. support 3.5mm audio output	416 USD/PCS 200 USD/PCS
		The state of the s	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 4.support 180° flip	416 USD/PCS
HDMI 1.3V	HDVW04	The state of the s	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 3.5mm audio output 3.support 180° flip 4.support bezel compensation	416 USD/PCS 200 USD/PCS
HDMI 1.3V	HDVW04		4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes	416 USD/PCS 200 USD/PCS
HDMI 1.3V	HDVW04	FIGURE OF THE PARTY OF THE PART	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 1.5mm audio output 3.support 180° flip 4.support bezel compensation 5.support bezel compensation 5.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function	416 USD/PCS 200 USD/PCS
HDMI 1.3V	HDVW04	A CONTROL CONTROL OF THE PARTY	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2.support 3.5mm audio output 3.support 180° flip 4.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play	416 USD/PCS 200 USD/PCS
HDMI 1.3V	HDVW04	AC TEXT THE COMMENT OF THE PARTY OF THE PART	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2. Support U disk and SD card input;	416 USD/PCS 200 USD/PCS
HDMI 1.3V	HDVW04	A TOTAL CONTROL OF	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 4.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support IR control.	416 USD/PCS 200 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	A TO STATE OF THE	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support ultiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode.	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	A TO SECOND STATE OF THE PARTY	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2.support 3.5mm audio output 3.support 180° flip 4.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support IR control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation.	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	ACTION AND CONTROL OF	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support IR control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play.	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	AC TO A COMMISSION DOWNS AND A COMMISSION DOW	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support Ix control. 4.support lx1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	A TOTAL MAN CONTRACTOR	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 1 HDMI or DVI input 2. support 1 80° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support but disk and SD card input; 3.Support Ix control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output V1.4 4k 3x3 HDMI Video Wall Controller	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	AND THE RESIDENCE OF THE PARTY	4. support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1. support 1 HDMI or DVI input 2. support 3.5mm audio output 4. support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1. support 1 HDMI or DVI input 2. suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3. support 3.5mm audio output 4. support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1. support 1 HDMI or DVI input 2. support 3.5mm audio output 4. support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1. support 180° flip 4. support bezel compensation 5. suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support undisple splicing modes, easy to operate, plug and play 2. Support U disk and SD card input; 3. Support Ix1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5. support bezel compensation. 6. plug and play. 7. support 3.5mm audio output V1.4 4k 3x3 HDMI Video Wall Controller 1. Support 9 HDMI outputs;	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller Best Seller	HDVW04 HDVW2X2 HDVW3X3-M	AC YEAR AREA COMMAND A PROPERTY OF THE PROPERT	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2.support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.support bezel compensation 5.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support IR control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output V1.4 4k 3x3 HDMI Video Wall Controller 1. Support 9 HDMI outputs; 2. Support multiple splicing modes, easy to operate, plug and play;	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller	HDVW04 HDVW2X2	AC TO VALUE AND ADMINISTRATION OF THE PARTY	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1,1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2. support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.suport 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support Ix1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output V1.4 4k 3x3 HDMI Video Wall Controller 1.Support 9 HDMI outputs; 2.Support multiple splicing modes, easy to operate, plug and play; 3.Support 9 HDMI outputs; 2.Support multiple splicing modes, easy to operate, plug and play; 3.Support 9 HDMI outputs; 2.Support multiple splicing modes, easy to operate, plug and play; 3.Support multiple splicing modes, easy to operate, plug and play; 3.Support multiple splicing modes, easy to operate, plug and play; 3.Support multiple splicing modes, easy to operate, plug and play; 3.Support B/10/12 bit deep color;	416 USD/PCS 200 USD/PCS 496 USD/PCS
HDMI 1.3V Best Seller Best Seller	HDVW04 HDVW2X2 HDVW3X3-M	AT THE PARTY AND LOCATION AND ADDRESS OF THE PARTY AND LOCATION AND ADDRESS OF THE PARTY AND ADD	4.support USB and SD card input V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.3 2X2 HDMI Video wall controller, 1080p 60Hz 1.support 1 HDMI or DVI input 2.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 3.support 3.5mm audio output 4.support 180° flip V1.4 2X2 Video wall controller, 4k@30Hz 1.support 1 HDMI or DVI input 2.support 3.5mm audio output 3.support 180° flip 4.support bezel compensation 5.support bezel compensation 5.support 1x1,1x2,1x3,1x4,2x1,2x2,3x1,4x1 display modes 4k 3X3 HDMI Video wall controller with media player function 1. Support multiple splicing modes, easy to operate, plug and play 2.Support U disk and SD card input; 3.Support IR control. 4.support 1x1,1x2,1x3,1x4,2x1,2x2,2x3,2x4,3x1,3x2,3x3,4x1,4x2 display mode. 5.support bezel compensation. 6. plug and play. 7.support 3.5mm audio output V1.4 4k 3x3 HDMI Video Wall Controller 1. Support 9 HDMI outputs; 2. Support multiple splicing modes, easy to operate, plug and play;	416 USD/PCS 200 USD/PCS 496 USD/PCS

			V4.4.4K OVO UDMUSEL - MEILO - 4 - III -	
		-	V1.4 4K 3X3 HDMI Video Wall Controller * Support HDMI input;	
37 T	110111100	AK SKS Video Wall Control	* Support 9 HDMI outputs;	
New Items	HDVW08		* Support multiple splicing modes, easy to operate, plug and play;	452 USD/PCS
		===-	* Support 8/10/12 bit deep color;	
			* Support IR control.	
			V1.3 3x3 HDMI Video Wall Controller	
			* Support HDMI/DVI video source input; * Support 9-ways HDMI output;	
			* With power off memory function;	
	TIDI III I	AND WHILE CONTROL OF	* Support multiple splicing modes, easy to handle, plug and play;	
	HDVW14		* Support RS232/IR control.	372 USD/PCS
			* HDMI input resolution: 1080P/720P/576p/576i/480P	
			* HDMI output resolution : support 1920x1080/60Hz	
			* Support video formats :RGB,YCbCr444,YCbCr442,YCbCr440 * Support audio formats :Stereo	
			V1.3 3X4 HDMI Video Wall Controller	
			* Support HDMI video source input;	
			* Support 12-ways HDMI output;	
			* With power off memory function;	
New Items	HDVW15	CANAL STATES AND CONTRACTOR	* Support multiple splicing modes, easy to handle, plug and play;	412 USD/PCS
			* Support RS232/IR control. * HDMI input resolution :1080P/720P/576p/576i/480P	,
			* HDMI output resolution :support 1920x1080/60Hz	
			* Support video formats :RGB,YCbCr444,YCbCr442,YCbCr440	
			* Support audio formats :. Stereo	
			HDMI Switch Splitter	
		12 12 May 14700		
Best Seller	HDCC2 2 V2 0	**Comparison	HDMI Switcher Splitter 2x2 V2.0, support audio out with IR remote control, support down scaler	1.4.4 LICD /DOC
Best Seller	HDSS2-2-V2.0	11:099	function	144 USD/PCS
	*******	FIELDS SO	HDMI Switcher 2x4 V2.0 support audio out	
Best Seller	HDSS2-4-V2.0		with IR remote control, support down scaler function	152 USD/PCS
		223		
			4K 2X6 HDMI Splitter Extender	
Best Seller	HDSS2-6	SE SECRETARIO CONTRACTOR SE	2 HDMI inputs 2 HDMI outputs, 4 UTP 120m extension outputs (with 4 receivers)	536 USD/PCS
		-1000000	The state of the s	
		WALLEST SHALL CHILDRICH SHOWING		
Best Seller	HDSS2-8-V1.4	(2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	HDMI Switcher Splitter 2X83D ,4Kx2K V1.4b with IR remote control	184 USD/PCS
			4K 60Hz HDMI Switcher Splitter 2x8	
			* Support 18 Gbps data rate for tmds clock up to 600Mhz;	
			* Support 8/10/12 bit deep color;	
		or any trade, and the last	* Support 2-channel HDMI signal input, multi-channel HDMI signal output to the display, the input	
New Items	HDSS2-8-V2.0		source can be DVD player, A / V receiver, set-top box;	204 USD/PCS
		• 5 5 5 5 5 5	* support IR remote control. * Support audio format:LPCM	
			* Max bandwidth : 600MHz	
			* Max baud rate :18Gbps	
			HDMI Matrix	
			4K 30Hz HDMI Matrix 4x4 with audio	
		THE STATE AND PERSON SECTION	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz	
HDMI 1 4V	HDMX03-V1 4	AND STATE AND ST	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time;	196 USD/DCS
HDMI 1.4V	HDMX03-V1.4	THE STATE OF THE PARTY AND THE	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D;	196 USD/PCS
HDMI 1.4V	HDMX03-V1.4	THE SECOND SECON	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time;	196 USD/PCS
HDMI 1.4V	HDMX03-V1.4	THE SECOND SECON	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously;	196 USD/PCS
HDMI 1.4V	HDMX03-V1.4	THE STATE WHITE A PARTY OF THE STATE OF THE	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio	196 USD/PCS
HDMI 1.4V	HDMX03-V1.4	THE STATE WHITE THE PARTY OF THE STATE OF TH	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz	196 USD/PCS
HDMI 1.4V	HDMX03-V1.4	THE STATE WAS AND ADDRESS OF THE STATE OF TH	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time;	196 USD/PCS
HDMI 1.4V Best Seller	HDMX03-V1.4 HDMX03-V2.0	ACTIVE AND	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective;	196 USD/PCS
		ACCEPTA ACC	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D;	
		ACCEPTE AND MONEY AND WHITE AND ACCESS AND A	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective;	
		ACCEPTS AN ADDRESS AND ADDRES	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D: * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio * Support 4k 60hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D: * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously;	
		The state of the s	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4k HDMI Matrix 4x4, Seamless switching	
		ACTIVE ACTIVE	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support RR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K HDMI Matrix 4x4 , Seamless switching *Support 4k 30hz	
	HDMX03-V2.0	THE STATE OF THE S	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support R Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K HDMI Matrix 4x4, Seamless switching *Support 4k 30hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time;	
		THE SERVICE SHARE AND ADDRESS OF	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support R Remote Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4k HDMI Matrix 4x4 ,Seamless switching * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective;	
Best Seller	HDMX03-V2.0	THE SECOND MARKET AND WITH A MINE. THE SECOND MARKET AND WITH A M	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio * Support 4k 60hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4k HDMI Matrix 4x4, Seamless switching * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D;	240 USD/PCS
Best Seller	HDMX03-V2.0	THE STATE OF THE PARTY OF THE STATE OF THE S	4K 30Hz HDMI Matrix 4x4 with audio * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Support 3D; * Support R Remote Control; * The four outputs could show the same or different source simultaneously; 4K 60Hz HDMI Matrix 4x4 with audio *Support 4k 60hz *Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective; * Support 3D; * Support IR Remote Control; * Support IR Remote Control; * Support RS232 Control; * The four outputs could show the same or different source simultaneously; 4k HDMI Matrix 4x4 ,Seamless switching * Support 4k 30hz * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * Economical and cost-effective;	240 USD/PCS

			4K 60Hz HDMI Matrix 4x2 with audio	
Best Seller	HDMX04	TEACH TO A STATE OF THE STATE O	Support 3D video format; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 4 HDMI inputs switch and split to 2 HDMI displays; * Support LPCM/Dolby/DTS 5.1 channel;	148 USD/PCS
Best Seller	HDMX05-M	A DESCRIPTION OF THE PROPERTY	* Support 3D video format; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 2 HDMI inputs switch and split to 2 HDMI displays; * Support LPCM/Dolby/DTS 5.1 channel;	144 USD/PCS
Best Seller	HDMX05-N		4K 60Hz HDMI Switcher Splitter 2x2 Support for 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * Two HDMI signal input are switch and split to two HDMI displays; * Support for LPCM / Dolby / DTS 5.1 channel extraction;	144 USD/PCS
Best Seller	HDMX06-M		4K 60Hz HDMI Matrix 2x4 * Support 3D video format; * Via HDMI out1, support 3.5mm earphone jack and optical output at same time; * 2 HDMI inputs switch and split to 4 HDMI displays; * Support LPCM/Dolby/DTS 5.1 channel;	148 USD/PCS
Best Seller	HDMX06-N	Para Carrier C	4K 60Hz HDMI Switcher Splitter 2x4 * Support for 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * Two HDMI signal input are switch and split to four HDMI displays; * Support for LPCM / Dolby / DTS 5.1 channel extraction;	148 USD/PCS
HDMI 2.0V	HDMX01	SECONDARION OF THE SECONDARION O	HDMI Matrix 6x2 4k 60hz Support 3D video format * Support for 4K (input) resolution 2K (output) (Down scaler) * Support 2 HDMI audio outputs, 3.5mm earphone jack and optical output at same time * 6 HDMI inputs switch and split to 2 HDMI displays. * Support LPCM/Dolby/DTS 5.1 channel.	212 USD/PCS
HDMI 2.1V	HDMX02		* Support HDCP2.3; * Support HDCP2.3; * Support BCP2.3; * Support 3D video format; * Support 8K @60Hz; * Support audio outputs, 3.5mm earphone jack output; * 4 HDMI inputs switch and split to 2 HDMI displays; * HDMI output1 support 8K 60Hz.	320 USD/PCS
HDMI 2.0V	HDMX4X2-KVM	FAT FAT	HDMI 4x2 KVM Matrix (4K@60Hz) 1.Support HDMI resolution up to 3840*2160/60Hz; 2.Support 3D video format; 3.Support 3 kinds of switching modes:IR remote control,button,keyboard hotkeys; 4.Support 4K (input) resolution turn to 2K (output) (Down scaler); 5.Support 2 HDMI audio extraction, 3.5mm earphone jack and optical fiber interface output at same time; 6.4 HDMI inputs switch and split to 2 HDMI displays; 7.Support LPCM/Dolby/DTS 5.1 channel. Support keyboard and mouse.	276 USD/PCS
	HDAF4X4	100 100 100 100 100 100 100 100 100 100	Audio Matrix 4x4 1. Support 4 digital audio fiber inputs; 2. Support 4 digital audio fiber outputs; 3. Support 5.1 channel/DTS/Dolby-AC3/LPCM audio format; 4. Support button and remote control to switch.	148 USD/PCS
Best Seller	HDMX2X4-V2.0		V2.0 HDMI Matrix 2x4 support 2 audio outputs, support down scaler function	156 USD/PCS
HDMI 2.0V	HDMX4X2N-V2.0	ACCEPTAGE ACC	4K HDMI Matrix 4x2 support 2 audio outputs, support down scaler function.	172 USD/PCS
Best Seller	HDMX4X2-V2.0	* MATTER STATE OF THE STATE OF	V2.0 4X2 HDMI Matrix, support 2 audio outputs, with down scaler function	164 USD/PCS
Best Seller	HDMX4X2-NS		4K HDMI Matrix 4x2 support 2 audio outputs, support down scaler function.	156 USD/PCS

			4Kx2K HDMI Matrix 4x4	
			Support HDMI 2.0,HDCP 2.2;	
			* Support 3D; * Support high definition resolutions 4K/60Hz,1080p, 1080i, 720p and other standard video	
			formats;	
HDMI 2.0V	HDMX4x4-V2.0	PADENT SAMONA WAY	* Support audio format DTS-HD/Dolby-trueHD/LPCM/DTS/DOLBY -AC3/DSD;	452 USD/PCS
		T. T	* Support IR Remote Control;	
		-12	* Support RS232	
		P 3	* The four outputs could show the same or different source simultaneously;	
			* Support 4K (input) resolution 2K (output) (Downscaling)	
			V2.0 4Kx2K 60hz HDMI Matrix 4x4	
			* Very compact structure	
			* Stable and reliable	
D + C II	HDMW4 4 D	AK MARKY ANA	* Economical and cost-effective	004 1100 /000
Best Seller	HDMX4x4-B		* Support 3D; * Support IR Remote Control;	284 USD/PCS
		P = = = = = = = = = = = = = = = = = = =	* Support R Remote Control;	
			* The four outputs could show the same or different source simultaneously;	
			* Support 4K (input) resolution 2K (output) (Downscaling)	
			4Kx2K 60hz HDMI Matrix 8x8	
		ANOTHER ANOTHER MANUE	Support 3D;	
HDMI 2.0V	HDMX8x8-V2.0	No. of the Control of	* Support IR Remote Control;	1188 HSD/DCS
11DW11 2.0 V	11DW1740X0- V 2.0	Carparte	* Support RS232 Control;	1100 000/100
		7.	* The eight outputs could show the same or different source simultaneously;	284 USD/PCS 284 USD/PCS 1188 USD/PCS 772 USD/PCS 208 USD/PCS 140 USD/PCS
			* Support 4K (input) resolution 2K (output) (Downscaling);	
			8X8 HDMI Matrix, seamless switching	
			* Support HDCP1.4; * Support 8 channels HDMI signal seamless switching;	
			* Support 8 channels HDMI signal seamless switching; * Very compact structure;	
			* Stable and reliable;	
			* Via HDMI out1, support 3.5mm earphone jack and optical output at same time;	
New Items	HDMV00 C	FRESHAL PARKET STATE	* Support 3D;	770 1100 (000
New Items	HDMX8x8-S	The same of the sa	* Support RS232 Control;	//2 USD/PCS
			* Support native IR extension;	1188 USD/PCS 772 USD/PCS 208 USD/PCS 220 USD/PCS
		A and one one	* The eight outputs could show the same or different source simultaneously;	
			* HDMI input resolution : up to 1080P/60Hz	
			* HDMI output resolution :up to 1080P/60Hz	
			* Support video format::8/10/12 bit deep color * Support audio format:DTS-HD/Dolby-trueHD/LPCM5.1/DTS/Dolby -AC3/DSD	
			HDMI Switcher	
New Items	HDSW2		4k 60hz hdmi switcher 2x1, with audio, support bluetooth	208 HSD /DCS
New Items	IID5W2		8K HDMI Switcher 4x1 with audio	206 030/ PG3
			* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below	
No. No.	THE GIVING A	A CONTRACTOR OF THE PARTY OF TH	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format;	
New Items	HDSW8K-4	and the same	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below	220 USD/PCS
New Items	HDSW8K-4	and the second	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output;	220 USD/PCS
New Items	HDSW8K-4	A TO SECOND	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device;	220 USD/PCS
New Items	HDSW8K-4	A STATE OF THE PARTY OF THE PAR	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR;	220 USD/PCS
New Items	HDSW8K-4	3 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio	220 USD/PCS
New Items	HDSW8K-4	- 0 = 1 = 1	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format;	220 USD/PCS
New Items	HDSW8K-4	A service of	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output;	220 USD/PCS
		THE RESIDENCE OF THE PARTY OF T	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device;	1188 USD/PCS 772 USD/PCS 208 USD/PCS 220 USD/PCS
New Items HDMI 2.0V	HDSW8K-4 SW001	THE RESIDENCE OF THE PARTY OF T	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel;	
		THE RESERVE AND ADDRESS OF THE PARTY OF THE	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device;	
		THE RESIDENCE OF THE PARTY OF T	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support of HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format: LPCM/DTS/Dolby-AC3	
		The state of the s	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support FORDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz	
			* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support FARC/ARC; * Support FARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format: LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max baud rate: 3x6Gbps	
			* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support FARC/ARC; * Support FARC/ARC; * Support FARC/ARC; * Support BDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format : & 10/12 bit deep color * Support audio format : LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate : 3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic	
			* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support of HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max band rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz.	
HDMI 2.0V	SW001		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D.	140 USD/PCS
		THE REPORT OF THE PARTY OF THE	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support FARC/ARC; * Support FARC/ARC; * Support by the Modern and the support of the support and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max band rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 5D. * Support shighest video resolution 4K/60Hz.	140 USD/PCS
HDMI 2.0V	SW001	The state of the s	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support FARC/ARC; * Support FARC/ARC; * Support bor HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max band rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support sighest video resolution 4K/60Hz. * Support hDR.	140 USD/PCS
HDMI 2.0V	SW001	The state of the s	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、 optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 5y. * Support bighest video resolution 4K/60Hz. * Support 1DR. * Support 24/30/36 bit deep color .	140 USD/PCS
HDMI 2.0V	SW001		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、 optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support of HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support bighest video resolution 4K/60Hz. * Support 12/4/30/36 bit deep color. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority).	140 USD/PCS
HDMI 2.0V	SW001		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :1.PCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max band rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support 3D. * Support 3D. * Support Bighest video resolution 4K/60Hz. * Support 1DR. * Support 24/30/36 bit deep color . * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic	140 USD/PCS
HDMI 2.0V	SW001		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、 optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support IPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support 3D. * Support 4J30/36 bit deep color . * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 3D. Support 3D. Support 3D. * Support 3D. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority).	140 USD/PCS
HDMI 2.0V	SW001		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、 optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support of r HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support bighest video resolution 4K/60Hz. * Support 24/30/36 bit deep color . * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 3D. * Support 5x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support shighest video resolution 4K/60Hz.	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support of HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format: LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate: 3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support 3D. * Support bighest video resolution 4K/60Hz. * Support HDR. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support HDR. * Support HDR.	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1	THE RESERVE OF THE PARTY OF THE	* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support 3D. * Support bighest video resolution 4K/60Hz. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 5 Support 3D. * Support BDR. * Support 4/30/36 bit deep color . * Support 4/30/36 bit deep color .	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support For HDMI audio extraction, 3.5mm headphone, optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support bighest video resolution 4K/60Hz. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 3D. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 5D. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 5D. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 5D. * Support	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support EARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、 optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support IPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max baud rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support 3D. * Support audiomatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 3D. * Support BDMI Switcher 4x1,plastic * Support 3D. * Support 3D. * Support BDMI switcher 4x1,plastic * Support 3D. * Support BDMI Switcher 4x1,plastic * Support 4DMI Switcher 4x1,plastic * Support 4DMI Switcher 4x1,plastic * Support 3D. * Support BDMI Switcher 4x1,plastic * Support 4x10/36 bit deep color . * Support BDM. * Support BDM. * Support BDM. * Support BDM. * Support BDMI Switcher 5x1,plastic	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1		* Support 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; * 4K 60Hz HDMI Switcher 4x1 with audio *Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support Bighest video resolution 4K/60Hz. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support automatic switching of HDMI input ports (for 4 ports, the last one has priority). 4K 60Hz HDMI Switcher 5x1,plastic * Support 4x130/36 bit deep color . * Support automatic switching of HDMI input ports (for 4 ports, the last one has priority). 4K 60Hz HDMI Switcher 5x1,plastic * Support 4x130/36 bit deep color . * Support automatic switching of HDMI input ports (for 4 ports, the last one has priority).	140 USD/PCS 126 USD/PCS
HDMI 2.0V HDMI 2.0V	SW001 HDSW3X1 HDSW4X1		* Support 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support FARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; * Support 3D video format; * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format: LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max band rate: 3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support audiomatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 1DMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 1DMI Switcher 4x1,plastic * Support 1DMI Switcher 4x1,plastic * Support 4x10/36 bit deep color . * Support 3D.	140 USD/PCS 126 USD/PCS
HDMI 2.0V	SW001 HDSW3X1		* Spport 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support FaRC/ARC; * Support for HDMI audio extraction, 3.5mm headphone optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; 4K 60Hz HDMI Switcher 4x1 with audio * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format :8/10/12 bit deep color * Support audio format :1PCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max band rate :3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support 1DR. * Support 24/30/36 bit deep color. * Support automatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 3D. * Support 4x1,plastic * Support 4x1/30/36 bit deep color. * Support 3D. * Support Bighest video resolution 4K/60Hz. * Support 4x1,plastic * Support 4x1/30/36 bit deep color. * Support 4x1/30/36 bit deep color. * Support 5x3Gbps data rate for tmds clock up to 600MHz. * Support 3D. * Support Bighest video resolution 4K/60Hz. * Support 4x1/30/36 bit deep color. * Support 1DR. * Support 4x1/30/36 bit deep color. * Support 4x1/30/36 bit deep color. * Support 5x1/30/36 bit deep color. * Support 4x1/30/36 bit deep color. * Support 5x1/30/36 bit deep color. * Support 4x1/30/36 bit deep color. * Support 5x1/30/36 bit deep color. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 5x1/30/36 bit deep color	140 USD/PCS 126 USD/PCS
HDMI 2.0V HDMI 2.0V	SW001 HDSW3X1 HDSW4X1		* Support 8K@60Hz/8K@30Hz/4K@120Hz and below * Support 3D video format; * Support FARC/ARC; * Support for HDMI audio extraction, 3.5mm headphone、optical fiber and coaxial digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support HDR; * Support 3D video format; * Support 3D video format; * Support for HDMI audio extraction, 3.5mm headphone and optical fiber digital audio output; * 4 HDMI signal input switch to 1 HDMI display device; * Support LPCM/Dolby/DTS 5.1 channel; * Support LPCM/Dolby/DTS 5.1 channel; * HDMI resolution: up to 3840*2160/60Hz * Support video format: 8/10/12 bit deep color * Support audio format: LPCM/DTS/Dolby-AC3 * Max bandwidth: 600MHz * Max bandwidth: 600MHz * Max band rate: 3x6Gbps 4K 60Hz HDMI Switcher 3x1,plastic * Support 3D. * Support audiomatic switching of HDMI input ports (for 3 ports, the last one has priority). 4K 60Hz HDMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 1DMI Switcher 4x1,plastic * Support 6x3Gbps data rate for tmds clock up to 600MHz. * Support 1DMI Switcher 4x1,plastic * Support 1DMI Switcher 4x1,plastic * Support 4x10/36 bit deep color . * Support 3D.	140 USD/PCS 126 USD/PCS

			4v4 UDMI Switcher compart IV/M 4k 20km	
			4x1 HDMI Switcher support KVM 4k 30hz * Support 3D;	
			* Support highest video resolution 4K/30Hz;	
			* Support 3.4Gbps data rate for tmds clock up to 340MHz;	
HDML1 2M	HDCMA KAM	THE STREET WAS A STREET WAS ASSETTED TO STREE	* Support 24/30/36 bit deep color;	450 HOD /DOG
HDMI 1.3V	HDSW4-KVM	ACC PO ACC CONTROL OF THE PARTY	* Can automatically switch HDMI input port (in 4 ports, the last one is priority); * Support USB 2.0;	152 USD/PCS
		PORT PORT PORT PORT PROPERTY P	* Support 4 USB host (PC), 2 USB device (mouse/keyboard/U disk);	
		2	* Support wireless mouse and keyboard;	
			* Support Windows, Linux, MAC OS and Android operation system, etc;	
			* Plug and play, no need to install any driving program;	
			V2.0 4X1 HDMI Switcher support KVM 4K 60Hz	
			* Support 3D; * Support highest video resolution 4K/30Hz;	
			* Support 3.4Gbps data rate for tmds clock up to 340MHz;	
	HDSW4-KVM- V2.	STATES TO STATE OF THE PARTY OF	* Support 24/30/36 bit deep color;	
HDMI 2.0V	0	Total and and and and	* Can automatically switch HDMI input port (in 4 ports, the last one is priority);	160 USD/PCS
			* Support USB 2.0; * Support 4 USB host (PC), 2 USB device (mouse/keyboard/U disk);	
			* Support wireless mouse and keyboard;	
			* Support Windows, Linux, MAC OS and Android operation system, etc;	
			* Plug and play, no need to install any driving program;	
			2.0V HDMI Switcher 4x1 support KVM 4K 60Hz	
			* Support HDMI 2.0b	
			* Supports 4 HDMI input, 1 HDMI output * Support highest video resolution 4K/60Hz	
			* Support figurest video resolution 4k2/00112 * Support 6Gbps data rate for timds clock up to 600MHz	
			* Support 24/30/36 bit deep color	
		THE 2.0	* Can automatically switch HDMI input port (in 4 ports, the last one is priority)	
HDMI 2.0V	HDUSB4X1	Nove mountain	* Support standard AWG26 cable, input up to 8 metres ,output up to 8 metres (4K/30Hz or lower)	332 USD/PCS
			* Support standard HDMI 2.0 cable, input up to 3 metres ,output up to 5 metres(4K/60Hz)	
			* Supports USB 2.0	
			* Supports 4 USB host (PC), 4 USB device (mouse/keyboard)	
			* Supports wireless mouse and keyboard	
			* Supports Windows, Linux, MAC OS and Android operation system, etc.	
			* Plug and play, no need to install any driving program	
			4K HDMI Switcher 3x1 (Mini Type) * Support 2.25 Gbps data rate for tmds clock up to 225MHz	
			* Support HDM11.4a	
			* Support 3D	
Best Seller	HDSW3-N	de o c	* Support highest video resolution 4K/30Hz	108.8 USD/PCS
			* Support 8/10/12 bit deep color	
			* Support AWG26 HDMI standard cable, Input up to 10 metres , output up to 10 metres	
			* Support single high definition display for multiple sources, such as DVD Players and Satellite Receivers, Digital Projectors, A/V Receivers, Set Top Boxes	
			HDMI Switcher 3X1	
			* Support 2.25Gbps data rate for tmds clock up to 225MHz.	
			* Support HDMI1.4a。	
			* Support 3D。	
D + C 11	HDGHIA	Off. Low	* Supports highest video resolution 1080p/60Hz.	404 1100 1000
Best Seller	HDSW3	HOLLI, SAULCH ST	* Support UXGA,WUXGA。 * Support 8/10/12 bit deep color。	126 USD/PCS
		at No. No. sector scales	* Support AWG26 HDMI standard cable, Input up to 10 metres, output up to 10 metres.	
			* Supports single high definition display for multiple sources, such as DVD Players and Satellite	
		nony numer service	Receivers, Digital Projectors, A/V Receivers, Set Top Boxes.	
			* Remote Control for operational flexibility and easy to control.	
		_	v1.4 HDMI Switcher 4X1, Plastic	
		some manyoris due	* Support HDMI 1.4b * Support 3D video format	
Best Seller	HDSW4-M	in ≥ man or € €	* Support 3D video format * Support highest video resolution up to 4K/30Hz	121. 2 USD/PCS
Dest Bellet	11120 17 7-171	and the	* Support 3.4Gbps data rate for tmds clock up to 340MHz	121.2 000/ F03
		- E	* Support 24/30/36 bit deep color	
			* Support AWG26 HDMI standard cable, Input up to 8 metres ,output up to 8 metres	
			4K 30Hz HDMI Switcher 4X1	
			* Support HDM1.4b. * Support HDCP1.4.	
			* Support HDCP1.4. * With audio output (3.5mm Stereo, Toslink or coaxial)	
		AVA 900	* Support highest video resolution 3840*2160/30Hz.	
Best Seller	HDSW4	AK XOK SWITCH	* Support 3.4Gbps data rate for tmds clock up to 340MHz.	144 USD/PCS
		4	* Support 24/30/36 bit deep color.	
			* Support standard AWG26 cable, input up to 8 metres, output up to 8 metres	
			* Support single and high definition display for multiple sources, such as DVD Players and Satellite	
			Receivers, Digital Projectors, A/V Receivers, Set top boxes. * Remote Control for operational flexibility and easy to control.	
			4K 60Hz HDMI Switcher 4X1	
			* Support HDCP 2.2	
		ON BOOKS SHOOL WAS ARREST BOOKS	* Support highest video resolution 3840x2160/60Hz	
	1		* Support 24/30/36 bit deep color	148 USD/PCS
Best Seller	HDSW4-N2.0	4	+ C + A D C	
Best Seller	HDSW4-N2.0		* Support ARC * Support single and high definition display for multiple sources, such as DVD Players, A/V	, 10 00071 00
Best Seller	HDSW4-N2.0		* Support ARC * Support single and high definition display for multiple sources, such as DVD Players, A/V Receivers and Set top boxes	

			4K 30Hz HDMI Switcher 5X1	
		-W 30	* Support 2.5Gbps data rate for tmds clock up to 250MHz	
D 4 C - 11	HDCWE	MESTIN SWITTEN SA	* Support HDMI1.4a * Supports highest video resolution 1080p/60Hz	404 0 1100 /000
Best Seller	HDSW5	11:::	* Supports nignest video resolution 1080p/60Hz * Support 36 bit deep color	131. 2 USD/PCS
			* Support input up to 15 metres AWG26 HDMI standard cable length, output up to 25metres	
			AWG26 cable length	
			V2.0 HDMI Switcher 3x1, Plastic	
			* Support 6Gbps data rate for tmds clock up to 600MHz	
		2.0	* Support HDMI2.0b	
D 4 C - 11	HDSW3-V2.0	MOMI SWITCHER 3X1	* Supports highest video resolution 4K/60Hz	4.40 1100 /000
Best Seller	HDSW3-V2.0		* Support HDR * Support 24/30/36 bit deep color	131. 2 USD/PCS 148 USD/PCS 154 USD/PCS 156 USD/PCS 168 USD/PCS
			* Support AWG26 HDMI standard cable, Input up to 8metres, output up to 8metres (4K/30Hz	
			resolution and below)	
			* Support 2.0 HDMI standard cable, input up to 3 meters, output up to 5 meters (4K/60Hz resolution)	
			V2.0 HDMI Switcher 4x1,Plastic	
			* Support HDMI 2.0b	
		ARCHON S.D. SHITCH AND	* Support highest video resolution 4K/60Hz * Support 6Gbps data rate for tmds clock up to 600MHz	
Best Seller	HDSW4-V2.0		* Support 24/30/36 bit deep color	154 USD/PCS 156 USD/PCS 190 USD/PCS 168 USD/PCS
			*Supports auto switch of HDMI input (priority of the last port in 4)	
		0	* Support standard AWG26 cable, input up to 8 metres ,output up to 8 metres (4K/30Hz or lower)	
			* Support standard HDMI 2.0 cable, input up to 3 metres ,output up to 5 metres(4K/60Hz)	
			V2.0 HDMI Switcher 5x1	
			* Support highest video resolution 4K/60Hz	
		or suprement the	* Support 6Gbps data rate for tmds clock up to 600MHz	
Best Seller	HDSW5-V2.0		* Support 24/30/36 bit deep color * Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8 metres AWG26	156 USD/PCS
			cable length(4K/30Hz and lower resolution)	
			* Support input up to 3 metres 4K/60Hz HDMI standard cable length, output up to 5metres 4K/60Hz	
			HDMI cable length(4K/60Hz resolution)	
			V2.0 HDMI Switcher 7x1,Plastic	
			* Support 6Gbps data rate for tmds clock up to 600MHz * Support HDMI 2.0b	
		24	* Supports highest video resolution 4K/60Hz	
Best Seller	HDSW7-V2.0	JACKTON 2.0 HOME SAMTCHER !!!	* Support 24/30/36 bit deep color	190 USD/PCS
		0	* Support input up to 8 metres AWG26 HDMI standard cable length, output up to 8 metres AWG26	
			cable length(4K/30Hz and lower resolution)	
			* Support input up to 3 metres 2.0 HDMI standard cable length, output up to 5metres 2.0 HDMI	
			cable length(4K/60Hz resolution) 4X1 kvm/usb switcher, keyboard and mouse synchronous controller	
			* Support wireless keyboard and mouse	
			* Support most games/multimedia keyboard and multimedia mouse	
		THE WAY SALL	* Support IR remote control and switching PC by hot key	
	HDSW4-USB	E C LC	* Support cascade (up to 5 concatenation)	168 USD/PCS
			* Support systems such as Windows, Linux, MAC OS and Android, etc.	
			* Support Standard USB 2.0 male to male cable * Plug and play, no need to install any driving program	
			* Using PC port power, no need for extra power adapter	
			8X1 kvm/usb switcher, keyboard and mouse synchronous controller	
			* Supports wireless keyboard and mouse	
			* Supports most games/multimedia keyboard and multimedia mouse	
			* Supports synchronization function	
		and pulled and an experience	* Supports synchronization function * Supports mouse pass screen automatically with virtual switch	
	HDSW8-USB	333	* Supports keyboard repeated function	188 USD/PCS
		20000000	* Supports for iphone operation	
		•	(need to connect connector converter such as: Lightning to USB)	
			* Supports systems such as Windows, Linux, MAC OS and Android, etc.	
			* Supports standard USB 2.0 A male to B male cable	
			* Plug and play, no need to install any driving program * Using PC port power, no need for extra power adapter	
			4K 8x1 HDMI Switcher with EARC(4K@60Hz)	
		A SECURITY STATES THE SECURITY AND A SECURITY SE	* Support HDMI signal switching, audio return signal distribution;	
New Items	HDSW8		* Support ARC,EARC (power amplifier, sound bar etc.);	468 USD/PCS
			* Support audio return only through HDMI signal source not through the display device;;	
			* Support 3.5 stereo, coaxial, fiber audio output;	
			HDMI Multiviewer 4x1 HDMI Quad multi-viewer	
			* Support 4 channels HDMI signal screen segmentation;	
		Marin and Marine	* Support 4 channels HDMI signal seamless switching;	
Best Seller	HDSW4-Q1	AND AND COMMENTS	* Support highest resolution up to 1080P/60Hz;	168 USD/PCS
	`	in	* Support IR control;	
			* Input support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on;	
			* Support audio output format: PCM2;	

			HDMI 4x1 Quad Multi-Viewer	
			*Compatible HDMI 1.3a, HDCP1.2, input compatible DVI 1.0 Version	
		N. Same	* Support 4 channels HDMI signal screen segmentation;	
D . C !!	IIDGIIIA	HOM AN CHIM MARK	* Support 4 channels HDMI signal seamless switching;	404 1100 /000
Best Seller	HDSW4-Q	10	* Support highest resolution up to 1080P/60Hz;	184 USD/PCS
			* Support IR control;	
			* Input support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on;	
			* Support audio output format: PCM2;	
			4K 4X1 HDMI Quad Multi-viewer	
			* Support 4 HDMI input, 1 HDMI output;	
			* Support 4 channels HDMI signal screen segmentation;	
Best Seller	HDSW4-Q2		* Support 4 channels HDMI signal seamless switching;	204 USD/PCS
	`		* Support highest resolution up to 4K/30Hz;	
			* Support IR control;	
			* Input support resolution: 4K,1080P,720P,1080i,1024X768,1360X768 and so on;	
			* Support audio output format: LPCM2.0;	
			4K 60Hz HDMI Quad multiviewer 4x1	
			* Support 4 HDMI inputs, 1 HDMI output ;	
			* Support 4 channels HDMI signal screen segmentation ;	
			* Support input highest resolution up to 4K/30Hz;	
			* Support Output resolution 4K@60Hz, 4K@30Hz, 2560x1600@60Hz,1080P@60Hz;	
			* Support IR control ;	
New Items	HDCW/4 O2	All theres are considered and the same	* Support audio output format: PCM2.0;	0E4 HOD /DOC
new items	HDSW4-Q3	***	* Support 24/30/36 bit deep color;	256 USD/PCS
		reactor regards and a second	* Support cable distance 4K@30Hz/2560x1600@60Hz \le 15M; 1080P\le 20M; 4K@60Hz input \le 15M	
			/output≤5M.	
			* Color format : RGB 4:4:4; YUV 4:4:4; YUV 4:2:2	
			* Audio format :Stereo	
			* Output max bandwidth : 600MHz	
			* Output max baud rate : 6x3Gbps	
			4X1 HDMI Multi-Viewer with PIP function	
			* Support 4 HDMI inputs, one HDMI output;	
			* Support 4 HDMI signal screen segmentation;	
			* Support 4 HDMI signal screen segmentation;	
			* Support a variety of video segmentation (PIP/POP/PBP/Single image/ Dual image/Four image etc	
	IIDCWA OA	PARTIES AND AND ADDRESS OF THE PARTIES.); Each screen segmentation can move freely/expand/shrink (Put the mouse on the top left of image	100 1100 /000
	HDSW4-Q4		and press the left mouse button to zoom in and out); Click the mouse on the bottom right corner of	492 USD/PCS
			the screen to switch the sound ON/OFF;	
			* Support touch screen;	
			* Support keyboard shortcut switching segmentation mode;	
			* Support IR /Button/RS232 control;	
			* Support audio and video superposition;	
			* More clearer subtitles.	
			1080p KVM HDMI 4X1 Quad multiviewer	
			* Support 4 HDMI input, 1 HDMI output	
			* Support 4 channels HDMI signal screen segmentation	
		County Michigany Street	* Support 4 channels HDMI signal seamless switching	
		A worm morning	* Support highest resolution up to 1080P/60Hz	
			* Support IR control	
HDMI 1.3V	HDSW4-V		* Compatible HDMI1.3a, HDCP1.2, input compatible DVI1.0 version	
				372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on	372 USD/PCS
				372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres output up to 15 metres	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres output up to 15 metres	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres ,output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output;	372 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres ,output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation;	372 USD/PCS
		00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching;	372 USD/PCS
Rest Saller	HDSWA VI	99	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz;	
Best Seller	HDSW4-V1	00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz; * Support IR control;	372 USD/PCS 400 USD/PCS
Best Seller	HDSW4-V1	00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz; * Support IR control; * Support audio output format: PCM2.0;	
Best Seller	HDSW4-V1	00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports I way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres;	
Best Seller	HDSW4-V1	00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support lighest resolution up to 4K/60Hz; * Support IR control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host;	
Best Seller	HDSW4-V1	00	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal scamless switching; * Support lighest resolution up to 4K/60Hz; * Support IR control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play;	
Best Seller	HDSW4-V1	00 000000000000000000000000000000000000	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz; * Support IR control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s);	
Best Seller	HDSW4-V1		* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support highest resolution up to 4K/60Hz; * Support IR control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports I way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM	
Best Seller	HDSW4-V1	00 6 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports I way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support IR control; * Support large control; * Support audio output format: PCM2.0; * Support audio output format: PCM2.0; * Supports tandard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports I way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output;	
Best Seller	HDSW4-V1		* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support IR control; * Support IR control; * Support audio output format: PCM2.0; * Support audio output format: PCM2.0; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation;	
Best Seller	HDSW4-V1		* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support lighest resolution up to 4K/60Hz; * Support lighest resolution up to 4K/60Hz; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support highest resolution up to 1080P@60Hz;	
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 1 kighest resolution up to 4K/60Hz; * Support In control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support In control;	400 USD/PCS
Best Seller HDMI 1.3V	HDSW4-V1		* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support lighest resolution up to 4K/60Hz; * Support lighest resolution up to 4K/60Hz; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support highest resolution up to 1080P@60Hz;	
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 1 kighest resolution up to 4K/60Hz; * Support In control; * Support audio output format: PCM2.0; * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support In control;	400 USD/PCS
			* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports I way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal seamless switching; * Support IR control; * Support audio output format: PCM2.0; * Support audio output format: PCM2.0; * Supports Vay mouse and keyboard to control 4 ways PC host; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal screen segmentation; * Support 1 R control; * Support 3 Linux; MAC OS and Android operation system, etc. plug and play; * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 4 channels HDMI signal screen segmentation; * Support 1 R control; * Support 1 R control; * Support 3 Low Support 4 LOMI output 5 LOMI Support 4 LOMI signal screen segmentation; * Support 5 LOMI Signal screen segmentation; * Support 8 LOMI Signal screen segmentation; * Support 9 LOMI Signal screen segmentation; * Support 1 R control; * Support 1 R control;	400 USD/PCS
		**************************************	* Support resolution: 1080P,720P,1080i,1024X768,1360X768 and so on * Support audio output format: PCM2 * Support standard AWG26 cable, input up to 15 metres, output up to 15 metres * Supports 1 way mouse and keyboard to control 4 ways PC host * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s) 4K 60HZ KVM HDMI 4X1 Quad multiviewer * Support 4 HDMI input, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support 1R control; * Support IR control; * Support audio output format: PCM2.0; * Support audio output format: PCM2.0; * Supports VSB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); * USB supports Windows; Linux; MAC OS and Android operation system, etc. plug and play; * Support USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); * HDMI 4X1 Quad Multi-Viewer support KVM * Support 4 HDMI inputs, 1 HDMI output; * Support 1 Re control; * Support 1 way mouse and keyboard to control 4 ways PC host; * Support 1 Re control; * Support 2 Channels HDMI signal screen segmentation; * Support 3 Way mouse and keyboard to control 4 ways PC host; * Support 1 way mouse and keyboard to control 4 ways PC host; * Support 1 way mouse and keyboard to control 4 ways PC host; * Support 1 way mouse and keyboard to control 4 ways PC host;	400 USD/PCS

HDMI 1.4V	HDSW4-V3	1 100 1000 1000 1000 1000 1000 1000 10	**Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support highest resolution up to 4K@30Hz; * Support IR control; * Support audio output format: PCM2.0; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows, Linux, MAC OS and Android operation system,etc;Plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s); Compatible with USB2.0 Full/Low speed;	220 USD/PCS
New Items	HDSW4-V4		KVM HDMI 4x1 Quad Multi-viewer (4K@30Hz) Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support highest resolution up to 4K@30Hz; * Support resolution 4K,1080P,720P,1080i,1024X768,1360X768,etc; * Support IR control; * Supports audio output format: PCM; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows/Linux/MAC OS and Android operation system, etc; Plug and play; * Support USB 1.1 Low speed(1.5Mb/s); Full speed(12Mb/s);	332 USD/PCS
New Items	HDSW4-V5	000	KVM HDMI 4x1 Quad Multi-viewer 4k 60hz * Support 4 HDMI inputs, 1 HDMI output; * Support 4 channels HDMI signal screen segmentation; * Support input highest resolution up to 4K/30Hz; * Support Output resolution 4K@60Hz, 4K@30Hz, 1080P@60Hz, 1080P@30Hz; * Support IR control; * Support audio output format: PCM2.0; * Support 24/30/36 bit deep color; * Support standard AWG26 cable, input up to 10 metres ,output up to 10 metres; * Supports 1 way mouse and keyboard to control 4 ways PC host; * USB supports Windows、Linux、 MAC OS and Android operation system,etc; Plug and play; * Supports USB 2.0 Low speed(1.5Mb/s); Full speed(12Mb/s);	316 USD/PCS
New Items	HDSW6-Q		6X1 HDMI Multi-viewer * Support 6 HDMI inputs, one HDMI output; * Support 6 HDMI signal screen segmentation; * Support 6 HDMI signal seamless switching; * Support a variety of video segmentation (PIP/POP/PBP/Single image/ Dual image/Four image ect); Each screen segmentation can move freely/expand/shrink/rotate 180 degree (put mouse on the top left of image can expand or shrink; Click the top right of image can acheive rotate); Click the mouse on the bottom right corner of the screen to switch the sound ON/OFF; * Support touch screen; * Support IR /Button/RS232 control; * Support audio and video superposition; * More clearer subtitles; * HDMI Input resolution: Max 1080P/60Hz * HDMI output resolution: Max 4K/60Hz * Audio format :: Stereo	532 USD/PCS
Best Seller	HDSW8-Q4		**Audio format: Stereo **Ak HDMI 8x2 Multi-viewer **Support 8 HDMI inputs, Two HDMI output; **Support the dynamic display of subtitles, Pop-up mode is from left to right or top to bottom, the subtitles can be scaled; **Support PIP function, mode from left to right or top to bottom, scalable; **Support seamless switching (single image): **Support stereo 3.5 headphone output and optical fiber audio output; **Support 4 control modes: button, remote, RS232 and network port control. **Input resolution: the highest support 1080P/60Hz **Output resolution: the highest support 4K/60Hz **Audio format: Stereo	552 USD/PCS
Best Seller	HDSW8-Q3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	V1.4 4K HDMI 8x1 Multi-Viewer * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support IR control; * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60HZ,3840x2160@30HZ; * Support audio and video superposition; * More clearer subtitles;	328 USD/PCS
	HDSW8-Q2	1 2 1	**HDMI 8x1 Multi-Viewer * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support IR control; * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60HZ * Support audio and video superposition; * More clearer subtitles;	240 USD/PCS

Best Seller	HDSW8-Q1	1 2 1	4K 60Hz 8X1 HDMI Multiviewer * Support 8 HDMI inputs, one HDMI output; * Support 8 HDMI signal screen segmentation; * Support 8 HDMI signal seamless switching; * Support 4 ways to switch audio and video (remote, button, RS232, and Ethernet port IP: 192.168.1.166); * The input resolution support 1080P,720P,1080i,1024x768,1360x768 etc; * The output resolution support 1080P@60Hz, 3840x2160@30Hz/60Hz; * Support audio and video superposition; * More clearer subtitles; 4k 30Hz 8X1 HDMI Multiviewer KVM	560 USD/PCS
New Items	HDSW8-V	0.000	* Support 8 HDMI inputs, 1 HDMI output; * Support 8 channels HDMI signal screen segmentation; * Support resolution 4K@30Hz/1080P/720P/1024*768/1360*768 etc; * Support IR control; * Supports 1 way mouse and keyboard to control 8 ways PC host; * USB supports Windows Linux MAC OS and Android operation system,etc; * Support 8S232 Control; * Supports USB 1.1 Low speed(1.5Mb/s); Full speed(12Mb/s);	400 USD/PCS
Best Seller	HDSW9-Q1	All receipt for a part of the last	V1.4 4K HDMI 9X1 Multi-Viewer * Support 9 HDMI inputs, one HDMI output; * Support 9 HDMI signal screen segmentation; * Support 9 HDMI signal seamless switching; * Support IR remote control; * More clearer subtitles; * HDMI input resolution : up to 1080P/60Hz * HDMI output resolution: up to 4K/30Hz	412 USD/PCS
Best Seller	HDSW9-Q2	-13 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4K 60Hz HDMI 9X1 Multiviewer * Support 9 HDMI inputs, one HDMI output; * Support 9 HDMI signal screen segmentation; * Support 9 HDMI signal seamless switching; * Support 4 ways to switch audio and video (remote, button, RS232, and Ethernet port IP: 192.168.1.166); * Compatible DVI 1.0 version; * Support audio and video superposition; * More clearer subtitles HDMI input resolution :.1080P,720P,1080i,1024x768,1360x768 etc. HDMI output resolution : 1080P@60HZ, 2560x1600@60HZ, 2560x1440@60HZ, 3840x2160@30HZ	572 USD/PCS
HDMI 1.3V	HDSW16-Q1	1 E	1080p HDMI 16x1 Multiviewer	492 USD/PCS
Best Seller	HDSW16-Q2	Bury or will a way or will a way	V1.4 4K HDMI 16x1 Multi-viewer * Support 16 HDMI inputs, one HDMI output; * Support 16 HDMI signal screen segmentation; * Support 16 HDMI signal seamless switching; * Support IR remote control; * HDMI input resolution: up to 1080P/60Hz * HDMI output resolution: up to 4K/30Hz	652 USD/PCS
New Items	HDSW16-Q3	1	4K 60Hz HDMI 16x1 Multiviewer	840 USD/PCS
New Items	HDSW16-V	SSSS TO THE PARTY OF THE PARTY	16x1 KVM HDMI Multiviewer 1080p * Support 16 HDMI inputs, one HDMI output; * Support 16 HDMI signal screen segmentation; * Support 16 HDMI signal seamless switching; * Supports 1 way mouse and keyboard to control 16 ways PC host; * Support IR remote control;	652 USD/PCS
HDMI 1.3V	HDVC1	HEART YOURS CONDUMN	HDMI to HDMI+USB3.0 Video capture 1. support 1080p 60hz video recording and video pass through 2. support online display and USB storage by computer 3. support most capture software, such as VLC,OBS,Amcap	220 USD/PCS
Best Seller	HDVC2	Control of the state of the sta	HDMI Video capture USB 2.0 1.Used for high definition acquisition, teaching recording, medical imaging, etc. 2.Support input 4k and output 1080p 30hz 3.Support most acquisition software, such as VLC vOBS vAmcap, etc; 4.Support Windows vAndroid and MacOS 5. Conform to USB Video and UVC standard; 6. Conform to USB Audio UAC standard; 7.Without external power supply, compact and portable.	111.6 USD/PCS

				_
			HDMI TO USB 2.0 Video Capture	
			* Support input max resolution 4K 30Hz; * Support output max resolution 1080P 60Hz;	
			* Support 8/10/12bit deep color;	
	********		* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);	
New Items	HDVC2-C		* Support most acquisition software, such as VLC \ OBS \ Amcap, etc;	114. 4 USD/PCS
			* Support Windows、Android and MacOS;	
			* Conform to USB Video and UVC standard;	
			* Conform to USB Audio UAC standard;	
			* No need external power supply, compact and portable.	
			HDMI TO Type-C Video Capture	
			* Support input max resolution 4K 30Hz; * Support output max resolution 1080P 60Hz;	
			* Support output max resolution 1080P 60Hz; * Support 8/10/12bit deep color;	
		()	* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);	
New Items	HDVC2-TC		* Support most acquisition software, such as VLC. OBS. Amcap, etc;	115. 2 USD/PCS
			* Support Windows、 Android and MacOS;	
			* Conform to USB Video and UVC standard;	
			* Conform to USB Audio UAC standard;	
			* Without external power supply, compact and portable.	
			HDMI TO USB 2.0+Type-C 2.0 Video Capture	
			* Support input max resolution 4K 30Hz;	
			* Support output max resolution 1080P 60Hz;	
			* Support 8/10/12bit deep color;	
	HDVC2-2C	1 1	* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC OBS Amcap, etc;	116.8 USD/PCS
			* Support Windows Android and MacOS;	
		23	* Conform to USB Video and UVC standard;	
			* Conform to USB Audio UAC standard;	
		_	* No need external power supply, compact and portable.	
			HDMI Video capture with loop out	
			1.Support HDMI loop out	
		ACATON: CARALTO	2.Support 4k input and 1080p output	
Best Seller	HDVC3	Arce Charles	3. Support most acquisition software, such as VLC, OBS, Amcap, etc;	124. 8 USD/PCS
		0.0	4.Support Windows Android and MacOS; 5.Conform to USB Video and UVC standard;	
			6.Conform to USB Audio UAC standard;	
			7. Compact and portable.	
			HDMI Video Capture with loop out and audio	
			1.Support microphone audio input,3.5 stereo output.	
			2. Support microphone audio and hdmi audio superimpose capture.	
		Editor active	3.Support 4k input and 1080p output	
Best Seller	HDVC4	Ardes wings	4. Support most acquisition software, such as VLC , OBS , Amcap, etc;	136. 8 USD/PCS
		60	5.Support Windows Android and MacOS;	
		. 0.1	6.Conform to USB Video and UVC standard;	
			7.Conform to USB Audio UAC standard;	
			8.Compact and portable. HDMI Video capture USB2.0	
		-	1.Used for high definition	
		Confidence	acquisition, teaching recording, medical imaging, etc.	
		alano de	2.Support input 4k and output 1080p 60Hz	
HDMI 1.4V	HDVC5		3. Support most acquisition software, such as VLC, OBS, Amcap, etc;	114 USD/PCS
			4.Support Windows, Android and MacOS	
		- HINCOMEN ()	5. Conform to USB Video and UVC standard;	
		6	6. Conform to USB Audio UAC standard;	
			7. Without external power supply, compact and portable.	
			HDMI Video Capture With Loop out (4K@60Hz)	
			Support HDMI loop out; * Support input max resolution 4K@60Hz;	
			* Support input max resolution 4K@60Hz; * Support output max resolution 4K@60Hz;	
			* Support output max resolution 4K@00Hz; * Support USB video capture max resolution 1080P@60Hz;	
HDMI 2.0V	HDVC6	Andrew Company and The Company	* Support AWG26 HDMI standard cable: input up to 5 meters, output up to 5 meters;	144 USD/PCS
1	1.12,00		* Support most acquisition software, such as VLC, OBS, Amcap, etc;	1.7 000/100
			* Support Windows、Android and MacOS;	
		_	* Conform to USB Video and UVC standard;	
			* Conform to USB Audio UAC standard;	
			* Compact and portable.	
			HDMI Video Capture With Loop (4K@60Hz)	
			1. Support max resolution up to 4K/60Hz;	
		South to	2. Support many capture software, such as VLC, OBS, Amcap and so on	
Best Seller	HDVC7		3.Conform to USB video 1.5 and USB audio 1.0 standard 4.The stripped	140 USD/PCS
			coaxial or optical fiber digital audio can connect with an amplifier	
			5.Support USB 2.0	
		-	6.Support HDMI loop out	
			HDMI Video Capture With Loop (4K@60Hz U3)	
			1. Support max resolution up to 4K/60Hz;	
		and the same of th	2.Support USB 3.0 standard cable, output up to 1.5m;	
HDMI 2.0V	HDVC8	A section of the sect	3. Support many capture software, such as VLC , OBS , Amcap and so on	184 USD/PCS
11121711 2.U V	1110,000		4.Conform to USB video 1.5 and USB audio 1.0 standard.	104 000/700
			5. The stripped	
1			coaxial or optical fiber digital audio can connect with an amplifier	
			6.Support HDMI loop out	

		HOM SHOO CANAN	HDMI to HDMI+USB3.0 Video capture 1.support 4K 60hz video recording and video pass through	
HDMI 2.0V	HDVC9		2.support online display and USB storage by computer	184 USD/PCS
			3.support most capture software, such as VLC,OBS,Amcap	
			HDMI TO USB 3.0 Video capture with audio	
			1. Support microphone audio input, 3.5 stereo output.	
		ACCITY CARRIED PORTS	2. Support microphone audio and hdmi audio superimpose capture.	
		C. C.	3.Support 4k 60hz	
Best Seller	HDVC10		4. Support most acquisition software, such as VLC \(\cdot\) OBS \(\cdot\) Amcap, etc;	164 USD/PCS
			5.Support uncompressed(YUV2 1080P@60Hz)acquisition (USB 3.0) 6.confirm to USB video 1.5 and USB audio 1.0 standard.	
			7. Support AWG26 HDMI Standard cable, input up to 8m and output up to 8m.(1080p and below	
			resolution)	
			8.support USB 3.0 standard cable, output up to 1.5m	
			HDMI TO USB Video capture with audio	
			*Support max resolution up to 4K/60Hz;	
		AND THE CHARLES THE COLOR	* Support microphone audio input, 3.5 stereo ouput * Support microphone audio and hdmi audio overlay capture	
			* Support the max baud rate of 18G and TMDS clock can be up to 600 MHz;	
Best Seller	HDVC12		* Support deep color;	144 USD/PCS
		100	* Support AWG26 HDMI standard cable: HDMl input up to 8 meters, HDMl outputup to 8	
			meters. (1080P and below resolution);	
			* Support many capture software, such as VLC, OBS, Amcap and so on	
			* Conform to USB video 1.5 and USB audio 1.0 standard;	
			USB Video Capture With Audio * Support USB signal is converted to the HDMI signal;	
			* Support microphone audio input, 3.5mm headphone jack and optical output at the same time;	
	HDVG12		* Support microphone audio and hdmi audio overlay capture;	474 1100 (000
	HDVC13	THE SHARE SHOW MADE	* Support AWG26 HDMI standard cable: HDMl output up to 8 meters. (1080P and below	176 USD/PCS
		USIN VACON CO.	resolution);	
			* Support many capture software, such as VLC, OBS, Amcap and so on	
			* Conform to USB video 1.5 and USB audio 1.0 standard; HDMI Video capture USB 3.0	
			*Support input max resolution 4K@30Hz;	
			* Support output max resolution 1080P@60Hz;	
		* * * * * * * * * * * * * * * * * * *	* Support 24/30/36bit deep color;	
	HDVC14	" idea	* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);	128 USD/PCS
	IID V C14	0,000	* Support most acquisition software, such as VLC v OBS v Amcap, etc;	120 000/100
			* Support Windows Android and MacOS;	
		***	* Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard;	
			* Without external power supply, compact and portable.	
			HDMI TO USB 3.0 Video Capture	
			* Support input max resolution 4K@30Hz;	
			* Support output max resolution 1080P@60Hz;	
			* Support 24/30/36bit deep color; * Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);	
Best Seller	HDVC14-C		* Support most acquisition software, such as VLC. OBS. Amcap, etc;	120 USD/PCS
Best Beller	IID VETTE		* Support Windows、 Android and MacOS;	120 000/100
			* Conform to USB Video and UVC standard;	
		3	* Conform to USB Audio UAC standard;	
			* Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0);	
			* No need external power supply, compact and portable. HDMI TO Type-C Video Capture USB 3.0	
			* Support input max resolution 4K@30Hz;	
		20000	* Support output max resolution 1080P@60Hz;	
			* Support 24/30/36bit deep color;	
		1	* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution);	
Best Seller	HDVC14-TC		* Support most acquisition software, such as VLC, OBS, Amcap, etc;	121. 2 USD/PCS
			* Support Windows Android and MacOS;	
			* Conform to USB Video and UVC standard; * Conform to USB Audio UAC standard;	
			* Conform to USB Audio UAC standard; * Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0);	
			* No need external power supply, compact and portable.	
			HDMI TO Type-C Video Capture USB 3.0	
			* Support input max resolution 4K@30Hz;	
			* Support output max resolution 1080P@60Hz;	
		/)	* Support 24/30/36bit deep color;	
Best Seller	HDVC14-2C		* Support AWG26 HDMI standard cable: input up to 15 meters, (1080P and below resolution); * Support most acquisition software, such as VLC OBS Amcap, etc;	122 4 Hen/Doe
Dest Sellel	11D v C14-2C	il.	* Support Mindows Android and MacOS;	123. 6 USD/PCS
.		40	* Conform to USB Video and UVC standard;	
			* Conform to USB Audio UAC standard;	
			* Support uncompressed(YUY2 1080P@60Hz) acquisition (USB3.0);	
			* No need external power supply, compact and portable.	

New Items	HDVC15	Form E. M. S. Market Ma	4k 60Hz HDMI Video capture with audio Type-C 3.0 * Supports HDCP2.2/HDCP1.4/HDR10. * Input: 4k HDMI2.0 input, microphone input. * Output: 4k HDMI 2.0 loop out, Type-c (5Gbps) output, audio output. * Automatic detection of the input signals, resolution up to 4K@60Hz. * Support video format: MJPEG/YUY2/NV12/I420,etc. * Uncompressed video and audio acquisition, meet the UVC and UAC standards. * USB Type-c power supply, plug and play, no drive. * Compatible with Windows, MacOS. * Compatible OBS, Potplayer, VLC, Vmix and etc. Input resolution: maximum 4k@60Hz 4:4:4 Output resolution: maximum 4k@60Hz	248 USD/PCS
			HDMI Converter	
HDMI 2.1V	HDP01		This HDMI to DP converter can convert high-definition HDMI signal to DP signal output, HDMI input resolution support up to 8K@30Hz;DP output resolution support up to 8K@30Hz. Plug and play, convenient and reliable, Suitable for HDMI to DP signal or DP interface display equipment, etc. * Support HDCP2.3 , DP1.4a; * Support 8K@60Hz with compression data (bypass mode); * HDMI input support up to 8K@30Hz,compatible with 4K@120Hz and below resolution; * DP output support up to 8K@30Hz,compatible with 4K@120Hz and below resolution; * No software driver, plug and play; * Product shape is small and beautiful.	212 USD/PCS
HDMI 2.1V	HDP02		This DP TO HDMI converter can convert high-definition DP signal to HDMI signal *Support HDCP2.3 , DP1.4a; * Support 8K@60Hz; * DP input support up to 8K@60Hz,compatible with 4K@120Hz and below resolution; * HDMI output support up to 8K@60Hz,compatible with 4K@120Hz and below resolution; * Support HDR10, FEC, VRR,Visually realistic and perfect; * No software driver, plug and play; * Product shape is small and beautiful.	152 USD/PCS
HDMI 1.3V	HDUSB01		USB 3.0 to HDMI Adapter *Support 1080P High Resolution *Support Mirror & Extend Mode: 1.Allow your computer to open different screens and carry out different tasks on multiple screens at the same time; 2. Synchronize content on your computer screen, including audio and video *Driver Installation* The driver is built into this product. Connect this product to your computer, Open the removable drive and select the corresponding driver, install the driver and restart the computer to use it *Compatible with Windows 7/10 1607 or above, Android5.1 or above. Mac OS(PC) 10.14 or above * Support high-bandwidth (5 Gbps)	127. 6 USD/PCS
HDMI 2.0	HDBOX01	Harrist Spring Service	The HDMI Sync box give you an ultimate TV lighting experience, Sync your light strips to the content on your TV screen. Expand your home theater with surround lighting and make your light strips dance, flash, dim, and brighten with the content on your screen.	480 USD/PCS
Best Seller	HDC7	000	Digital To Analog (with 3.5) Audio Converter Digital to Analog Audio converter	119. 6 USD/PCS
Best Seller	HDC8		Analog to Digital Audio converter	122 USD/PCS
Best Seller	HDCVGA01-M	c -	VGA to HDMI Converter (Mini Type) (with USB charging cable)[Black/white]	119. 2 USD/PCS
Best Seller	HDCVGA02-M	000	HDMI to VGA+Audio Converter (Mini Type) (with USB charging cable)[Black/white]	119. 2 USD/PCS
Best Seller	HDCA03		4K 30hz HDMI to HDMI +audio out Converter	160 USD/PCS
HDMI 2.0V	HDCA03-V2.0	. 0	4K 60Hz HDMI to HDMI +audio out Converter	164 USD/PCS
Best Seller	HDCA04		4K HDMI TO HDMI+Audio Converter 1.Support 3D 4K@30Hz 2.Support HDMI/Optical/Coaxial output 3.Support R/L and EDID	127. 2 USD/PCS

	HDCA05	BK HDMI Converter with 7.1 Audio	8K HDMI to HDMI Audio Extractor * Support VRR (variable refresh rate), HDR10; * Support of audio separation; * Support up to 8K@60Hz YCbCr 4:2:0,4k@120Hz YCbCr4:2:0; * Support the max rate 40 Gbps; * Support 8/10/12 bit deep color; * SPDIF Output,Coaxial Output,3.5mm Jack Output	179.6 USD/PCS
Best Seller	HDCAV02-M	000	Plastic HDMI to AV converter	132 USD/PCS
Best Seller	HDCAV01	Man.	AV to HDMI+Audio Converter	160 USD/PCS
	HDWD01	Secretary transport	Wireless projector * Internal operating frequency up to 650 MHZ; * Maximum bit rate up to 80 Mbps; * HDMI 1920*1080P output; * Support left and right channel audio output; * Support WiFi (USB2.0) data transmission.	132 USD/PCS
	HDWD02	A Company of the Comp	USB Dongle 1.Internal operating frequency up to 650 MHZ; 2.Maximum bit rate up to 80 Mbps; 3.HDMI 1920*1080P output; 4.Support left and right channel audio output; 5.Support USB2.0 data transmission.	132 USD/PCS
New Items	HDTYPEC1		Type-C to HDMI/KVM Adapter Supports output resolution up to 4K@60Hz, HDR-10; * Supports a maximum PD100W(5A/20V) fast charge, and can charge two devices at the same time; * Supports 2 ways type-c signal sources input, the two signal sources share a set of mouse, keyboard and display; * Supports USB3.0 interface (can be connected to USB disk/hard disk/mouse/ keyboard and USB peripherals; * Supports some high-end mobile phones and tablets wired screen projection and conversion functions support 4K 60Hz output.	236 USD/PCS
			HDMI Media Player	
New Items	HDMP01		8K 10ways HDMI Media Player Support HDR; * Support resolution up to 8K@60Hz; * Support ouptput max bandwidth rate of 48Gbps; * Support 8/10/12 color space; * Support WIFI, DLAN connection; * Built-in Android 10.0 system, support wifi display screencast; * Support audio extraction, output by SPDIF; * Two-way USB transmission, support USB video playing and USB upgrading; * Support 10 ways HDMI output simultaneously; * Support IR control; * Support keyboard & mouse; * Support resolution setting via remote control or USB mouse;	1572 USD/PCS
HDMI 1.4V	HDMP8-V1.4	TO SEE THE PROPERTY OF THE PARTY OF THE PART	V1.4 8-Ways HDMI Media Player * Support H.265 4kx2k 30Hz/H.264 4kx2k 30Hz/H.264 4kx2k 30Hz/MPEG1/2/4 1080P 60Hz/AVS 1080P 60Hz Decoding * Support HDMI 1.4v,HDCP 1.4 * Support resolution up to 4k x2k@30HZ * Support the max baud rate of 6G and max bandwidth of 600Mhz * Support WIFI, DLAN connection * Support 4:2:0/4:4:4/4:2:2 color space * Support AWG26 HDMI standard cable: input up to 8 meters, output up to 8 meters (4K/1080P) * Built-in Android 4.4 system, support screencast display * Support audio extraction, output by SPDIF * Support 2 USB 2.0 inputs, used for USB video playing and upgrading * Support 1 Micro SD, used for SD card video playing * Support 8 way HDMI outputs simultaneously * Support SATA hard disk plug and unplug without opening its lid * Support IR control * Support resolution setting via IR or USB mouse	360 USD/PCS

HDMI 2.0V	HDMP10-V2.0	30 30 30 30 30 30 30 30 30 30 30 30 30 30	V2.0 10-Ways HDMI Media Player * Support H.264 4Kx2K 30Hz/H.265 4Kx2K 60Hz/MPEG1/2/4 1080P 60Hz/AVS 1080P 60Hz Decoding; * Support HDR; * Support resolution up to 4Kx2K@60Hz; * Support the max baud rate of 6G and max bandwidth of 600Mhz; * Support WIFI, DLAN connection; * Support 8/10/12 color space; * Support AWG26 HDMI 1.4 standard cable:input up to 8 meters, output up to 8 meters (4K@30Hz/1080P); * Support AWG26 HDMI 2.0 standard cable:input up to 3 meters, output up to 3 meters (4K@60Hz); * Built-in Android 6.0 system, support screencast display; * Support audio extraction, output by SPDIF; * one USB 2.0 and another USB 3.0, used for USB video playing and upgrading; * Support 1 Micro SD, used for SD card video playing; * Support 10 ways HDMI output simultaneously; * Support IR control; * Support resolution setting via remote or USB mouse;	492 USD/PCS
-----------	-------------	--	---	-------------