

Arkion® Beetle Spray Plus for Poultry

Kills Darkling Beetles

For Commercial Poultry House Use

Patent-Pending: US Serial No: 18/769,974

Active Ingredients:

Cinnamon Oil 3.5%

Clove Oil..... 3.5%

Peppermint Oil 3.5%

Inert Ingredients* 89.5%

Total 100.0%

*Water, Soap

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements.

TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

Net Contents: 1 Gallon

Manufactured in the USA

Providing Tomorrow's Innovative Solutions Today®



800-845-3374

www.farmerboyag.com

PRECAUTIONARY STATEMENTS

Caution: Causes serious eye irritation. May cause an allergic skin reaction. Do not get in eyes, on skin or on clothing. Avoid breathing mist, vapors or spray. Thoroughly wash face, hands and any exposed skin after handling. Do not eat, drink or smoke when using this product. Wear eye protection and protective clothing (long-sleeved shirt, long pants, socks, shoes and gloves) when handling, mixing and applying this product. Take off contaminated clothing and wash clothing before reuse.

FIRST AID

If in Eyes: Immediately rinse eyes with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention/advice.

If on Skin: Immediately wash off skin with soap and plenty of water for at least 15 minutes while removing all contaminated clothes and shoes. If skin irritation or rash occurs, get immediate medical attention/advice. **If Swallowed:** Clean mouth with water and drink plenty of water afterwards. Never give anything by mouth to an unconscious person. Do **not** induce vomiting without medical advice. Call a physician or poison control center immediately. **If inhaled:** Remove to fresh air. Get immediate medical attention if symptoms occur.

For medical emergencies involving this product call toll-free 1-800-222-1222.

DIRECTIONS FOR USE

Read entire label before using. Use only according to label Precautionary Statements and Directions.

Before buying or using this product read “Conditions of Sale and Warranty” found elsewhere on this label.

SHAKE WELL BEFORE USING

To Kill Darkling Beetles

To kill adult darkling beetles (lesser mealworms) in poultry houses, mix 6 to 12 oz of **Arkion Beetle Spray Plus for Poultry** per gallon of water to cover 1,000 square feet. Using a power or proportioner-type sprayer, apply a uniform spray until wet at pressures of 80 to 100 pounds per square inch to surfaces such as interior walls, roosting posts, structural support pillars, and other surfaces where adult beetles are observed. Do not contaminate food/feed or water. For maximum effectiveness, treatments should coincide with each grow out or sanitation procedure.

Spray the litter in the poultry house prior to new chickens being introduced. Do not allow anyone to enter treated areas until the spray has dried. Avoid unnecessary release into the environment. For best results apply during normal temperatures.

Please Note: For more consistent coverage and potentially better efficacy add **Arkion Alluvion™ Max Organosilicone Spreader** to **Arkion Beetle Spray Plus for Poultry**.

Also, to potentially increase the effectiveness of **Arkion Beetle Spray Plus for Poultry**, add a growth regulator to the tank mix of ready to use spray.

Use **Arkion Beetle Spray Plus for Poultry** as part of an Integrated Pest Management (IPM) program to extend the efficacy of insect control products and to help minimize the buildup and carryover of pesticide-resistant insect populations.

In order to avoid reinfestation after cleanout, apply targeted applications to the exterior of the building perimeter, foundation, doors and windows, and other places where pests may enter the building.

Indoor control can be enhanced by making perimeter treatments around the outside of buildings. Spray **Arkion Beetle Spray Plus for Poultry** 2 ft. up walls and 1 to 4 ft. out from foundation to dripline.

This product is a member of a unique class of insect control agents with no pre-existing levels of resistance to any other insect control agents and can be rotated with all other classes, such as synthetic pyrethroids and organophosphates.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep in original container tightly closed in a dry and well-ventilated place when not in use. Store locked up in a cool, dry place away from direct sunlight, extremely high or low temperatures and incompatible materials (strong acids, bases, and oxidizers). **Disposal:** Non-refillable container; do not reuse or refill this container. Dispose of contents/container in accordance with local regulations.

CONDITIONS OF SALE AND WARRANTY

Arkion® Life Sciences, LLC (“Arkion”) warrants that this product conforms to its description and is reasonably fit for the purposes stated on the label only when used in accordance with the label directions under normal use conditions. Since timing, application method, weather/ground conditions, mixture with other products and other factors affecting this product’s use are beyond Arkion’s control, no warranty is given concerning the use of this product contrary to label directions or under conditions that are abnormal or not reasonably foreseeable.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARKION MAKES NO OTHER WARRANTIES EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE.

Handling, storage and use of this product by Buyer or User are beyond Arkion’s and Seller’s control. Risks, such as ineffectiveness or other unintended consequences, will be assumed by the Buyer or User. To the extent consistent with applicable law, **IN NO CASE WILL ARKION OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT, NOR HELD RESPONSIBLE FOR INJURY OR LOSS AS A RESULT OF THIS PRODUCT’S HANDLING OR USE.**

This product has not been registered by the United States Environmental Protection Agency. Arkion Life Sciences, LLC represents that this product qualifies for exemption from registration under FIFRA Section 25(b).

Copyright 2025 - Arkion Life Sciences LLC. All rights reserved. Providing Tomorrow's Innovative Solutions Today® and Arkion® are registered trademarks, and Alluvion™ is a trademark of Arkion Life Sciences, LLC, New Castle, Delaware, USA.