


OPTIMA REGULATOR TO eFLUSH REGULATOR CROSS REFERENCE		
PART NUMBER (OPTIMA REGULATOR)	DESCRIPTION	PART NUMBER (eFLUSH MANUAL REGULATOR)**
3200-00	PRESSURE REGULATOR, BASIC	3250-00
3221-00	PRESSURE REGULATOR 22MM X 450MM, 1 OUTLET, NO HANGER	3255-00
3201-00	PRESSURE REGULATOR 22MM X 450MM, 1 OUTLET, SMALL HANGER	3251-00
3226-00	PRESSURE REGULATOR 22MM X 450MM, 2 OUTLET, NO HANGER	3255-02-00
3206-00	PRESSURE REGULATOR 22MM X 450MM, 2 OUTLET, SMALL HANGER	3251-02-00
3201-6-00	PRESSURE REGULATOR 22MM X 600MM, 1 OUTLET, SMALL HANGER	3251-6-00
3206-6-00	PRESSURE REGULATOR 22MM X 600MM, 2 OUTLET, SMALL HANGER	3251-02-6-00
3221-9-00	PRESSURE REGULATOR 22MM X 900MM, 1 OUTLET, NO HANGER	3255-9-00
3211-00	PRESSURE REGULATOR 28MM X 450MM, 1 OUTLET, LARGE HANGER	3252-00
3231-00	PRESSURE REGULATOR 28MM X 450MM, 1 OUTLET, NO HANGER	3256-00
3236-00	PRESSURE REGULATOR 28MM X 450MM, 2 OUTLET, NO HANGER	3256-02-00
3211-6-00	PRESSURE REGULATOR 28MM X 600MM, 1 OUTLET, LARGE HANGER	3252-6-00
3231-6-00	PRESSURE REGULATOR 28MM X 600MM, 1 OUTLET, NO HANGER	3256-6-00
3216-6-00	PRESSURE REGULATOR 28MM X 600MM, 2 OUTLET, LARGE HANGER	3252-02-6-00
3231-9-00	PRESSURE REGULATOR 28MM X 900MM, 1 OUTLET, NO HANGER	3256-9-00

**SOLENOIDS/CONTROLLER SOLD SEPARATELY TO ADD AUTOMATIC FLUSHING CAPABILITIES TO MANUAL eFLUSH REGULATORS. ABOVE IS A CROSS REFERENCE TO EXISTING OPTIMA REGULATOR KITS THAT INCLUDE HANGERS, SIGHT TUBES, AND TRANSITION PIECES

14psi MIN. SUPPLY PRESSURE FOR ADEQUATE FLUSHING REQUIRED.
25-35psi SUPPLY PRESSURE RECOMMENDED.



MAT'L:
See Details

FINISH or TREATMENT:
See Details

WEIGHT:
17.97

SCALE:
1:5

DRAWN BY:

SOURCE:

DATE:
4/29/2022

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUBING SYSTEMS LP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUBING SYSTEMS LP IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES
UNSPECIFIED ANGLES ARE 90° ±1°

INCH TOLERANCES:
FRACTIONAL ±1/16"
ANGULAR: ±1.0
X.XX ±0.01
X.XXX ±0.005
X.XXXX ±0.0005

METRIC TOLERANCES:
ANGULAR: ±1.0
X ±0.5
X.X ±0.25
X.XX ±0.1

FARMER BOY

www.farmerboyag.com - 800-845-3374

DWG. NO.

PART NO.


DESCRIPTION:
OPTIMA/eFLUSH MANUAL REGULATOR COMPARISON

OPTIMA SERIES REGULATOR PARTS BREAKDOWN

ITEM NO.	DRAWING NO.	DESCRIPTION	QTY.
1	760 112 01 00	FLUSH KNOB ASSEMBLY, OPTIMA REGULATOR	1
2	030 240 20 09	TOP SHELL, OPTIMA REGULATOR	1
3	030 240 21 01	BOTTOM SHELL, OPTIMA REGULATOR	1
4	030 240 22 00	ADJUSTMENT KNOB, OPTIMA REGULATOR	1
5	030 240 23 00	ADJUSTING NUT, OPTIMA REGULATOR	1
6	030 240 24 00	DIAPHRAGM PLATE, OPTIMA REGULATOR	1
7	030 240 25 00	DIAPHRAGM STUD, OPTIMA REGULATOR	1
8	030 240 26 01	VALVE LEVER, OPTIMA REGULATOR	1
9	030 240 27 01	LEVER COLLET, OPTIMA REGULATOR	2
10	030 240 28 00	DIAPHRAGM, OPTIMA REGULATOR	1
11	030 240 32 00	FLUSH SEAL, OPTIMA REGULATOR	1
12	030 240 33 00	SPRING, OPTIMA REGULATOR	1
13	23 80 224	M4.2 X 13 PAN HEAD SCREW, STAINLESS	2
14	23 98 031	M4 X 14 THREAD FORMING PAN HEAD SCREW, STAINLESS	9
15	25 15 154	M10 X 1 HEX NUT, OPTIMA REGULATOR	1

eFLUSH SERIES REGULATOR PARTS BREAKDOWN

ITEM NO.	DRAWING NO.	DESCRIPTION	QTY.
1	030 200 86 02	FLUSH KNOB ASSEMBLY, eFLUSH REGULATOR	1
2	030 240 65 00	TOP SHELL, eFLUSH REGULATOR	1
3	030 240 21 01	BOTTOM SHELL, OPTIMA REGULATOR	1
4	030 240 22 00	ADJUSTMENT KNOB, OPTIMA REGULATOR	1
5	030 240 23 00	ADJUSTING NUT, OPTIMA REGULATOR	1
6	030 240 24 00	DIAPHRAGM PLATE, OPTIMA REGULATOR	1
7	030 240 25 00	DIAPHRAGM STUD, OPTIMA REGULATOR	1
8	030 240 26 01	VALVE LEVER, OPTIMA REGULATOR	1
9	030 240 27 01	LEVER COLLET, OPTIMA REGULATOR	2
10	030 240 28 00	DIAPHRAGM, OPTIMA REGULATOR	1
11	030 240 32 00	FLUSH SEAL, OPTIMA REGULATOR	1
12	030 240 33 00	SPRING, OPTIMA REGULATOR	1
13	23 80 224	M4.2 X 13 PAN HEAD SCREW, STAINLESS	2
14	23 98 031	M4 X 14 THREAD FORMING PAN HEAD SCREW, STAINLESS	9
15	25 15 154	M10 X 1 HEX NUT, OPTIMA REGULATOR	1



MAT'L:
See Details

FINISH or
TREATMENT:
See Details

WEIGHT:
18.07

SCALE:
1:5

DRAWN BY:
D.HICKS

SOURCE:

DATE:
4/29/2022

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
LUBING SYSTEMS LP. ANY REPRODUCTION
IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF LUBING SYSTEMS
LP IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES
UNSPECIFIED ANGLES ARE 90° ±1°

INCH TOLERANCES:
FRACTIONAL ±1/16"
ANGULAR: ±1.0
X.XX ±0.01
X.XXX ±0.005
X.XXXX ±0.0005

METRIC TOLERANCES:
ANGULAR: ±1.0
X ±0.5
X.X ±0.25
X.XX ±0.1

FARMER BOY


www.farmerboyag.com - 800-845-3374

DWG. NO.


PART NO.

DESCRIPTION:

OPTIMA/eFLUSH MANUAL REGULATOR SPARES CROSS REFERENCE



STANDARD REGULATOR ACCESSORIES (i.e. HANGERS, TRANSITION PIECES, BREATHER TUBES, ETC.) ARE COMPATIBLE WITH BOTH THE OPTIMA REGULATOR AND eFLUSH REGULATOR PRODUCTS.



OLD SIGHT TUBE WITH SPRING AND NEW SPRINGLESS SIGHT TUBE ARE COMPATIBLE WITH OPTIMA & eFLUSH REGULATOR PRODUCTS

MAT'L: See Details	
FINISH or TREATMENT: See Details	
WEIGHT: 0.35	SCALE: 1:2

DRAWN BY:
SOURCE:
DATE: 4/29/2022

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LUBING SYSTEMS LP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LUBING SYSTEMS LP IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES UNSPECIFIED ANGLES ARE 90° ±1°	
INCH TOLERANCES:	METRIC TOLERANCES:
FRACTIONAL: ±1/16"	ANGULAR: ±1.0
ANGULAR: ±1.0	X ±0.5
X.XX ±0.01	X.X ±0.25
X.XXX ±0.005	X.XX ±0.1
X.XXXX ±0.0005	

FARMER BOY
www.farmerboyag.com - 800-845-3374

DWG. NO.	PART NO.
DESCRIPTION: OPTIMA/eFLUSH MANUAL REGULATOR ACCESSORIES	