



# Panic Exit Devices






Ideal for high traffic Commercial environments- offices, Hotels, Retail. This ANSI Grade 2-rated Exit Panic Bar is built to endure over half a million activation cycles. Pre-configured to fit both left and right hand doors.

Dogging Functionality – Engage the dogging feature with the included hex key to lock the latchbolt out— ideal for heavy-traffic corridors where push-to-open access is essential

Panic Bar+Alarm Kit is used to help prevent unauthorized access of an emergency exit door.

Exterior Locking Levers (Sold Separately)



Dynasty Item #	Product Description	Image
DYN-500P-36-AL	Panic Bar Only	
DYN-500P-36-AL-06	Panic Bar+Entry Lever Lock (06L)	
DYN-500P-ALK	Panic Bar+Alarm Kit	
<b>Optional (Sold Separately)</b>		
DYN-06L-26D	Exterior Entry Lever	 Lever (2 options Available)
DYN-06S-26D	Exterior Lever, Night Latch	
500-P-DDS	Double Door Strike	



# Panic Exit Devices



Panic Bar Only			
Specifications			
Dynasty Item #	DYN-500P-36-AL	ANSI Grade	Meets ANSI A156.3 – Grade 1 Standards
Length	33" (for doors 2'8" to 3'0"), 42" (for doors 3'4" to 4'0")	Fire Rating	None
		ADA Compliance	Meets ADA requirements ANSI A117.1 with Lever Trim
Usage	Medium Duty	UI Listed	SA45871
Handing	Non Handed – Completely Reversible		
Dogging Feature	Half turn hex dogging standard		
Projections	2-1/2" Undogged – 1-13/16" Dogged (Bar Depressed)	Trim	None – Exit Only (Outside Trim Sold Separately)
Latchbolt	Deadlatching, 5/8" throw	Keys	None
Strike	Roller Strike with 5/8" projection & 1/8" shim	Kewyway	None
Finish	Aluminum Powder Coat		
Fasteners Included	Wood, Machine & Self Tapping Machine Screws		

Panic Bar + Entry Lever			
Specifications			
Dynasty Item #	DYN-500P-36-AL	ANSI Grade	Meets ANSI A156.3 – Grade 1 Standards
Length	33" (for doors 2'8" to 3'0"), 42" (for doors 3'4" to 4'0")	Fire Rating	None
		ADA Compliance	Meets ADA requirements ANSI A117.1 with Lever Trim
Usage	Medium Duty	UI Listed	SA45871
Handing	Non Handed – Completely Reversible		
Dogging Feature	Half turn hex dogging standard		
Projections	2-1/2" Undogged – 1-13/16" Dogged (Bar Depressed)	Trim	Keyed Lever, Entry/Office
Latchbolt	Deadlatching, 5/8" throw	Keys	3x Keys
Strike	Roller Strike with 5/8" projection & 1/8" shim	Kewyway	Schlage C Keyway
Finish	Aluminum Powder Coat	Trim Finish	Satin Chrome
Fasteners Included	Wood, Machine & Self Tapping Machine Screws	Bore Hole	Diameter 2-1/8"


Panic Bar+Alarm Kit			
Specifications			
Dynasty Item #	DYN-500P-ALK	ANSI Grade	Meets ANSI A156.3 – Grade 1 Standards
Length	33" (for doors 2'8" to 3'0"), 42" (for doors 3'4" to 4'0")	Fire Rating	None
		ADA Compliance	Meets ADA requirements ANSI A117.1 with Lever Trim
Usage	Medium Duty	UI Listed	SA45871
Handing	Non Handed – Completely Reversible		Emergency Exit Adhesive Label
Dogging Feature	Half turn hex dogging standard	Adhesive Label	(Size 12-1/4" x1-1/8")
Projections	2-1/2" Undogged – 1-13/16" Dogged (Bar Depressed)	Trim	None – Exit Only (Outside Trim Sold Separately)
Latchbolt	Deadlatching, 5/8" throw	Keys	3x Keys
Strike	Roller Strike with 5/8" projection & 1/8" shim	Kewyway	Schlage C Keyway
Finish	Aluminum Powder Coat	Cylinder	1 1/8" Mortise cylinder with std. cam (included)
Fasteners Included	Wood, Machine & Self Tapping Machine Screws	Cylinder Finish	Satin Chrome

- Alarm is armed/disarmed by turning key in the mortise cylinder (cylinder included)
- LED flashes green every 30 seconds to indicate alarm is in armed position
- Bypass: Alarm is activated when push bar is depressed
- 9 Volt battery, life approximately 1 year – Low battery alert indicated by red flash & chirp every 5 seconds
- Decibel Rating: Approximately 90 decibels at 15 feet

## Entry Levers (Sold Separately)

Inside	Outside	Dynasty Item #/ Type	ANSI	Function Description
		DYN-06L-26D  Entrance/ Office	08	<ul style="list-style-type: none"> <li>Latch bolt is operated by lever from either side except when outside lever is made inoperative by a stop or mechanical means other than key.</li> <li>Dead bolt is operated by turn inside.</li> <li>Key outside operates both locks.</li> <li>Lever is free-wheeling (clutch function)</li> </ul>
		DYN-06S-26D  Storeroom/ Front Door Lock/ Night Latch	09	<ul style="list-style-type: none"> <li>Latch bolt is retracted by key only, otherwise always locked from outside.</li> <li>Lever is free-wheeling (clutch function)</li> </ul>

## Double Door Strike (Sold Separately)

	Dynasty Item #/ Type	Finish	Function Description
  Fasteners Included	500-P-DDS Double Door Overlapping Strike	Stainless Steel/ Aluminum Finish	<ul style="list-style-type: none"> <li>Works with rim exit devices, panic rated only (not for use with fire-rated devices)</li> <li>Used for pairs of doors that have either a surface vertical rod device or flush bolts securing the inactive leaf</li> <li>3-1/2" height x 2-1/2" width x 7/32" thick x 5/8" projection (without shims)</li> <li>Non Handed</li> </ul>

## A IDENTIFICATION OF PARTS

IF DOOR IS LESS THAN 36", REMOVE END COVER AND CUT SECTION "A" TO DESIRED LENGTH.

