
61010103



Ford Transit Side Door Insect Screens Medium Roof Applications



CAREFULLY READ INSTRUCTIONS PRIOR TO THE FIRST USE OF THE FORD TRANSIT DOOR INSECT SCREENS

Ford Transit Door Insect Screens

SET-UP & CARE INSTRUCTIONS

GET TO KNOW YOUR SCREEN


We recommend you check all parts are included prior to first use.


Tools Needed

Step ladder 2-3 Spring Clamps Mild Soap and Water Microfiber Towels

PREPARATION FOR INSTALLATION

The screen doors are attached to your vehicle via integrated magnets along the perimeter of the screen. To ensure a proper mount, it is recommended to clean the entire door perimeter jam area with a microfiber towel and warm water. Note: If there is excessive debris within the doorjamb parameter, take time and care to properly clear making sure not to damage any portion of the OE weather seal on the vehicle.






Ford Transit Door Insect Screens

SET-UP & CARE INSTRUCTIONS

INSTALLING THE DOOR SCREENS



7. Carefully route the perimeter of the bug screen behind the

8. When properly aligned, there will be an even amount of material around the perimeter of the door opening and the door screen.

61010103

Ford Transit Door Insect Screens


SET-UP & CARE INSTRUCTIONS

Removing the door screens

1. To remove the door screens, start at the top center and with light force, pull to remove the magnets one at a time from the vehicle's doorjamb.

2. Use caution when removing making sure that no portion of the door screen assembly gets caught or snagged on any of the vehicle components.

3. While making your way down the doorjamb begin carefully folding the door screens for secure storage in the included storage bag.



Ford Transit Door Insect Screens

SET-UP & CARE INSTRUCTIONS

Clean with cold water and a soft bristle brush. Do not use soaps and detergents. Do not expose to petrol, diesel, oils or chemicals of any nature.

STORING

Correct storage is vital for the longevity of your Ford Transit Door Insect Screens. If on occasion the screen is required to be stowed wet, it is essential it is unpacked and dried as soon as possible. Rot, mildew damage and incorrect storage is not covered under warranty.

• THIS SCREEN HAS BEEN DESIGNED FOR GENERAL CAMPING USE UNDER NORMAL CONDITIONS. ALWAYS ENSURE ALL MAGNETS ARE ANCHORED CORRECTLY.

• DO NOT CUT OR MODIFY THE SCREEN OR ACCESSORIES.

• DO NOT USE DAMAGED OR EXCESSIVELY WORN PRODUCTS. CONTACT US IF YOU ARE UNSURE.

• KEEP ALL FLAMES AND HEAT SOURCES AWAY FROM THE FABRIC

•UNDER NO CIRCUMSTANCES SHOULD ANY NAKED FLAME SOURCES BE USED NEAR THE FABRIC AND SCREEN , KEEP FIRES AWAY FROM FABRIC AND SCREEN

• KEEP A LOOK OUT FOR ANY AIRBORNE BURNING EMBERS THAT MAY COME IN CONTACT WITH THE FABRIC AND SCREEN. KEEP A FIRE EXTINGUISHER OR BUCKET OF WATER NEAR BY.

• KEEP AN EYE OUT FOR CHILDREN WHEN SCREEN IS IN USE

• BEFORE DRIVING THE VEHICLE, BOTH SCREENS MUST BE COMPLETELY REMOVED. NEVER DRIVE THE VEHICLE WITH EITHER SCREEN INSTALLED

DO YOU NEED OUR HELP?

CUSTOMER SUPPORT 833-226-4863

WANT TO SHOW US YOUR RIG? CHECK OUT OUR SOCIAL!



@overlandvehiclesystems

