




OVS

OVERLAND VEHICLE SYSTEMS

Nomadic 2 Person Shower Awning Instructions



**CAREFULLY READ INSTRUCTIONS
PRIOR TO THE FIRST USE OF THE
DOUBLE SHOWER**

2 Person Shower Awning

SET-UP & CARE INSTRUCTIONS



PROLONGED TRAVELING ON UNEVEN ROUGH OR CORRUGATED TERRAIN WILL REQUIRE MORE FREQUENT INSPECTIONS.

WHAT YOU NEED TO GET STARTED

COMPONENTS

- Double Shower Awning
- 8x 25mm M8 Mounting Bolts and Nuts
- 2 L-Shape Mount Brackets
- 6x U-Bolts with Nuts and Washers

TOOLS NEEDED


- 13MM WRENCH NEEDED

1

ATTACHING BRACKET TO ROOF-RACK

The Awning Brackets have been designed to fit most common roof rack configurations. However, with the ever increasing numbers of roof rack designs available, it is difficult to supply a mounting bracket to accommodate every case. Below are examples of how to mount the awning brackets to flat style and

basket style roof racks. The bracket can also be mounted on roof bars, however, additional specific attachments may need to be sourced from your roof rack supplier. If in doubt, please visit your roof rack specialist for specific roof rack mounting options and advise on load capacities.




ATTACH AWNING TO BRACKET

We recommend using an experienced after-market 4x4 accessories fitter to mount the awning to your vehicle. Fasteners and fixing connections should be checked regularly on both the awning and roof rack to ensure the awning is always mounted securely to your vehicle roof rack.

NOTE: Yakima & Thule Bedracks must be set to the highest elevation before installing.

2

Insert the supplied 25mm M8 bolts into the grooves in the aluminum backing plate on your shower.



2 Person Shower Awning


SET-UP & CARE INSTRUCTIONS



PROLONGED TRAVELING ON UNEVEN ROUGH OR CORRUGATED TERRAIN WILL REQUIRE MORE FREQUENT INSPECTIONS.

3


Remove the Travel Cover by unzipping it and folding it backward to fully expose the rolled up arms



1



2





4

Release the 3 velcro straps and allow the canvas fabric to drape

When stowing away, you will need to evenly roll up the fabric and use the velcro strap to secure the left, middle, and right sides

1



2 Person Shower Awning


SET-UP & CARE INSTRUCTIONS




PROLONGED TRAVELING ON UNEVEN ROUGH OR CORRUGATED TERRAIN WILL REQUIRE MORE FREQUENT INSPECTIONS.

5

To begin opening the shower awning, swing the left-most arms toward the left side until both the left and middle arms are perpendicular with the awning base




Then swing the right-most arm out perpendicular to the shower awning base



Each arm will have a pull latch that you will need to lock in on each arm before continuing your set up.

When stowing away, you would be pulling these latch cogs in order to close the arms



2 Person Shower Awning

SET-UP & CARE INSTRUCTIONS




PROLONGED TRAVELING ON UNEVEN ROUGH OR CORRUGATED TERRAIN WILL REQUIRE MORE FREQUENT INSPECTIONS.

6

Unhook all of the loop and hook configurations and roll out the roof panel and stretch both corners to the left-most and right-most arms.


Then you can velcro the middle tab to the center point of the shower awning



7

To use an optional water heater or shower device, you can open the rear access panel. This also allows you to have access to your vehicle's rear seat or truck bed.

You can unzip this panel and roll up and secure with the loop and hook configurations



2 Person Shower Room Awning

SET-UP & CARE INSTRUCTIONS

TIPS FOR A LONGER LASTING SHOWER

- Use cold water and a sponge to wash any stains or dirt from your tent as to preserve the fabric
- Allow the awning to fully dry before storing to prevent mold, mildew, or fabric deterioration.
- Only mount the awning to manufacturer-approved racks or brackets. Improper installation can lead to vehicle damage or personal injury.
- Prolonged exposure to direct sunlight may cause fabric fading and material breakdown. Pack away when not in use for extended periods.
- Always secure with stakes and guy lines when in use.



WARNINGS

- **Weather Conditions** – Do not deploy the awning in high winds, heavy rain, or storms. Always secure with stakes and guy lines when in use.
- **Fire Safety** – Keep the shower awning away from open flames, stoves, heaters, and campfires.
- **Weight & Hanging Items** – Do not hang heavy items (such as wet clothes or gear) from the awning frame or fabric. This may cause damage or collapse.
- **Water Drainage** – Ensure proper slope or runoff to prevent water pooling on the roof, which can damage the awning.
- **Privacy & Safety** – Always ensure the awning is securely fastened to your vehicle or mounting surface before use to avoid collapse during use.
- **Children & Pets** – Supervise children and pets around the awning. Do not allow climbing or rough play on the frame or fabric.
- **Personal Safety** – Always check that stakes, poles, and guy lines are secure to avoid tripping hazards.



DO YOU NEED OUR HELP?



CUSTOMER SUPPORT 833-226-4863



SALES@OVERLANDVEHICLESYSTEMS.COM

WANT TO SHOW US YOUR RIG?
CHECK OUT OUR SOCIAL!

@overlandvehiclesystems

