




OVS

OVERLAND VEHICLE SYSTEMS

XD Everest Annex Room Instructions



**CAREFULLY READ INSTRUCTIONS
PRIOR TO THE FIRST USE OF THE
XD EVEREST ANNEX ROOM**

XD Everest Annex Room

SET-UP & CARE INSTRUCTIONS

GET TO KNOW YOUR XD EVEREST ANNEX ROOM


1x Annex Room
2x Adjustable Telescoping Poles
2x Foam End Caps

1x Guy Lines Pack
1x Stakes Pack
1x Storage Bag

1


Unfold the XD Everest Annex Room and locate the zipper. Make sure your Everest is fully deployed.

Zip Annex Room to the Zipper Opening of the XD Everest Roof Top Tent.




2

Slide the annex room C channel attachment points into the XD Everest Roof Top Tent's C channel under the extended panel.



3

Insert the adjustable telescoping poles into the metal grommets through the ceiling of the annex room. Twist and elongate poles until they reach the ground. To secure, attach the foam end cap to the poles exterior point.





XD Everest Annex Room

SET-UP & CARE INSTRUCTIONS

4

Stake down all of the loops starting from the front to expand the annex room to its full perimeter. Continue expanding the perimeter by staking down the left and right sides of the annex room. Use the Guy lines, and stake them down to ensure annex room stays taut.



CLEANING

To clean the XD Everest Annex Room, use cold water, soap, and a soft sponge or rag.

STORING

Store in a cool and dry area, when not in use using the Included Storage Bag

⚠️ WARNINGS

- SECURE ANNEX PROPERLY TO PREVENT DAMAGE IN HIGH WINDS OR HEAVY RAIN. COLLAPSE IN EXTREME EMERGENCY LEVEL WEATHER.
- DO NOT USE OPEN FLAMES, HEATERS, OR COOK INSIDE THE ANNEX DUE TO FIRE RISKS AND CARBON MONOXIDE BUILDUP.
- KEEP VENTS OPEN TO PREVENT CONDENSATION, MOLD, OR POOR AIR QUALITY.
- ENSURE THE ANNEX IS SETUP ON LEVEL GROUND TO PREVENT INSTABILITY OR TRIPPING HAZARDS.
- KEEP THE ANNEX ZIPPED SHUT TO PREVENT INSECTS OR SMALL ANIMALS FROM ENTERING.
- AVOID EXCESSIVE FORCE WHEN OPENING/CLOSING ZIPPER STO PREVENT DAMAGE
- DOUBLE-CHECK THAT THE ANNEX IS PROPERLY SECURED TO THE ROOFTOP TENT TO PREVENT DETACHMENT OR SAGGING.
- DO NOT LEAVE VALUABLES INSIDE UNATTENDED AS ANNEXES ARE NOT THEFT-PROOF



DO YOU NEED OUR HELP?



CUSTOMER SUPPORT 833-226-4863



SALES@OVERLANDVEHICLESYSTEMS.COM

WANT TO SHOW US YOUR RIG?
CHECK OUT OUR SOCIAL!

@overlandvehiclesystems

