



Dual interval technology



Client view pole display



Soft touch key pad

ER^{PLUS} SERIES

Price Computing Scale

CAS ER^{PLUS} Series with its reliable and flexible weighing functions and sophisticated design is possibly the best equipment for enhancing your business operation and process.

- Trade approved (NMI No. 6/4D/345)
- Connect to ticket (DEP-50) printer
- High resolution and dual interval technology
- LCD display



DEP-50 ▶



◀ ER^{PLUS};
With client pole display

ER^{PLUS} SERIES | Price Computing Scales

Features

Display options

The ER^{PLUS} comes with an LCD display. Choose between the standard non-pole type or pole type display. The pole type display is reversed so that clients are in full view of price and weight.



LCD Display ▲



Standard Type ▲

Pole Type ▲

Auto-power off function

The ER^{PLUS} scale will automatically switch itself off if left unused for a set period of time.

Soft touch tact switch keypad

Soft touch tact switch with silicon rubber keypad provides protection from such things as water, flour, dirt and other external objects interfering.



Rechargeable battery

The scale can be used up to 200hrs(LCD) after recharging the battery for 10 hours.



Double tray

Designed with both plastic and stainless steel trays that are made from heavy-duty and washable materials.



Stainless Steel >

Plastic >

Dual interval technology with high resolution

High resolution (1/3,000) and dual interval technology which allows the scale weighing intervals to automatically change when a certain amount of weight is loaded on the tray.



ERPLUS SERIES | Price Computing Scales

Ticket Printing System

Connect with a ticket printer

The ERPLUS series can be connected to DEP-50 (Ticket) printer via RS-232C interface. Once connected the ERPLUS series can be used as a ticket printing scale. Furthermore, it is possible to modify the ticket format via PC ticket editing software that is provided.

CAS Corporation		
DATE: 06/01/07		
weight	unit price	total
(kg)	(\$/kg)	(\$)

Apple		
0.450	1.23	0.57
Banana		
0.450	1.23	0.57
Kiwi		
0.450	4.56	2.10

Sum(\$)		3.24
Count		3
Payment(\$)		3.24
Change(\$)		0.00

▲ Sample of a Ticket



Options

- Client view pole display
- RS-232C interface (Connect with PC or Printers)
- Backlight
- Fish tray
- DEP-50 ticket printer



▲ Client view pole display



▲ Printer



▲ RS-232C Interface



▲ Fish Tray



▲ Dust Protection Cover

ERPLUS SERIES | Price Computing Scales



SPECIFICATIONS

Model	ERPLUS Series		
Max. Capacity (kg)	3/6	6/15	15/30
Readability (g)	1/2	2/5	5/10
Max. Tare (kg)	-2.999	-5.998	-14.995
Internal Resolution	1/60,000		
External Resolution	1/3,000 (Dual Interval)		
Display Digit	5/6/6 (Weight / Unit Price / Total Price)		
Display Type	LCD		
Operating Temp.	-10°C ~ 40°C		
Power	Rechargeable Battery, 12V DC Adapter		
Battery Life	200 hrs		
Platter Size (mm)	304(W) x 220(D)		
Dimensions (mm)	Standard Type: 330(W) x 346(D) x 107(H) Pole Type: 330(W) x 384(D) x 413(H)		
Product Weight (kg)	Standard Type: 4.7 Pole Type: 5.5		


FEATURES

- Apply 5 direct PLU's with 200 indirect PLU's
*PLU (Price-Look-Up) function: Preset keys for frequent transaction items and it's price. Easy and convenient.
- Soft touch tact switch with silicon rubber key pad
- Adopted dual interval technology for better accuracy
- LCD display
- Functions: Calculation, Daily total, Auto power-off
- Adjustable weighing stability
- Dust protection cover

OPTIONS

- Client view pole display
- Backlight
- RS-232C interface (Connect with PC or Printers)
- DEP-50 Ticket printer
- Fish tray

DIMENSIONS



CAS

UNIT 8, NORTHLINK, 459 TUFNELL ROAD
BANYO QLD 4014, AUSTRALIA
TEL_ +61 7 3267 7767 FAX_ +61 7 3267 1818
EMAIL_ sales@cassscale.com.au
www.cassscale.com.au

Specifications are subject to change for improvement without prior notice.