



OMNIENT  
LABS

# Certificate of Analysis

CQHCS1112025

Report Issued To: Nootropics Depot | 8380 S. Kyrene Rd., Suite 110, Tempe, AZ 85284

| Product Information |                                                                                                                       |                  |              |
|---------------------|-----------------------------------------------------------------------------------------------------------------------|------------------|--------------|
| Product Name:       | CoQH-CF Softgels   Ubiquinol Supplement 100mg                                                                         | CoA #:           | ND-25-1846   |
| Product Size:       | 60 count                                                                                                              | Lot Number:      | CQHCS1112025 |
| Production Date:    | 11/20/2025                                                                                                            | Softgel Batch #: | CQH0310125   |
| Report Date:        | 11/20/2025                                                                                                            | Softgel Spec#:   | 190_v6       |
| Best By Date:       | 11/2028                                                                                                               | Softgel Size:    | 10           |
| Appearance:         | Oval, caramel                                                                                                         |                  |              |
| Other Ingredients:  | D-Limonene Oil, Gelatin, Kaneka Ubiquinol. Glycerin, Purified Water, Caprylic Acid, Caramel Liquid, Alpha Lipoic Acid |                  |              |

## Organoleptic Testing Results:

| Test  | Specification    | Result   | Pass/Fail |
|-------|------------------|----------|-----------|
| Color | Org. Tube # 1190 | Conforms | Pass      |
| Smell | Org. Tube # 1190 | Conforms | Pass      |

## Physical Testing Results:


| Test              | Specification     | Result        | Pass/Fail |
|-------------------|-------------------|---------------|-----------|
| Softgel Mass Test | USP <2091> Test 1 | 854mg/softgel | Pass      |

## Analytical Testing Results:

| Test                  | Method                                 | Methodology | Specification                   | Result                                                                   | Pass/Fail |
|-----------------------|----------------------------------------|-------------|---------------------------------|--------------------------------------------------------------------------|-----------|
| Identity              | LAB TM-001                             | FTIR        | ≥ 95% Match to Library Standard | 100% Match                                                               | Pass      |
| Ubiquinol             | External                               | External    | ≥ 100 mg/sg                     | 117 mg/sg                                                                | Pass      |
| Heavy Metals          | Metals-011 & Metals-008/USP<233>/<730> | ICP/ICPMS   | ≤ 0.5 ppm ea.                   | As < 0.0585 ppm<br>Cd < 0.0234 ppm<br>Pb < 0.0234 ppm<br>Hg < 0.0058 ppm | Pass      |
| Aerobic Plate Count   | USP 2021                               | USP 2021    | ≤ 1000 CFU/g                    | < 1000 CFU/g                                                             | Pass      |
| Total Yeast Count     | USP 2021                               | USP 2021    | < 10,000 CFU/g                  | < 100 CFU/g                                                              | Pass      |
| Total Mold Count      | USP 2021                               | USP 2021    | < 1,000 CFU/g                   | < 100 CFU/g                                                              | Pass      |
| Coliforms             | mUSP 2021                              | mUSP 2021   | < 100 CFU/g                     | < 10 CFU/g                                                               | Pass      |
| E. Coli               | USP 2022                               | USP 2022    | Absent / 10g                    | Absent                                                                   | Pass      |
| Staphylococcus aureus | USP 2022                               | USP 2022    | Absent / 10g                    | Absent                                                                   | Pass      |
| Salmonella spp.       | USP 2022                               | USP 2022    | Absent / 25G                    | Absent                                                                   | Pass      |

Final Approval

Kennedi Enoch, Quality Liaison



PJLA  
Testing

Accreditation #113861