

California Access Compliance



Architects

Q.1) Where can a LULA type elevator be installed?

- A. Private residence
- B. Doctor's office
- C. Shopping mall
- D. Hotel

Q.2) Which of the following is required to have an accessible drop-off and loading zone?

- A. Mechanical access parking garages
- B. Valet parking
- C. Licensed medical care facilities
- D. All of the above

Q.3) How many drinking fountains must be designed for standing users?

A. 0

B. 25%

C. 33%

D. 50%

Q.4) Where are adult changing facilities required?

A. Every unisex restroom

B. One unisex restroom per cluster

C. Commercial places of public amusement

D. Nowhere; they are optional

Q.5) Where are assistive listening systems required:

A. Lecture halls

B. Auditoriums

C. Conference rooms

D. All of the above

Q.6) How many wheelchair spaces are required in an assembly area with 450 fixed seats?

A. 2

B. 4

C. 5

D. 6

Q.7) Which of the following facility types is considered transient lodging?

- A. Hotels
- B. Resorts
- C. Undergraduate dormitories
- D. All of the above

Q.8) Book stacks in public areas cannot be more than __ inches above the finish floor unless an attendant is available to assist.

- A. 34
- B. 36
- C. 48
- D. 54

Q.9) If there is one self-checkout aisle, one standard checkout aisle, and one aisle for returns at a department store, how many accessible aisles are required?

- A. 0
- B. 1
- C. 2
- D. 3

Q.10) Which of the following is considered public housing?

- A. Housing at a Christian university
- B. Housing at a State university
- C. Faculty housing at a State university (without public-use areas)
- D. Both b and c

Q.11) What is a primary method of an accessible means of entry into a swimming pool?

- A. Pool lifts
- B. Sloped entries
- C. Transfer walls
- D. Both a and b

Q.12) What is the maximum change in level allowed without a ramp?

- A. ¼"
- B. ½"
- C. ¾"
- D. 1"

Q.13) For a side approach at a 24" deep alcove, how long does the clear floor space need to be?

- A. 36"
- B. 48"
- C. 60"
- D. 72"

Q.14) What is the maximum depth of knee and toe clearance?

- A. 15"
- B. 17"
- C. 25"
- D. 48"

Q.15) If the bottom of a television is mounted at 72" in a school corridor, how far may it protrude from the wall if the corridor is double the size it is required to be for egress?

A. 0"

B. 4"

C. 6"

D. Fully, as long as it does not protrude into the required clear width of the corridor

Q.16) If you are designing an exterior door that swings out, how much horizontal clear space is required beyond the latch on the pull side of the door for a front approach?

A. 0"

B. 18"

C. 24"

D. 36"

Q.17) What is the maximum height for the lower edge of an accessible vision light in a door?

A. 40"

B. 43"

C. 48"

D. 60"

Q.18) What is the maximum allowable force for opening an interior door to an accessible restroom?

- A. 5 lbs
- B. 8 lbs
- C. 10 lbs
- D. 15 lbs

Q.19) What is the maximum slope for an accessible ramp leading up to a stage?

- A. 1:10
- B. 1:12
- C. 1:20
- D. 1:48

Q.20) Where does the raised dot go on an accessible car control keypad for an elevator?

- A. 2 key
- B. 5 key
- C. 8 key
- D. 0 key

Q.21) What is the minimum width of an access aisle for an accessible drop-off and loading zone?

- A. 3'
- B. 4'
- C. 5'
- D. 8'

Q.22) What color is the border for an accessible parking access aisle?

- A. Blue
- B. White
- C. Yellow
- D. Any color that is a contrasting color to the adjacent surface

Q.23) What words need to be painted on an accessible parking access aisle?

- A. ACCESS AISLE
- B. DO NOT PARK
- C. NO PARKING
- D. OFFICIAL USE ONLY

Q.24) What height do handrails get mounted (to the top of the gripping surface)?

- A. 33" – 36"
- B. 34" – 38"
- C. 35" – 39"
- D. 36" – 40"

Q.25) In a men's restroom at an accessible urinal, how much room do you need between the urinal screens if the screens are 25" deep?

- A. 30"
- B. 36"
- C. 42"
- D. 48"

Q.26) Where are 36"x36" transfer-type shower compartments allowed?

- A. High school locker rooms
- B. Hospital patient rooms
- C. Hotels
- D. All of the above

Q.27) What is the required width for an ambulatory accessible toilet compartment?

- A. 33" – 35"
- B. 34" – 36"
- C. 35" – 37"
- D. 36" – 38"

Q.28) What is the required width of the clear floor space in front of a bathtub for a parallel approach?

- A. 30"
- B. 36"
- C. 42"
- D. 48"

Q.29) What is the height to the top of the seat from the floor for an accessible bench in a locker room?

- A. 16" – 18"
- B. 17" – 19"
- C. 18" – 20"
- D. 19" – 21"

Q.30) Which of the following signs is required to have Grade 2 Braille?

- A. Occupant names on room signs
- B. Row designations in assembly areas
- C. Permanent room signs
- D. Directional signs