








Allura Spectrum® Color	Sherwin-Williams® Color Nº	MAZE® NAILS Double Hot Dip Collated* Siding Nails Color Nº
Accessible Beige	7036	227
Agreeable Gray	7029	386
Alabaster	7008	58
Analytical Gray	7051	9791
Anonymous	7046	146
Black Fox	7020	358
Connected Gray	6165	9
Creamy	7012	58
Downing Slate	2819	354
Evergreen Fog	9130	197
Gale Force	7605	64
Gray Clouds	7658	400
Iron Ore	7069	370
Macadamia	6142	59
Morris Room Gray	0037	327
Naval	6244	318
Niebla Azul	9137	182
Olive Grove	7734	78
Peppercorn	7674	348
Pewter Tankard	0023	116
Pure White	7005	61
Toile Red	0006	30
Tricorn Black	6258	20
Urbane Bronze	7048	503
Virtual Taupe	7039	299

**Paint chipping is unavoidable due to the high impact of the pneumatic driver*

This Technical Bulletin is provided for informational purposes and intended as a guideline and is not intended to be a warranty or promise as to product performance. Please refer to Allura's applicable written installation instructions and Limited Warranties for more information. Please comply with applicable building codes effective in the city, state, or town where the installation is occurring. In the event there are discrepancies between Allura's installation instruction and applicable building code, adhere to the requirement that is more stringent. Failure to do so may violate laws, affect product performance, result in personal injury, and may affect warranty coverage. Compliance with local building codes, regulations, and standards is the responsibility of the installer. Any information or assistance provided by Allura in relation to specific projects must be approved by the relevant specialists engaged for the project eg. builder, architect, or engineer.





Allura Spectrum®

Pure White

Alabaster

Creamy

Agreeable Gray

Accessible Beige

Sherwin-Williams® Nº

7005

7008

7012

7029

7036

MAZE® Color Nº






61

58

58

386

227



Allura Spectrum®

Niebla Azul

Macadamia

Analytical Gray

Gray Clouds

Morris Room Gray

Sherwin-Williams® Nº

9137

6142

7051

7658

0037

MAZE® Color Nº






182

59

9791

400

327



Allura Spectrum®

Pewter Tankard

Evergreen Fog

Connected Gray

Downing Slate

Anonymous

Sherwin-Williams® Nº

0023

9130

6165

2819

7046

MAZE® Color Nº

116




197

9

354

146

This Technical Bulletin is provided for informational purposes and intended as a guideline and is not intended to be a warranty or promise as to product performance. Please refer to Allura's applicable written installation instructions and Limited Warranties for more information. Please comply with applicable building codes effective in the city, state, or town where the installation is occurring. In the event there are discrepancies between Allura's installation instruction and applicable building code, adhere to the requirement that is more stringent. Failure to do so may violate laws, affect product performance, result in personal injury, and may affect warranty coverage. Compliance with local building codes, regulations, and standards is the responsibility of the installer. Any information or assistance provided by Allura in relation to specific projects must be approved by the relevant specialists engaged for the project eg. builder, architect, or engineer.



Allura Spectrum®

Olive Grove

Virtual Taupe

Toile Red

Peppercorn

Urbane Bronze

Sherwin-Williams® Nº

7734

7039

0006

7674

7048

MAZE® Color Nº

78

299

30

348

503



Allura Spectrum®

Black Fox

Gale Force

Iron Ore

Naval

Tricorn Black

Sherwin-Williams® Nº

7020

7605

7069

6244

6258

MAZE® Color Nº

358

64

370

318

20

Note: Colors represented in this chart are representations. Monitor and printer settings may change the appearance of the colors displayed. Actual color of manufactured products may vary from chart. Always refer to a physical color swatch for accurate color representation.

ADDITIONAL INFORMATION

Always refer to the most current version of the Allura® Installation Manual and relevant jurisdictional Evaluation Report for fastener specifications and assembly design.

MAZE® NAILS

- 15° plastic coil nails are available in both double hot-dipped galvanized (ASTM A153 compliant) and type 304 stainless steel
- Available in ring-shank and smooth-shank
- Lengths from 1-½ to 3-inch
- Made to order with minimum shipping and lead-times
- Made in the U.S.A.
- Go to www.mazenails.com for more information



This Technical Bulletin is provided for informational purposes and intended as a guideline and is not intended to be a warranty or promise as to product performance. Please refer to Allura's applicable written installation instructions and Limited Warranties for more information. Please comply with applicable building codes effective in the city, state, or town where the installation is occurring. In the event there are discrepancies between Allura's installation instruction and applicable building code, adhere to the requirement that is more stringent. Failure to do so may violate laws, affect product performance, result in personal injury, and may affect warranty coverage. Compliance with local building codes, regulations, and standards is the responsibility of the installer. Any information or assistance provided by Allura in relation to specific projects must be approved by the relevant specialists engaged for the project eg. builder, architect, or engineer.