

mazenails.com



800.435.5949

W. H. MAZE COMPANY CELEBRATES 177 YEARS OF SERVING THE BUILDING INDUSTRY

When it comes to running not just a family business, but a family-oriented business, Maze Nails in Peru, Illinois is second to none – and it's been that way for 177 years now.

Founded in 1848 by Irish immigrant Samuel Nesbitt Maze, Maze Nails began out of a need for a better solution.

"My great-great-grandfather came to America in 1836 and started working as a masonry contractor," said Roelif Loveland, President of Maze Nails. "When the Illinois and Michigan Canal opened up and gave a direct route to Chicago from Peru, he opened Maze Lumber right along the river so that he could sell brick and lumber to local residents."





There was a small problem, though. Because Maze Lumber was situated so close to the Illinois River, any time the river rose and water came into the plant, production of nails had to be shut down. So, in 1922, the third-generation Maze boys – Hamilton and James – purchased an empty plot of land on higher ground, and Maze Nails was born.

"We started very small and built from there," Roelif said. "We had just a handful of employees at the time, and made only one or two types of nails."

Things have changed since then
– the company now employs
over 80 people and makes over
2,800 types of nails, claiming
the title of America's Premier

Specialty Nail Maker.

"We are basically the last man standing in the specialty nail business," Roelif said. "Many other companies thought they could compete by matching the import prices, which was their downfall. You have to drive your business with the quality of

your products, speedy delivery times, and with a good variety."

And though much has changed in the scope of nail making, the business has stayed within the community and in the family. Roelif works alongside his brother, Pete, two of his three sons and five close relatives.

He is the fifth generation to own and operate the Maze operation – and the sixth generation is soon to take over.

One way or another, we're going to continue making our nails in the state of Illinois," Roelif said.

It's this kind of attitude that has kept Maze Nails around for so long... a genuine excitement about the products Maze Nails produces and the top notch people hired to help make and sell them.

Samuel had a small barge (named "The Elk") built for the lumberyard – and used it to take the 100-mile long trip to and from Chicago. The trip up was with his barge full of local farmers' grain for the commodity markets – and the backhaul was a bargeload of white pine lumber for his little yard.

In the late 1800's, Maze Lumber was selling marketstandard nails with their lumber. But when customers came back complaining that the nails were rusting

and the cedar shingle roofs of their homes were blowing off, Samuel's son Walter purchased a single nail machine and the yard began making their own. Instead of making them out of steel, which quickly rusted, Walter used pure zinc for the nails. The LaSalle Peru area was a huge smelter of zinc at the time (since they had lots of coal needed for the process) so accessing the raw zinc for the nails was easy. The result was

rust-proof nails that dependably kept Maze Lumber's cedar shingles on the roofs of their customers' homes.

It wasn't long before the nails made at Maze Lumber became known to other local lumberyards – and they asked Maze to sell them some of their production. And so the small, used nail machine purchased for a part-time solution started running full-time. And soon, more machines were added.





ORDERING INFORMATION

How to Place Orders

E-mail to: orders@mazenails.com



Call: 800-435-5949



Fax to: 815-223-7585

Top-notch lumberyards, home centers and hardware stores nationwide insist on stocking and promoting quality Maze Nails. Please support those retailers — and let them know that it PAYS TO STOCK MAZE.

Payment terms: 1%-10; net 30 days except for credit card payments. No COD shipments. Prices subject to change without notice.

Broken Carton Shipments

An extra \$10.00 will be charged whenever a standard carton of any type packing must be broken open before shipment. Does not apply to Painted Stainless Steel and Aluminum Trim Nails on page 23.

Backorder Policy

We strive to ship every order promptly and complete. However, with the customer's prior approval, we will ship all available and backorder the balance for shipment when available. The customer is responsible for all freight charges if the backorder quantity does not meet prepaid freight minimums.

Returned Goods

Full cartons of Maze Nails still offered in our current catalog may be returned for credit only - but not without prior authorization. A 30% restocking charge applies. However, additional restocking charges may apply after receipt and inspection of nails at our Peru, IL warehouse. Maze Nails, at their discretion, may opt not to accept a return of nails. Credit is based on original purchase price and subject to our count. Painted nails are handled on a special basis and may not be accepted for return. No credit will be issued for field-destroyed or "buy-back" nails.

Painting Extra

Applicable to most nails in this catalog. Prices subject to change without notice

MINIMUM PAINTED NAIL ORDER - 200 POUNDS OF A SIZE AND **COLOR AND PACKAGING & 50 POUND INCREMENTS BEYOND.**

However, some sizes and colors of Split-Less® Nails, Rubber Washer Nails and Trim Nails are kept in stock. Call for availability.

PAINTED NAIL PRICING GUIDE

For bulk, hand-driven nails:

50# boxes - Add \$ 40.00 25# boxes - Add \$ 20.00 5# boxes - Add \$ 4.00

1# boxes - Add \$ 0.82

For collated stick & coil nails:

Add \$34.00 per carton

HAMMER CAPS - Offered to reduce chipping on painted nails during application. Packaged two caps per peg-holed bag. Twenty-five bags

in a master carton. May also be ordered in individual packs. Will fit 16 or 20 oz. round hammers. List price is \$8.00 per bag.





NAIL INDEX

MAZE NAIL COLOR REFERENCE KEY

(Easy color reference to help you find the "right nail" for your building projects!)

COLL	ATED	NA	
		$1 \times 7 = 11$	~)

- **O SIDING NAILS**
- O DECK, GUTTER & TRIM NAILS
- O ROOFING NAILS

 SECIALTY NAILS

COLLATED PAPER TAPE NAILS Clipped Head 28° and 31°
Composite Decking Nails - Stainless Steel 304 & 316 7 Composite Decking Nails - STORMGUARD®
Fiber Cement Siding Nails - Hot-Dipped
Framing Nails - Bright
PTL® Decking Nails - Stainless Steel 304
Wood Siding Nails - Stainless Steel 304
Siding Nails
Fiber Cement Siding Nails - Hot-Dipped 12, 13, 14 Fiber Cement Siding Nails - Stainless Steel
PVC Molding & Trim Nails - Stainless Steel
Roofing Nails - STORMGUARD®
Aluminum Fencing Nails
Fiber Cement Siding
FOR SIDING Aluminum and Steel - Hot-Dipped
Aluminum Nails for Siding
Siding & Trim 17 Cedar Shake Siding 16 Coil-ated® Nails in Coils 11-14
Collated 20° Stick - Hot-Dipped
Engineered Wood
Original Small Head Siding Nails
Split-Less® Wood Siding
Vinyl (Large Head) - Hot-Dipped

\Diamond	FOR	A SEL	ECTION	OF	SCREWS,	\Diamond
		SEE	PAGES	40-	43	

FOR DECKS, GUTTERS AND TRIM
Casing22 Collated 20° Stick Nails
Collated 20° Stick Nails
Common Nails - Stainless Steel
Connector Nails
Garage Door Jamb Seal Nails - Hot-Dipped
General Purpose Ring Shank Nails24
Gutter Ferrules24
Gutter Hanger Nails24
Gutter Spikes - Hot-Dipped
Joist Hanger - Hot-Dipped
Painted Trim Nails - Aluminum
Painted Trim Nails - Stainless Steel
Pressure Treated Lumber PTL® - Hot-Dipped
PTL® Stainless Steel 304, 31620
PVC Molding & Trim Nails - Stainless Steel22
Treated Lumber20
FOR ROOFING
Asphalt & Fiberglass Shingle
Cedar Shingle and Shake Nails - Hot-Dipped 27
Cedar Shingle and Shake Nails - Stainless Steel 316 27
Copper Slating & Flashing
Insulation Roof Deck
Ridge Vent Nails
Roofing Nails - Electro-Galvanized
Roofing Nails - Stainless Steel
METAL ROOFING NAILS
Rubber Washer
Silicone Fat-Head® Washer28
SPECIALTY NAILS
SPECIALTY NAILS Ardox® Spikes
SPECIALTY NAILS Ardox® Spikes
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Hot-Dipped 30
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Stainless Steel 30 Post & Truss - Bright & Hardened 29 Post & Truss - Hot-Dipped 30
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Stainless Steel 30 Post & Truss - Bright & Hardened 29 Post & Truss - Hot-Dipped 30 Round-Cap 33
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Stainless Steel 30 Post & Truss - Bright & Hardened 29 Post & Truss - Hot-Dipped 30 Round-Cap 33 Sill Plate Nails - Hot-Dipped 34
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Stainless Steel 30 Post & Truss - Bright & Hardened 29 Post & Truss - Hot-Dipped 30 Round-Cap 33 Sill Plate Nails - Hot-Dipped 34 Sinker Nails 34
Ardox® Spikes
Ardox® Spikes 32 Bridge Spikes 32 Common Nails 34 Common Nails - Hot-Dipped 34 Copper Slating 26 Cut Masonry 34 Duplex Nails 34 Fence Staples - One Legged 33 Fiberglass Liner Panel Nails - Stainless Steel 30 Flooring 35 Foundry Nails 32 Hardened Metal Lath 35 Hardwood Trim 34 Log Home Spikes 31 Masonry - Fluted 35 Masonry - Heavy Duty Plated 31 Pallet 32 Pan Nails 32 Plastic-Hed Cap 33 Plywood 35 Post-Frame - Bright & Hardened 29 Post-Frame - Stainless Steel 30 Post & Truss - Bright & Hardened 29 Post & Truss - Hot-Dipped 30 Round-Cap 33 Sill Plate Nails - Hot-Dipped 34 Sinker Nails 34

NAIL INDEX BY ITEM NUMBER

			/ 1/////	. // 42	LAL			IUIYIE					
MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page	MAZE #	Page
200HD	15	CLCEM116A	13, 27	CS207A	8, 9	H521A	29	R112M22	22	\$259\$	18	T449A	20
225HD	15	CLCEM117	13. 27	CS207S	8	H521S	29	R112M61	22	S2590	18	T449S	20
250HD		CLCEM117A		CS209	8	H523A	29	R113	27	S2590S	18	T4490	20
521A		CLCEM119		CS209A	8, 9	H523S	29	R113A	27	\$2591	18	T4490A	
523A		CLCEM119A		CS209S		H524A	29	R113M22		\$25915		T4490S	
523\$		CLD500148		CS2091			29	R113M61	22	\$2592		T4491	
525A		CLHD115		CS2091A			29	R114		S263		T4491A	
525\$		CLHD116		CS2091S			29	R114A		S265		T4491S T4492	
526A 526S	29				16		29	R115		SF4		T4492	
527A		CLHD117		CSS8WS			29	R115A		SINK8		T4492S	
5278		CLHD119		CSS16WS	16		29	R116		SINK10		T4493	
528A		CLS222A		CST2			29	R116A		SINK10		T4493A	
5285	29	CLS223A		CST2A			29	R117				T4493S	
530A		CLS224A		CST3			29	R159	25 25	SINK16		T4494	
530S		CLS225A		CST3A			29	R159A R1591		SS5WS		T4494A	
532A		CLS226A	11	CT350148A			29	R1591A		SS5WS316		T4494S	
534A	29	CLS227A	11	CT445				R1592	25	SS6WS		T4496	
853A	33	CLS229A	11	CT445A			29	R1593		SS6WS316		T4496A	
854A		CLSS6WS	12	CT445S		H534A		R1593A		SS8WS		TH447A	
854AR		CLSS8WS	12	CT447	7		29	R1595A		SS8WS316		TH449A	
855A		CLSSCEM113A3	316 13, 27	CT447A	7		29	R163AF		SS10WS		TH449S TH4490S	
855AR		CLSSCEM115A		CT447S			18	R163FH		SS10WS316		TH4491A	
855ARZ		CLSSCEM115AC		CT449			18	R164AF		SS16WS	16	TH4491S	
855AZ		CLSSCEM117A		CT449A			18	R164FH		SS16WS316	16	TH4492A	
856A 856AR		CLSSCEM117A		CT449S		HD16	18	R165AF		SS175135A	30	TH4492S	
856ARZ		CLSSHD115	•	CT4490		HD103S	33	R165FH	28	SSDK6	20	TH4493A	
856AZ				CT4490A	7	HF167	35	R166AF	28	SSJ131	21	TH4495A	
857A		CLSSHD117		CT4490S		HML50	35	R166FH	28	SSJ148	21	TH4495S	30
857AR		CLSSPVC6		CT4491			32	R167AF	28	SSR112A	27	TH4497A	
857ARZ		CLSSPVC8		CT4491A			34	R167FH	28	SSR113A		TH4498A	
857AZ		CLSSPVC10		CT4491S			34	R169AF	28	SSR114A		VSS3WS	
858AR	33	CLWHD115		CT400148A CT450148A			34	R169FH		SSR115A		VTRGG6P	
859A	33	CLWHD115A		CT500148A			34	R1691FH		SSRFG3A		VTRGG8P	
859AR		CLWHD116	14	CU100			34	R1693AF		SSRFG4A		VTRGG16P X150148A	
859ARZ		CLWHD117		CU125			21	\$103		SSRFG5		X225113CC	
859AZ		CLWHD117A	14	CU150			21	\$104		SSRFG5A		X700313	
861AR		CLWHD119		CU175			21	\$105		SSRFG6		X700313A	
863AR		CLWR101	14		26		31	\$107				X800313A	
863ARZ		CLWR102	14		26			\$109		SSRFG6A		XCOM8Z	
AF5		CLWR102A	14	CU300	26		31	\$14 \$16		SSRFG8		XCOM10Z	
ARD7 ARD8		CLWR103		CU100A	26		31	\$10 \$17		SSRFG8A		XCOM16Z	34
ARD8Z		CLWR103A	14	CU125A			31	\$18		SST2		XFN300135	32
ARD10		CLWR104		CU150A			31	S202A		SST2A		XFN400135	
ARD10Z		CLWR104A		CU175A			18	S202A		SST3		XFN500135	
ARD12		CLWSSRFG3A		CU200A			13AZ 10	S203A		SST3A		XFN600135 XFN800135	
ARD12Z	32	CLWSSRFG4A		CU250A			20AZ 10	\$205		SST4A		XR162A	
ARD200148Z	24	CLWSSRFG5A		CU300A		PCP283251	3110	S205A		SST5		XR163A	
ARD250148Z		CLWZPR102		CXSS6 CXSS6316		PCP312381	13AZ 11	S206A		SST5A	23	XR164A	
AS4		CLWZPR102		CXSS8		PCP312381	2011	S207	17	SSV4A	17	XR165A	
AS5				CXSS8316			20AZ 11	S207A	17, 18	SSV5A		XR167A	
AS6		CLZAWS188		CXSS10			3111	S207S	17	SSXR162A		XR175S	24
AS8		CMH4		CXSS16		PH03	33	S209	17	SSXR163A	21	XSST443A	20, 30
AS10 AT311 <i>77</i>		CMH6		CXSS16316			33	S209A		T305	22	XSST445A	
AT38252		CMH8		CXSSDK8		PH06	33	S209S		T307	22	XSST445A316	
AV4		CMH8Z		CXSSDK831	67	PH08	33	S2091		T309	22	XSST447A	
MAV4A		CMH10		DUP8		PVC6A825	2 22	S212A		T3091	22	XSST447A316	
AV5A		CMH10Z		DUP8Z		PVC88252.	22	S213A		T3092	22	XSST449A XSST449A316	
AV6		CMH16		DUP16		PVC8A825	2 22	S214A		T315		XSST4491A	20.30
AV6A	17	CN250131		DUP16Z		R100	25	\$225		T317	22	XSST4491A31	6 20
CCEM6	9	CN250148	21	F141			25	S225A S226		T319		XSST4492A	
CCEM8		CN250162		F142		R101	25	S226A		T364		XSST4492A31	
CCEM10		CN300148	21	F143			25	\$227		T364A	24	XSST4494A	
CEM6		COM4	34	F145 F147			25	S227A		T365		XSST4496A	20, 30
CEM8		COM6	34		33		25	S228		T365A		XSST4496A31	6 20
CEM10		COM8	34	F4			25	S228A		T366		XT650A	
CF447 CF4490		COM10	34	GH6S			25	S229		T366A		XT658A	
CF4490 CHD6		COM12		GH8S			25	S229A		T368		XT700313AZ.	
CHD8		COM16		HAMMERCA		R103S		S2290A		T368A		XT700313Z XT750A	32
CHD10		COM20		H52S			25	S2291A		T369		XT800313AZ.	32
CHDSS6		COM20		H53S			25	S2292		T369A		XT800313AZ.	
CHDSS8		COM50		H54S			25	S2292A		T445		ZL8	
CHDSS10		COM50		H55S				S234A				ZL8A	
CHDSS6316		CPVC6A8252		H56S			25	S235A		T445A		ZL10	
CL400148Z	15			H57S			25	S255		T445S		ZL10A	31
CLCEM113A	13, 27	CPVC88252		H59S			25	S255S		T447		ZL12	
CLCEM115	13, 27	CS205A		H60S			25	S257		T447A		ZL12A	
CLCEM115A	13, 27	CS205S		H61S			25	S257S		T447S		ZL3691A	
CLCEM116	13, 27	CS207	8	H63S	35	R112	27	S259	18	T449	20	ZL3692A	24, 31

Out with the Old - In with the New

Let Maze Give You a Nail Makeover!

Stock your shelves with the bright yellow boxes of quality nails offered exclusively by Maze Nails. Trends come and go, but our nails stand the test of time!



FOR DECKING AND PRESSURE TREATED WOOD

20-22 DEGREE COLLATED STICK NAILS

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH	N79RH	CRAFTSMAI
BOSTITCH	N88RH	DEWALT
BOSTITCH	F21PL	DEWALT
BOSTITCH	F21PL2	DEWALT
BOSTITCH	N90RHN	DEWALT
BOSTITCH	N95162	DEWALT
BOSTITCH	N95RHN	DEWALT
BOSTITCH	KN85PP-1	DEWALT
BOSTITCH	BTF83PL	DEWALT:
CAMPBELL HAUSFEL	D NS2090	DUO-FAST.
CRAFTSMAN	18365	DUO-FAST.

CRAFTSMAN	18465
DEWALT	D51844
	D51845
DEWALT	DCN21PLM1
DEWALT	DWF83PL
BELLIALE	DIVIOCEDI
DEWALI	DW325PL
DEWALT	DW83PL
DEWALI	
DEWALT 20V	MAX DCN 920P1
DEWALT 20V N	IAX DCN 21PLM1
DUO FACT	CN 350B-SH
PUU-FAST	CN 32UB-3N
DUO EACT	CN 350B
DUO-LY21	U 33UD

	SNP83
FASCO	F5C-RHN20-83
FASCO	F6C-RHN20-90
FASCO	R45C RHN20-90
HALSTEAD	HNS-24
HALSTEAD	HNS-32
HALSTEAD	HNS-39
HALSTEAD	HN-212
HALSTEAD	RN-90
HAUBOLD	RN 90 PII
HILTI	RHN 9020

HITACHI	NR-83A
HITACHI	NR-90AC
HITACHI	NR-90AE
MAKITA	AN922
MAKITA	AN924
MAKITA	
MAX	GS683RH-EX
MAX	SN89RH
MAX	SN883RH
MAX	
MAX	SN90

METABO	NR3690DI
MILWAUKEE	2744-20
MILWAUKEE	7200-20
MILWAUKEE M18	FUEL 274420
PASLODE	5350 SRH
PASLODE	F350-21
PORTER CABLE	FR350
PORTER CABLE	FR350A
RIDGID	R350RH/
SENCO	SN 60
SENCO	SN 65

SENCO	600 FRH
SENCO	602 FRH
SENCO	702 FRH
SENCO	752 FRH
SENCO	700XL FRI
SENCO	750XL FRH
SENCO	FN81T
SENCOFRAME PI	RO 325 FRHXI
/D	

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NA



PTL nails are the type of galvanized nails recommended by wood treaters - and will last far longer and look much better than cheap "galv." nails that rust soon after application. **LIFETIME WARRANTY!**

For The New Treated Lumber



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CT445	2"	.120"	9/32"	1,700	14	\$90.93
CT447	21/2"	.120"	9/32"	1,400	14	\$86.19
CT449	3"	.131"	9/32"	1,100	15	\$84.47
CT4490	31/4"	.131"	9/32"	1,000	15	\$82.60
CT4491	31/2"	.131"	9/32"	1,000	16	\$86.58

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CT445A	2"	.120"	9/32"	1,700	14	\$93.65
CT447A	21/2"	.120"	9/32"	1,400	14	\$88.58
CT449A	3"	.131"	9/32"	1,100	15	\$89.67
CT4490A	3 1/4"	.131"	9/32"	1,000	15	\$85.95
CT4491A	31/2"	.131"	9/32"	1,000	16	\$89.12
CT350148AZ	31/2"	.148"	5/16"	1,000	18	\$130.87

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CT445S	2"	.120"	9/32"	1,700	14	\$94.07
CT447S	21/2"	.120"	9/32"	1,400	14	\$88.69
CT449S	3"	.131"	9/32"	1,100	15	\$88.98
CT4490S	31/4"	.131"	9/32"	1,000	15	\$86.34
CT4491S	31/2"	.131"	9/32"	1,000	16	\$88.93

STAINLESS STEEL (304) SPIRAL SHANK DECKING NAILS

Great for cedar, redwood and pressure treated lumber decks. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 304 Stainless. Discontinued item ... while supplies last.

Name of the last	0.5		LI		E WARRANTY! AL SHANK		
STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON	
CXSSDK8	21/2"	.113"	9/32"	1,500	13	\$261.60	

STAINLESS STEEL (316) SPIRAL SHANK DECKING NAILS

Great for cedar, redwood and pressure treated lumber decks. Ideal for coastal applications. These tough spiral nails drive well and hold tighter than smooth nails. Made from type 316 Stainless. Discontinued item ... while supplies last. **LIFETIME WARRANTY!**



	Stock Numbers Spiral Shank	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
(CXSSDK8316	21/2"	.113"	9/32"	1,500	13	\$282.12

DOUBLE HOT-DIPPED GALVANIZED BC COMPOSITE DECKING NAILS

Ideal for the popular composite decking such as Trex[®], ChoiceDek[®], TimberTech[®], Fiberon[®], etc.

The manufacturers of these deck products recommend and specify Hot-Dipped Galvanized or stainless steel fasteners.



LIFETIME WARRANTY

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CT449S	3"	.131"	9/32"	1,100	15	\$88.98
CT4490S	3 1/4"	.131"	9/32"	1,000	15	\$86.34
CT4491S	3 1/2"	.131"	9/32"	1,000	16	\$88.93

STICK NAILS PACKED 140 BOXES PER SKID.

FOR FRAMING





BRIGHT FRAMING NAILS

These bright, full round head nails fit popular 20 degree tools. Plain shank. Made in the USA.

PLAIN SHANK

Handy "Job Pack" — 140 Cartons per Skid

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CF447	21/2"	.120"	9/32"	1,400	12	\$68.09
CF4490	31/4"	.131"	9/32"	1,000	13	\$66.30

FOR CEDAR, REDWOOD & ENGINEERED WOOD SIDING

20-22 DEGREE COLLATED STICK NAILS

FULL ROUND HEAD - DOUBLE HOT-DIPPED GALVANIZED & STAINLESS STEEL

The full round head gives excellent bearing on the nailing surface – and ring and spiral shanks give outstanding holding power. Maze collated nails use a carefully engineered plastic to greatly reduce the "flagging" of plastic pieces under the nail head that can occur with other collated fasteners. 100% MADE IN THE USA!

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR SIDING

Fine nails for applying wood, engineered wood, and fiber cement siding. The full, round head gives excellent bearing surface.



LIFETIME WARRANTY! **PLAIN SHANK**

STORMGUARD® Double Hot-Dipped Zinc-Coated.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CS207	21/2"	.113"	9/32"	1,500	13	\$90.87
CS209	3"	.113"	9/32"	1,200	13	\$83.31
CS2091	31/2"	.120"	9/32"	1,100	15	\$91.73



LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$106.64
CS207A	21/2"	.113"	9/32"	1,500	14	\$99.97
CS209A	3"	.113"	9/32"	1,200	13	\$87.65
CS2091A	31/2"	.120"	9/32"	1,100	15	\$96.67



LIFETIME WARRANTY! **SPIRAL SHANK**

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CS205S	2"	.113"	9/32"	1,800	14	\$116.36
CS207S	21/2"	.113"	9/32"	1,500	14	\$94.58
CS209S	3"	.113"	9/32"	1,200	13	\$87.57
CS2091S	31/2"	.120"	9/32"	1,100	15	\$99.39

STAINLESS STEEL (304) RING SHANK

Popular for cedar, redwood and fiber cement sidings. The ring shanks hold tighter than smooth nails, and the textured head holds paint and stain. Made from Type 304 Stainless Steel.

Note: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosionresistance in environments such as sea-coastal areas.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CXSS6	2"	.113"	9/32"	1,800	13	\$168.29
CXSS8	21/2"	.113"	9/32"	1,500	13	\$166.28
CXSS10	3"	.113"	9/32"	1,200	12	\$155.43
CXSS16	3 1/2"	.131"	9/32"	1,000	15	\$173.93

STICK NAILS PACKED 140 BOXES PER SKID.

STAINLESS STEEL (316) RING SHANK SIDING NAILS

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.



RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CXSS6316	2"	.113"	9/32"	1,800	13	\$235.39
CXSS8316	21/2"	.113"	9/32"	1,500	13	\$221.64
CXSS16316	3 1/2"	.135"	9/32"	1,000	15	\$240.72



PAINTED NAILS - For painted nail adders, see page 3.





20-22 DEGREE STICK NAILS

- CONVENIENT JOB PACKS
- QUALITY-MADE IN USA
- HIGHLY CORROSION-RESISTANT





20-22 DEGREE COLLATED STICK NAILS

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR FIBER CEMENT SIDING

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ and Hardie®Plank. The **STORMGUARD®** Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. For stainless steel fiber cement siding nails, see category at right.

(Labeled for Hardie®Plank Lap Siding)

Plain Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY! PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CHD6	2"	.113"	9/32"	1,800	13	\$95.61
CHD8	21/2"	.113"	9/32"	1,500	13	\$90.87
CHD10	3"	.113"	9/32"	1,200	13	\$83.31

(Labeled for Fiber Cement Siding)



LIFETIME WARRANTY!

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CCEM6	2"	.113"	9/32"	1,800	13	\$95.61
CCEM8	21/2"	.113"	9/32"	1,500	13	\$90.87
CCEM10	3"	.113"	9/32"	1,200	13	\$83.31

Ring Shank - Hot-Dipped Galvanized



LIFETIME WARRANTY!

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CS205A	2"	.113"	9/32"	1,800	14	\$106.64
CS207A	21/2"	.113"	9/32"	1,500	14	\$99.97
CS209A	3"	.113"	9/32"	1,200	13	\$87.65



All Collated Nails available painted. For painted nail adders, see page 3.

140 BOXES/SKID





STAINLESS STEEL (304) NAILS FOR FIBER CEMENT SIDING

Type 304 Stainless Steel Nails provide a high degree of corrosion-resistance. (Labeled for Hardie®Plank Lap Siding)



LIFETIME WARRANTY!

(Type 304)

Plain Shank - Stainless Steel

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CHDSS6	2"	.113"	9/32"	1,800	13	\$147.22
CHDSS8	21/2"	.113"	9/32"	1,500	13	\$148.58
CHDSS10	3"	.113"	9/32"	1,200	13	\$156.22

140 BOXES/SKID

STAINLESS STEEL (316) NAILS FOR FIBER CEMENT SIDING

Type 316 Stainless Steel Nails provide the highest degree of corrosion-resistance - especially in sea-coastal areas.

LIFETIME WARRANTY!

(Type 316) Siding nail for Hardie®Plank

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CHDSS6316	2"	.113"	9/32"	1,800	13	\$250.69

140 BOXES/SKID







BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

1-800-435-5949 • orders@mazenails.com

20-22 DEGREE COLLATED STICK NAILS

MAZE STORMGUARD® DOUBLE HOT-DIPPED GALVANIZED NAILS

Great for Post Frame and Timber Frame Construction, Bridge Building, Heavy Duty Crating and much more... The sharp ring shanks hold tight and resist pullout. These nails are specifically designed for use in the MAX HS 130 High Pressure PowerLite™ Tool and Bostitch BRT 130.





LIFETIME WARRANTY! RII	١	١	١
------------------------	---	---	---

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CT4491A*	31/2"	.131"	9/32"	1,000	16	\$89.12
CT350148AZ*	31/2"	.148"	5/16"	1,000	18	\$130.87
CT400148AZ	4"	.148"	⁵ / ₁₆ "	700	16	\$116.64
CT450148AZ	41/2"	.148"	⁵ / ₁₆ "	900	22	\$144.02
CT500148AZ	5"	.148"	⁵ / ₁₆ "	900	25	\$138.35

*These nails are also compatible with the pneumatic tools listed on page 7.

Similar Maze Nails are available for hand driving.

r maze Nails are available for hand ariving.

Call 1-800-435-5949 for details.

DESIGNED TO FIT					
MAX H\$130 High Pressure PowerLite	Bostitch BRT 130				

FOR FRAMING & DECKING

28 DEGREE CLIPPED HEAD PAPER TAPE NAILS

28° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Wade in the U.S.A.



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	Nails/ctn	LBS/CTN	PRICE PER CARTON
PCP28238113AZ	2 ³ / ₈ "	.113"	3,200	23	\$190.00
PCP28325120AZ	31/4"	.120"	1,800	24	\$190.00



Handy "Job Pack" 140 Cartons per Skid

BRIGHT FRAMING NAILS

These bright, clipped near 10 streep ar 28 degree paper tape stick training too. Shown shank. Packed in handy "job packs". Made in the U.S.A.



PLAIN SHANK	LENGTH	GAUGE	Nails/ctn	LBS/CTN	PRICE PER CARTON
PCP28325131	31/4"	.131"	1,820	23	\$80.00

DESIGNED TO FIT ALL 28° NAILERS

AIRY	CAMPBELL HAUSFELD NS289000 CRAFTSMAN
------	--------------------------------------


GREX	SF 9028
GRIP RITE	GRPWCH350
MAX	SN883CH
MAX	SN890CH/28
PRIME AIR	PWCH350
RELIANT	DD231
TECH FORGE	1526B
ULTRA APACHE	AN-9028 AC
UNICATCH	UNS 350PB

(Pneumatic tool names may be trademarks of their respective companies.)

30-34 DEGREE CLIPPED HEAD PAPER TAPE NAILS

33° TRI-COAT HI GALV RING SHANK FRAMING AND DECKING NAILS

These ring shank nails are galvanized using a triple protection process. The manufacturer claims that the rust-fighting finish is designed for use in many outdoor applications. Made in the U.S.A.



STOCK NUMBERS RING SHANK	LENGTH	GAUGE	Nails/ctn	LBS/CTN	PRICE Per Carton
PCP31238113AZ	2 ³ / ₈ "	.120"	3,000	25	Call for pricing
PCP31325120AZ	31/4"	.120"	2,010	23	Call for pricing



Handy "Job Pack" 140 Cartons per Skid

33° BRIGHT FRAMING NAILS

These bright, clipped head nails fit popular 30-34 degree paper tape stick framing tools. Smooth shank. Packed in handy "job packs". Made in the U.S.A.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	Nails/ctn	LBS/CTN	PRICE PER CARTON
PCP31238120	2 ³ / ₈ "	.120"	3,400	27	Call for pricing
PCP31325131	3 1/4"	.131"	2,100	27	Call for pricing

DESIGNED TO FIT ALL 30° TO 34° NAILERS

AIRY	AMB0546C	GRIP RITE
ALFIT	BN3490S	HILTI
A-PLUS	S-90E	HITACHI NR83/
ATRO	933CH	HITACHI NR83/
BOSTITCH	N90PT, F33PT	HITACHI
	18422	
	DPN-6C52/CN	
	D51823	
	SCN-100	
	IHU31-90A SS(CT)	
		PASLODEIm
	SF9034	
· ···		DODTED CADLE

FRIP RITE GRPCH 350	PRIME AIRPCH 350
IILTICHN-9033	SENCO SN325, SN325+
IITACHI NR83AA, NR83AA2	SENCOSN2, SN2+, SN3, SN4
IITACHI NR83AA3, NR90AA	SENCO SN70, Framepro 600E
IITACHINR90AD	SENCO650E, 700XL, 700E-XL
NAX SN890/CH34	SENCO 750XL, 750E-XL
NAXGS683CH-EX	STAN TECHSDN 11PT-1
NAKITAAN942	SUPCOSNR90A, SDF-88
ASLODE 5300S, 5325S	TECH FORGE1521, 1524
ASLODE5350S, SK312	ULTRA APACH AN-9034AC
ASLODEImpulse IM325	UNICATCHUN 350 P4
ASLODEImpulse IM350	WOODTECH 958-336
ORTER CABLEFC350	

(Pneumatic tool names may be trademarks of their respective companies.)

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

DESIGNED TO FIT THE FOLLOWING:

BOSTITCH #N64CP*1 BOSTITCH #N65CP* BOSTITCH #N66C-1 BOSTITCH #N75C-1 DEWALT DW66C-1 FASCO #F45C METABO (HITACHI) #NV65AH METABO (HITACHI) #NV65AH2 METABO (HITACHI) #NV65H2 METABO (HITACHI) #NV75AG METABO (HITACHI) #NV75AN METABO (HITACHI) #NV75A5

BOSTITCH #N63CP*

MAKITA #AN613* MAX #CN565 MAX #CN565S MAX #CN565S3 MAX #HN65 MAX #HN90F* PORTER CABLE #COIL200 SENCO #SCN49 XP SENCO #SCN561 SENCO #SCN55S* SENCO #SN71P1 STANTECH #SDCN14B*

MAKITA #AN611









(Pneumatic tool names may be trademarks of their respective companies.) *These tools have "switch pins" which enable conversion from wire to plastic collation. ¹Must have conversion kit.

DOUBLE HOT-DIPPED SPLIT-LESS® WOOD SIDING NAILS

Slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for cedar, redwood and other splitprone wood sidings. STORMGUARD® Double Hot-Dipped Galvanized. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our stainless steel

Slim-Jim® nails on page 12. Compatible with most 15-degree plastic sheet coil siding tools. 200 nails per coil. Available painted. For painted nail adders, see page 3.





LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	Size	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLS222A	3d	11/4"	.092"	.219"	3,200	12	\$146.09
CLS223A	4d	11/2"	.092"	.219"	3,200	13	\$152.51
CLS224A	5d	13/4"	.092"	.219"	3,200	14	\$155.96
CLS225A	6d	2"	.092"	.219"	3,200	15	\$160.62
CLS226A	7d	21/4"	.092"	.219"	3,200	16	\$167.91
CLS227A	8d	21/2"	.092"	.219"	3,200	17	\$172.18
CLS229A*	10d	3"	.092"	.219"	2,400	16	\$169.47

FOR CEDAR SIDING & PVC TRIM

15 DEGREE PLASTIC COIL-ATED® NAILS

STAINLESS STEEL SLIM-JIM® (304) WOOD SIDING NAILS

Slim-Jim® Wood Siding Nails are the Type 304 Stainless Steel version of our very popular Split-Less® nails and fit most 15-degree plastic sheet coil siding tools. Blunt points and slender ring shanks greatly reduce wood splitting. Small checkered heads blend well with siding and enhance paint/stain adhesion. Recommended for jobs that will be left natural or treated with clear or semi-transparent finishes. 200 nails per coil. 16 coils per carton.







RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLSS6WS	2"	.099"	.219"	3,200	15	\$303.57
CLSS8WS	2 1/2"	.099"	.219"	3,200	17	\$331.42

64 CARTONS/SKID







BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

The California Redwood Association and the Western Red Cedar Lumber Association recommend stainless steel and domestic Hot-Dipped Galvanized nails for the application of their fine wood sidings. Both types of nails can react with the natural extractives in these species under some circumstances, resulting in unsightly staining. For sidings left natural or with transparent or semitransparent finishes, stainless steel nails are recommended. Type 316 stainless is recommended in sea-coastal applications. Available on page 16.

STAINLESS STEEL (304) CELLULAR **PVC TRIMBOARD NAILS**

Ideal for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. In sea-coastal areas, Type 316 stainless steel nails are recommended.







PLAIN SHANK

For painted nail adders, see page 3.

* AVAILABLE PAINTED *

Stock Numbers Plain Shank	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE Per Carton
CLSSPVC6	2"	.099"	.219"	3,200	15	\$289.30
CLSSPVC8	21/2"	.099"	.219"	3,200	17	\$320.48
CLSSPVC10*	3"	.099"	.219"	2,400	16	\$289.10

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



FOR FIBER CEMENT & ENGINEERED WOOD SIDING

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for Hardie®Plank and Hardie®Panel)

Maze **STORMGUARD®** nails are specially made for applying Hardie®Plank, Hardie®Panel, Hardie®Soffit and Hardie®Trim fiber cement products. Double Hot-Dipped Galvanized with a LIFETIME WARRANTY. 200 nails per coil.





STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLHD115	2"	.092"	.219"	3,200	15	\$148.96
CLHD116	21/4"	.092"	.219"	3,200	16	\$155.21
CLHD117	21/2"	.092"	.219"	3,200	17	\$158.46
CLHD119*	3"	.092"	.219"	2,400	16	\$150.41

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



Available in prefinished colors to match Allura[™], James Hardie ColorPlus® and LP SmartSide® Siding and Trim.

15 DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT NAILS

(Labeled for Fiber Cement and untreated Cedar Shakes & Shingles)
MAZE STORMGUARD® Double Hot-Dipped Galvanized Nails
are recommended by many of the fiber cement manufacturers and
the Cedar Shake and Shingle Bureau for untreated shakes and
shingles. 200 nails per coil.



PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLCEM115	2"	.092"	.219"	3,200	15	\$148.96
CLCEM116	2 ¹ / ₄ "	.092"	.219"	3,200	16	\$155.21
CLCEM117	21/2"	.092"	.219"	3,200	17	\$158.46
CLCEM119*	3"	.092"	.219"	2,400	16	\$150.41

^{*3&}quot; length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



LIFETIME WARRANTY! RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLCEM113A	11/2"	.092"	.219"	3,200	13	\$152.51
CLCEM115A	2"	.092"	.219"	3,200	15	\$160.62
CLCEM116A	21/4"	.092"	.219"	3,200	16	\$167.91
CLCEM117A	21/2"	.092"	.219"	3,200	17	\$172.18
CLCEM119A*	3"	.092"	.219"	2,400	16	\$169.47

^{*3&}quot; length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.



Available in prefinished colors to match Allura,™

James Hardie ColorPlus® and LP SmartSide® Siding and Trim.

STAINLESS STEEL TYPE 304 15° COIL-ATED® FIBER CEMENT NAILS

Long-lasting fiber cement siding deserves great nails. Maze Nails now has Stainless Steel Fiber Cement Siding Nails in coils to fit many popular coil nailers! Customers can have the excellent, long-term rust protection of Maze Stainless Steel nails . . . and the speed and convenience of pneumatic application!





STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLSSHD115	2"	.099"	.219"	3,200	15	\$289.30
CLSSHD117	21/2"	.099"	.219"	3,200	17	\$320.48





STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLSSCEM115A	2"	.099"	.219"	3,200	15	\$303.57
CLSSCEM117A	21/2"	.099"	.219"	3,200	17	\$331.42



Available in prefinished colors to match Allura™, James Hardie ColorPlus® and LP SmartSide® Siding and Trim



FOR CEDAR SHAKES & SHINGLES

STAINLESS STEEL (316) 15° COIL-ATED® CEDAR SHAKE AND SHINGLE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.





STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLSSCEM113A316	11/2"	.099"	.219"	3,200	13	\$303.20
CLSSCEM115A316	2"	.099"	.219"	3,200	15	\$339.05
CLSSCEM117A316	21/2"	.099"	.219"	3,200	17	\$357.04



Available in prefinished colors to match Allura, James Hardie ColorPlus® and LP SmartSide® Siding and Trim.

15 DEGREE WIRE COIL-ATED® ROOFING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS:

BOSTITCH #N12B BOSTITCH #RN45B BOSTITCH #RN46 CAMPBELL HAUSFELD #RN1545 DEWALT #DCN45RNB DEWALT #DCN45RND1 DEWALT #DW45RN DUOFAST #RN-175A DUOFAST #DRN-45 FASCO #F42 CN15W -45

FASCO #F48A CN15W -45 GRIP RITE GRTCR 175 HILTI #RFC-134B HITACHI #NV45AB MAKITA #AN451

MAKITA #AN454 MAX #CN450R MAX #CN445R3 MILWAUKEE #7220-20 PORTER CABLE #134R PORTER CABLE #RN175 RIDGID #R175RNA SENCO #SCN40R SENCO #ROOF PRO 445 XP

(Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® ROOFING NAILS

HIAHFDADE COUNTY

Ideal for the quality application of Asphalt and Fiberglass Shingles, for blind-nailing Fiber Cement Siding, for attaching Backerboard, for nailing felt. Packed in convenient job packs of 3,600 nails – in plain shank and ring shank. Wire weld collation.

120 nails per coil. 30 coils per carton. 40 cartons per pallet.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWR101	1"	.120"	3/8"	3,600	16	\$146.04
CLWR102	1 1/4"	.120"	3/8"	3,600	19	\$151.17
CLWR103	1 1/2"	.120"	3/8"	3,600	22	\$163.08
CLWR104*	1 3/4"	.120"	3/8"	3,600	24	\$178.13
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWR102A	11/4"	.120"	3/8"	3,600	19	\$172.27
CLWR103A	11/2"	.120"	3/8"	3,600	22	\$180.33
CLWR104A*	13/4"	.120"	3/8"	3,600	24	\$188.75

*13/4" length not able to be driven in all tools listed. Please refer to your Owners Manual.



STAINLESS STEEL (304) 15° COIL-ATED® ROOFING NAILS

These ring shank nails are made from Type 304 stainless steel for excellent rust protection. Wire weld collation. 120 nails per coil.

30 coils per carton.

LIFETIME WARRANTY!

40 CARTONS/SKID

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWSSRFG3A	1 1/4"	.120"	3/8"	3,600	19	\$355.44
CLWSSRFG4A	1 1/2"	.120"	3/8"	3,600	22	\$401.91
CLWSSRFG5A*	1 3/4"	.120"	3/8"	3,600	24	\$407.10

^{*13/4&}quot; length not able to be driven in all tools listed. Please refer to your Owners Manual.

E.G. (ELECTRO-GALVANIZED) COIL-ATED® ROOFING NAILS



Due to popular demand, Maze now makes e.g. (electrogalvanized) coil roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the BABA "Buy American Act." Plain and ring shank. 120 nails per coil. 30 coils per carton.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWZPR102	1 1/4"	.120"	3/8"	3,600	18	\$114.20
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWZPR102A	1 1/4"	.120"	3/。"	3,600	18	\$160.53

FOR FIBER CEMENT SIDING

15 DEGREE WIRE COIL-ATED® SIDING NAILS

DESIGNED TO FIT THESE POPULAR NAILERS:

BOSTITCH #BTF83C BOSTITCH #N63CP* BOSTITCH #N64CP* BOSTITCH #N65CP* BOSTITCH #N66C BOSTITCH #N75C-1 BOSTITCH #N80CB
DEWALT #DWE6C-1
DEWALT #DWF83C
FASCO #F33 CN15W-PS 50SCR
FASCO #F45C

FASCO #F48AC CN15W-57A FASCO #F58A CN15W-70 FASCO #F58AC CN15W-80 HITACHI #NV65AH HITACHI #NV75AG HITACHI #NV83A2 MAKITA #AN621 MAKITA #AN902 MAX #CN565 MAX #CN565S MAX #CN890F2 MAX #CN665D MAX #HN65 METABO #NV90AGS PORTER CABLE #COIL200 SENCO #SCN56 SENCO #SCN55S* SENCO #SCN60 XP SENCO #SCN65 XP STANTECH #SDCN14B*

*These tools have "switch pins" which enable conversion from wire to plastic collation. (Pneumatic tool names may be trademarks of their respective companies.)

DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® FIBER CEMENT SIDING NAILS

MAZE **STORMGUARD®** Double Hot-Dipped Galvanized Nails are recommended by many of the fiber cement manufacturers and the Cedar Shake and Shingle Bureau. Due to the overlap of the

heads on wire-weld Coil-ated® nails, **painting** of this product line is not recommended.

LIFETIME WARRANTY!





STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/CTN	LBS/CTN	PRICE PER CARTON
CLWHD115	2"	.092"	.219"	3,200	15	\$148.96
CLWHD116	21/4"	.092"	.219"	3,200	16	\$155.21
CLWHD117	21/2"	.092"	.219"	3,200	17	\$158.46
CLWHD119*	3"	.092"	.219"	3,000	19	\$168.37

*3" length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
CLWHD115A	2"	.092"	.219"	3,200	15	\$160.62
CLWHD117A	21/2"	.092"	.219"	3,200	17	\$172.18

O DEGREE PLASTIC COIL-ATED® NAILS

DOUBLE HOT-DIPPED GALVANIZED O° COIL-ATED® SIDING NAILS

These nails are specially made for applying Hardie®Plank, Hardie®Panel, Hardie®Soffit and Hardie®Trim fiber cement products. Double Hot-Dipped Galvanized with a LIFETIME WARRANTY, these nails are "the right nails for the job"!

300 nails per coil. 12 coils per carton.



Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools

PLAIN SHANK

(DUO-FAST® is a registered trademark of Illinois Tool Works, Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON
200HD	2"	.092"	.219"	3,600	18	\$180.49
225HD	21/4"	.092"	.219"	3,600	22	\$193.53
250HD*	21/2"	.092"	.219"	3,600	24	\$194.05

*2-1/2" length can only be driven with RCN70/275A tool.



Order your coil nails painted to match your siding. Only one carton minimum. For painted nail adders, see page 3.

64 CARTONS/SKID

FOR BRIDGEWORK & DECKING

DOUBLE HOT-DIPPED GALVANIZED O° COIL-ATED® DECKING & BRIDGE NAILS

These top-quality double Hot-Dipped Galvanized nails are designed for use in the popular multi-impact nailers by Max Tools. Great for special applications such as bridgework, decks, etc. where using a hand-driven nail is too difficult. Discontinued item ... while supplies last. 50 nails per coil.

18 coils per carton. LIFETIME WARRANTY!





Designed to fit MAX CNV400 & **CNV400A MULTI-IMPACT NAILERS**

> PLAIN SHANK

CL400148Z	4"	.148"	5/16"	900	21	\$185.49
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn	LBS/CTN	PRICE PER CARTON

64 BOXES/SKID

1-800-435-5949 • orders@mazenails.com

ALUMINUM FENCING NAILS O° COIL-ATED®

Ideal for the quality application of cedar and redwood fencing . . . and for many other applications! Packed in convenient job packs — in spiral shank for good holding

power! 300 nails per coil. 12 coils per carton.





Designed to fit Duo-Fast® #RCN60/225 ADJ, CNP65Y SF and RCN70/275A tools

STOCK NUMBER SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/ctn		PRICE PER CARTON
CLZAWS188	17/8"	.099"	.219"	3,600	6	\$213.38

BRIGHT O° COIL NAILS

Ideal for the packaging industry and for fastening large timbers together. Yellow coating improves holding power.



Designed to fit Duo-Fast® N500A

> (DUO-FAST® is a registered trademark of Illinois Tool Works Inc. Maze Nails manufactures nails that are compatible with DUO-FAST® tools.)

> > **PLAIN SHANK**

PLAIN SHANK CLD500148	LENGTH	GAUGE	HEAD	Nails/ctn		PER CARTON
CLD300148	5"	.148"	7/16	1,800	50	\$222.41

24 CARTONS/SKID



HAND-DRIVEN NAILS FOR SIDING

SPLIT-LESS® WOOD SIDING NAILS

Specially designed for split-prone woods such as cedar and redwood. Slim, sturdy shank and special blunt point virtually eliminate splits. **STORMGUARD**® double-dipped in molten zinc. Checkered head enhances paint adhesion on color-matched nails. High count greatly reduces per-nail cost. Especially popular for sidings scheduled for finishing with paints or pigmented stains. For jobs that will be left natural or treated with a clear or semi-transparent finish, we recommend our Type 304 Stainless Steel Slim-Jim® Nails. For Split-Less® Nails in coils for coil siding nailers, see page 11. **LIFETIME WARRANTY!**

NOTE: Use Type 316 Stainless Steel Fasteners for the highest degree of corrosionresistance in environments such as sea-coastal areas.

- Jainiai sielaksist			_		P	LAIN SH	ANK	
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 цв	1 цв
\$225	2"	14	3/16"	283	\$246.68	\$128.40	\$27.65	\$6.09
S226	21/4"	14	3/16"	248	\$248.49	\$126.80	\$27.16	\$6.03
S227	21/2"	13	7/32"	189	\$244.70	\$126.76	\$27.13	\$5.91
S228	23/4"	13	7/32"	171	\$244.44	1	ı	ı
S229	3"	13	7/32"	153	\$244.64	\$126.57	\$27.17	\$5.96
\$2292	4"	12	1/4"	89	\$252.31	_	-	ı

RING SHANK											
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 цв	5 LB	1 цв			
\$225A	2"	14	3/16"	283	\$289.57	\$148.03	\$31.80	\$6.92			
S226A	21/4"	14	3/16"	248	\$281.74	\$146.09	\$31.08	\$6.80			
\$227A	21/2"	13	7/32"	189	\$282.37	\$143.53	\$30.77	\$6.77			
S228A	23/4"	13	7/32"	171	\$279.50	_	\$29.61	_			
\$229A	3"	13	7/32"	153	\$282.31	\$141.00	\$31.05	\$6.82			
\$2290A	31/4"	12	1/4"	113	\$276.66	_	\$29.13	-			
\$2291A	31/2"	12	1/4"	104	\$271.62	_	\$29.81	\$6.52			
S2292A	4"	12	1/4"	89	\$286.13	-	\$31.48	1			

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CEDAR SHAKE SIDING FACE NAILS

Ideally suited for untreated shake shingle sidewall applications. Slim shank, blunt point, small checkered brad head. **STORMGUARD®** double-dipped in molten zinc.

LIFETIME WARRANTY! RING SHANK

_							
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 LB	1 цв
S234A	13/4"	14	1/8"	346	\$275.55	\$28.11	\$6.31
S235A	2"	14	1/8"	310	\$253.23	\$27.74	\$6.15



STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (304)

These slender, blunt-pointed wood siding nails are made from high tensile Type 304 **Stainless Steel** to minimize bending and reduce splitting. Excellent for redwood and cedar siding, especially on wood to be left natural or to receive treatment with semi-transparent coatings or clear finishes (to give the "natural" look). Small checkered head should only be driven flush – not countersunk. *Also available from stock-painted in cedar/redwood color in 25-lb bulk cartons only. For painted nail adders, see page 3.

						RING SHANK			
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB	5 LB	1 цв		
VSS3WS**	11/4"	.083"	3/16"	257	\$253.23	_	_		
SS5WS	13/4"	.099"	7/32"	276	\$266.37	\$62.03	\$13.24		
SS6WS	2"	.099"	7/32"	250	\$281.77	\$60.01	\$12.97		
SS8WS*	21/2"	.099"	7/32"	171	\$272.38	\$58.90	\$12.74		
SS10WS*	3"	.099"	7/32"	128	\$271.11	\$58.68	\$12.61		
SS16WS	31/2"	.120"	7/32"	104	\$271.86	\$55.37	_		

Stocked in 25-lb Bulk Cartons. \$10.00 broken carton charge applies to any increment of less than a full carton.

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (316)

Made from Type 316 **Stainless Steel** for ultimate corrosion-resistance. Perfect for coastal applications. Excellent for cedar and redwood sidings where wood is to be left natural or coated with a semi-transparent finish.

)	RING SHANK				
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
SS5WS 316	13/4"	.099"	7/32"	276	\$286.20
SS6WS 316	2"	.099"	7/32"	250	\$316.67
SS8WS 316	21/2"	.099"	7/32"	171	\$304.44
SS10WS 316	3"	.099"	7/32"	128	\$287.22
SS16WS 316	31/2"	.120"	7/32"	104	\$260.59

STAINLESS STEEL SLIM-JIM® WOOD SIDING NAILS (204Cu)

Made from Type 204Cu **Stainless Steel**. Popular for cedar and redwood sidings where wood is left natural or coated with a semi-transparent finish. Not recommended for coastal applications.

**Available while quantities last.

		RING SH					
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB		
CSS5WS**	13/4"	.099"	7/32"	276	\$249.11		
CSS8WS**	21/2"	.099"	7/32"	171	\$236.80		
CSS10WS**	3"	.115"	7/32"	128	\$232.90		
CSS16WS**	31/2"	.120"	7/32"	104	\$230.10		

^{**}Available while quantities last.

HAND-DRIVEN NAILS FOR SIDING

AV₆

2"

9

DOUBLE HOT-DIPPED GALVANIZED BOX NAILS FOR WOOD & ENGINEERED WOOD SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails with our LIFETIME WARRANTY provide long-term corrosion-resistance for these long-lasting sidings. Checkered heads enhance paint adhesion. 11/2" penetration into framing is recommended. Meets the specifications of the American Hardboard Association and Composite Panel Association. See page 8 for Collated Box Nails. LIFETIME WARRANTY!

			- Silina	► PLAIN SHANK			
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв
5203	1 1/2"	14	7/32"	392	\$228.32	\$24.40	\$5.40
S205	2"	121/2	17/64"	194	\$210.97	\$23.32	\$5.41
S207	21/2"	111/2	9/32"	123	\$209.69	\$23.48	_
S209	3"	111/2	9/32"	103	\$219.68	\$23.73	_
S2091	31/2"	11	9/32"	80	\$220.53	_	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

		morfoodin		RING SHANK			
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 цв
S202A	11/4"	14	7/32"	442	\$293.97	_	_
S203A	11/2"	14	7/32"	392	\$256.02	\$28.66	\$6.84
S205A	2"	121/2	¹⁷ / ₆₄ "	194	\$231.10	\$25.74	\$6.13
S206A	21/4"	121/2	¹⁷ / ₆₄ "	180	\$220.93	_	_
S207A	21/2"	111/2	9/32"	123	\$234.27	\$25.45	\$5.57
S209A	3"	111/2	9/32"	103	\$234.68	\$26.92	\$5.53

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

A

WOUT	SPIRAL SHA					
STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв
S207S	21/2"	111/2	9/32"	123	\$229.51	\$25.59
S209S	3"	111/2	9/32"	103	\$239.10	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED NAILS FOR ALUMINUM & STEEL SIDING

Dependable **STORMGUARD®** Double Hot-Dipped Galvanized Nails are compatible with both types of siding and drive far better than aluminum nails.

ΡΙ ΔΙΝ SΗΔΝΚ

	>	•	LIFETIN			
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв
S263	1 1/2"	12	5/16"	228	\$203.99	\$23.06
\$265	2"	12	5/16"	178	\$196.75	\$22.70

ALUMINUM NAILS FOR VINYL SIDING

Aluminum nails are used for applying vinyl siding. Large, flat head allows proper "hanging" of siding. Diamond point makes driving the nail easy and true. Ring shank provides maximum holding power; also suitable for application of asphalt shingles.

PLAIN SHANK STOCK NUMBERS PLAIN SHANK PRICE 50 LB APPROXIMATE NAILS / LB. LENGTH GAUGE HEAD 1 IR \$583.29 \$15.50 AV4 1 1/2" 9 7/16" 360

7/16" (25) 1-lb. boxes per master.

284

\$561.38

\$14.99

			KING S	KING SHANK		
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb	
MAV4A	1 1/2"	9	7/16"	360	\$774.77	
AV5A	13/4"	9	7/16"	326	\$621.43	
AV6A	2"	9	7/16"	284	\$500.09	

HOT-DIPPED NAILS FOR VINYL SIDING

Larger ³/₈" heads are preferred by many applicators. **STORMGUARD®** Double Hot-Dipped Galvanized.

PLAIN SHANK LIFETIME WARRANTY!								
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	25 цв	5 LB	
S103	1 1/2"	11	3/8"	180	\$216.26	\$112.58	\$23.66	
S104	13/4"	11	3/8"	156	\$209.97	\$109.34	\$23.29	
S105	2"	11	3/8"	136	\$211.47	\$109.43	\$23.52	
S107	21/2"	11	3/8"	112	\$210.94	\$107.96	\$23.08	
S109	3"	10	3/8"	72	\$202.79	_	\$23.14	

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

STAINLESS STEEL NAILS FOR VINYL SIDING (304)

Made from high-quality Type 304 Stainless Steel. Ring shanks provide maximum holding power.

RING SHANK									
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	APPROXIMATE NAILS / LB.	<u>PRICE</u> 25 lb				
SSV4A	1 1/2"	9	²⁷ / ₆₄ "	120	\$276.81				
SSV5A	13/4"	9	27/64"	108	\$272.80				



1-800-435-5949 • orders@mazenails.com

HAND-DRIVEN NAILS FOR SIDING

DOUBLE HOT-DIPPED GALVANIZED FIBER CEMENT/ENGINEERED WOOD

These specially engineered nails are recommended for face and blind nailing many types of fiber cement siding such as Allura™ or Hardie®Plank. The **STORMGUARD**® Double Hot-Dipped Galvanized coating on these nails ensures excellent long-term rust protection. These nails meet the blind and face nail specification for lap siding 81/4" or less. Wider width sidings require blind (roofing) nails. See pages 9, 12, 13 and 14 for fiber cement nails in coils and 20 degree sticks. 21/2" lengths (stock numbers HD-8

and CEM-8) available painted in 5-lb. boxes in all James Hardie Colorplus® colors and Allura™ colors.



(Labeled for Hardie®Plank)


LIFETIME WARRANTY!

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	25 цв	5 LB
HD6	2"	.113"	9/32"	147	\$206.71	\$109.65	\$23.40
HD8*	21/2"	.113"	9/32"	129	\$209.69	\$113.73	\$23.48
HD10	3"	.113"	9/32"	108	\$219.68	_	\$23.73
HD16	31/2"	.120"	9/32"	80	\$220.53	_	\$24.54

^{*}For painted nails with hammer caps pricing/program, see page 19.





PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	N AILS/LB	PRICE 50 LB	25 LB	5 LB
CEM6	2"	.113"	9/32"	147	\$206.71	\$109.65	\$23.40
CEM8*	21/2"	.113"	9/32"	129	\$209.69	\$113.73	\$23.48
CEM10	3"	.113"	9/32"	108	\$219.68	_	\$23.73

^{*}For painted nails with hammer caps pricing/program, see page 19.





LIFETIME WARRANTY!

PLAIN SHANK

(Labeled for LP SmartSide® Siding and Trim)

	21/,"	.113"	9/2011	120	\$209.69		
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	25 LB	5 цв

*For painted nails with hammer caps pricing/ program, see page 19.

THESE NAILS ALSO AVAILABLE IN 20 **DEGREE STICKS (SEE PAGES 8 & 9).**





LIFETIME WARRANTY! **RING SHANK**

(Ring Shank Fiber Cement Nails)

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	N AILS/LB	PRICE 50 LB	5 LB	1 цв
S205A	2"	.099"	¹⁷ / ₆₄ "	194	\$231.10	\$25.74	\$6.13
S207A	2 1/2"	.113"	9/32"	123	\$234.27	\$25.45	\$5.57
S209A	3"	.113"	9/32"	103	\$234.68	\$26.92	\$5.53

THESE NAILS ALSO AVAILABLE IN 20 DEGREE STICKS (SEE PAGES 8 & 9).

DOUBLE HOT-DIPPED GALVANIZED "ORIGINAL" SMALL HEAD SIDING NAILS

These nails, made originally to the specifications of the early producers of hardboard siding, now have a multitude of other uses with other types of siding, trim, fencing, decking, etc. They are areat all-around nails. Extra stiff shank for easy driving. Self-seating heads. **STORMGUARD®** Double-dipped in molten zinc. Refer to Wood Siding Box Nails for specifications requiring a larger diameter head (page 17).

LIFETIME WARRANTY! **PLAIN SHANK**

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	N AILS/LB	PRICE 50 LB	25 LB	5 цв	1 цв
\$255	2"	12	3/16"	181	\$213.10	ı		ı
\$257	21/2"	12	3/16"	146	\$212.54	\$98.22	\$23.55	\$5.19
S259	3"	11	7/32"	98	\$195.56	-	1	1
S2590	31/4"	11	7/32"	90	\$203.88	1	_	ı
\$2591	31/2"	11	7/32"	82	\$202.10	_		_
\$2592	4"	11	7/32"	73	\$201.56	_	_	_

LIFETIME WARRANTY!

_			SPIRAL	SHANK				
STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 LB	5 цв	1 цв
S255S	2"	12	3/16"	181	\$242.80	\$117.94	\$27.45	\$5.89
\$257\$	2 ¹ / ₂ "	12	3/16"	146	\$237.53	\$121.73	\$26.45	\$5.79
\$259\$	3"	11	⁷ / ₃₂ "	98	\$230.09	\$119.03	\$24.54	\$5.50
S2590S	31/4"	11	⁷ / ₃₂ "	90	\$232.00	-	\$25.15	ı
S2591S	31/2"	11	⁷ / ₃₂ "	82	\$229.58	\$117.80	\$25.17	\$5.56

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

ALUMINUM SIDING NAILS

These nails are made from high tensile aluminum alloy. Compatible with aluminum sidings. Provide ultimate protection from red rust.

PLAIN SHANK

STOCK NUMBERS					PRICE	
PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	50 LB	1 цв
AS4	11/2"	.120"	3/8"	536	_	\$16.74
AS5	13/4"	.120"	3/8"	500	\$598.40	_
AS6	2"	.120"	3/8"	420	_	\$16.06
AS8	2 ¹ / ₂ "	.120"	3/8"	359	_	\$15.40
AS10	3"	.120"	3/8"	305	_	\$14.10

Shipped in 50-lb Bulk Cartons or 1-lb boxes, 25 per master.








PREFINISHED HAND-DRIVEN NAILS FOR SIDING

As America's top prefinisher of nails for many exterior applications, Maze paints a wide variety of Double Hot-Dip Galvanized and Stainless Steel siding nails for use with America's major siding brands.

We make a serious effort to keep the most popular colors of hand-drive nails in stock – for quick shipment. For non-stock colors, Maze has a 200-lb. minimum order requirement. These nails are packed in 5-lb. boxes – 6 per master case – and each box includes two hammer caps to greatly reduce the amount of paint chipping when the nails are driven.



If the contractor prefers to drive the prefinished nails pneumatically, our various Maze coil and stick nails are painted on demand - and are generally shipped in just a few days. They may be ordered in any stock color – in as small a quantity as a single carton.





To determine Maze's closest color match to the siding – simply scan the QR codes below – or enter the URL provided. We do our best to keep current – which is a tall order!









Color Matched Nails save BIG \$\$\$ in time and labor on prestained and prefinished jobs!





HAND-DRIVEN NAILS FOR DECKING

DOUBLE HOT-DIPPED GALVANIZED P.T.L.® NAILS FOR THE NEW TREATED LUMBER

These nails are made from stiffer stock steel so the shanks can be smaller in diameter to help reduce wood splitting without bending. Ring and spiral shanks provide exceptional holding power. Producers of treated lumber and many building codes specify Hot-Dipped Galvanized or stainless steel nails because they have a life expectancy comparable to that of the treated lumber. Maze **STORMGUARD®** P.T.L.® Nails are Double Hot-Dipped Galvanized. See page 7 for Collated P.T.L.® Nails.

Shipped in Standard 50-lb or 25-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

- dinnadal					LIFE	FLAIN		•
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails /lb	PRICE 50 LB	25 LB	5 цв	1 цв
T445	2"	11	9/32"	137	\$203.12	-	\$23.25	\$5.14
T447	21/2"	11	9/32"	111	\$205.60	-	\$23.39	\$5.17
T449	3"	10	19/64"	75	\$210.72	\$112.76	\$23.45	\$5.17
T4490	31/4"	10	19/64"	69	\$211.84	_	\$23.90	ı
T4491	31/2"	9	5/16"	54	\$211.39	\$112.46	\$24.02	\$5.31
T4492	4"	7	3/8"	33	\$200.44	-	\$23.40	\$5.21
T4493	41/2"	7	3/8"	29	\$204.15	_	_	1
T4494	5"	51/2	15/32"	20	\$198.41	_	_	1
T4496	6"	51/2	15/32"	18	\$202.09	_	_	-

LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS /LB	PRICE 50 LB	25 цв	5 LB	1 цв
T445A	2"	11	9/32"	137	\$228.66	\$108.09	\$25.55	\$5.65
T447A	21/2"	11	9/32"	111	\$227.26	\$118.65	\$25.53	\$5.60
T449A	3"	10	19/64"	75	\$225.36	\$115.58	\$24.98	\$5.49
T4490A	31/4"	10	19/64"	69	\$220.65	\$113.41	\$24.82	\$5.43
T4491A	31/2"	9	5/16"	54	\$222.32	\$115.45	\$25.10	\$5.49
T4492A	4"	7	3/8"	33	\$219.03	\$113.07	\$24.38	\$5.38
T4493A	41/2"	7	3/8"	29	\$220.05	_	\$24.83	_
T4494A	5"	51/2	15/32"	20	\$219.54	\$118.01	\$24.98	_
T4496A	6"	51/2	15/32"	18	\$215.61	_	\$24.81	_

LIFETIME WARRANTY! SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails /lb	PRICE 50 LB	25 цв	5 LB	1 цв
T445S	2"	11	9/32"	137	\$227.64	-	\$25.60	\$5.60
T447S	21/2"	11	9/32"	111	\$228.37	\$114.31	\$25.57	\$5.63
T449S	3"	10	19/64"	75	\$224.00	\$118.14	\$24.81	\$5.51
T4490S	31/4"	10	19/64"	69	\$223.19	_	\$24.64	\$5.48
T4491S	31/2"	9	5/16"	54	\$220.94	\$117.38	\$25.07	\$5.48
T4492S	4"	7	3/8"	33	\$218.60	_	\$24.77	\$5.47
T4493S	41/2"	7	3/8"	29	\$216.22	_	\$24.06	-
T4494S	5"	51/2	15/32"	20	\$217.12	\$112.78	\$24.26	_
T4496S	6"	51/2	15/32"	18	\$217.56	_	\$23.87	_

STAINLESS STEEL (304) NAILS FOR THE NEW TREATED LUMBER

Type 304 STAINLESS STEEL P.T.L.® NAILS are for applications requiring even higher corrosion-resistance than offered by Double Hot-Dipped Galvanized nails.

a .		
	36666666666666666	
TO DESCRIPTION OF THE PROPERTY	1000000000000000000	100100000000000000000000000000000000000

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	N AILS/LB	PRICE 25 LB	5 LB
XSST443A	11/2"	111/2	9/32"	206	\$374.12	ı
XSST445A	2"	111/2	9/32"	158	\$341.85	-
XSST447A	21/2"	11	9/32"	119	\$294.19	\$68.58
XSST449A	3"	10	9/32"	83	\$279.30	\$67.49
XSST4491A	31/2"	9	5/16"	58	\$281.93	-
XSST4492A	4"	7	3/8"	35	\$275.14	\$67.05
XSST4494A	5"	51/2	15/32"	23	\$286.41	\$64.03
XSST4496A	6"	51/2	15/32"	19	\$284.20	1

^{* (6) 5-}Lb boxes per master.

STAINLESS STEEL (316) NAILS FOR THE NEW TREATED LUMBER

Made from Type 316 STAINLESS STEEL for ultimate corrosion-resistance. Recommended for the application of skirt boards treated with corrosive preservatives.

RING SHANK

— нинивини					
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
XSST445A316	2"	111/2	9/32"	158	\$398.38
XSST447A316	21/2"	11	9/32"	119	\$360.16
XSST449A316	3"	10	9/32"	83	\$356.92
XSST4491A316	3 1/2"	9	5/16"	58	\$359.64
XSST4492A316	4"	8	3/8"	42	\$358.13
XSST4496A316	6"	51/2	15/32"	19	\$347.10

STAINLESS STEEL DECKING NAILS

These Screw-Down® nails hold tight on a wide variety of outdoor applications. Ideal for use on cedar & redwood decks where a durable nail is needed to drive into the pressure treated lumber joists. Textured head holds paint and stain. Manufactured from top-grade, Type 304 Stainless Steel.

—maratanja	- ON THE OWN TO SEE T								
STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB				
SSDK6	2"	111/2	13/64"	172	\$256.58				



The 2021 International Residential Code – Section R317.3.1 and the 2021 International Building Code – Section 2304.10.5.1 both state: "Fasteners in contact with preservative-treated wood shall be of Hot-Dipped zinc-coated galvanized steel, stainless steel, silicon bronze or copper." Our coating weights for zinc-coated fasteners shall be in accordance with ASTM A-153. Stainless steel fasteners shall be in accordance with the material requirements of ASTM F1667. Maze STORMGUARD® Double Hot-Dipped, Zinc-Coated Galvanized Nails and Type 304 and Type 316 Stainless Steel Nails meet and exceed those criteria.

JOIST HANGER NAILS



STAINLESS STEEL (304) JOIST HANGER NAILS

Maze Nails is a domestic manufacturer of topquality 304 STAINLESS STEEL Joist Hanger Nails to attach hangers to the new treated lumber. Note: For maximum protection, use Type 316 Stainless Steel nails.



Stainless Steel 304 PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB	5 LB
SSJ131	11/2"	.135"	9/32"	153	\$299.85	\$65.80
SSJ148	11/2"	.148"	5/16"	120	-	\$67.20

(6) 5-lb boxes per master.

Stainless Steel 304 RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
SSXR162A	11/4"	.135"	3/8"	170	\$249.80
SSXR163A	11/2"	.135"	3/8"	146	\$237.51

CAUTION: ALWAYS WEAR SAFETY GLASSES WHEN DRIVING ANY NAILS.

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These well-threaded nails are **STORMGUARD®** Double Hot-Dipped Galvanized to ensure superior holding power and long-term rust-protection. The Hot-Dipped coating is the type of galvanized coating which is recommended by the makers of treated lumber to use with their products.

LIFETIME WARRANTY! RING SHANK

0										
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB	1 цв			
XR162A	11/4"	.135"	3/8"	155	\$233.45	\$25.43	\$5.64			
XR163A	11/2"	.135"	3/8"	128	\$223.62	\$24.58	\$5.54			
J148A	11/2"	.148"	5/16"	120	\$273.34	\$28.82	-			
XR164A	13/4"	.135"	3/8"	114	\$223.12	_	-			
XR165A	2"	.135"	3/8"	103	\$215.71	_	_			
XR167A	21/2"	.135"	3/8"	85	\$223.94	_	_			

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

1-800-435-5949 • orders@mazenails.com

DOUBLE HOT-DIPPED GALVANIZED JOIST HANGER NAILS

These Joist Hanger Nails are manufactured to the specifications of several of the large joist hanger makers. Stock number J-131 crosses-over to the Kant-Sag® "NA11" and Simpson® "N8", while the stock number J-148 crosses-over to Kant-Sag® "NA9D" and Simpson® "N10". The Maze advantage is that our nails are **STORMGUARD® Double Hot-Dipped Galvanized** – for superior corrosion-resistance. And, you can order these top-quality nails along with your other Maze products – in bulk and packaged. **LIFETIME WARRANTY!**

RATIO X			PLAIN SHANK							
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв			
J131	11/2"	.135"	9/32"	153	\$224.51	\$24.42	\$5.35			
J148	11/2"	.148"	5/16"	120	\$217.40	\$23.96	\$5.24			

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.



BE SAFE! USE SAFETY GLASSES
WHENEVED DRIVING ANY NAMES



DOUBLE HOT-DIPPED GALVANIZED CONNECTOR NAILS

These nails are made from top-grade steel - and are then Double Hot-Dipped Galvanized for use in both bright and galvanized connectors. The MAZE **STORMGUARD®** Hot-Dipped coating meets the specifications of the 2021 International Building Code for nails to be driven into pressure treated lumber. Check with your connector supplier to determine the correct size nails for installing their products - to make certain that structural minimums are met. **LIFETIME WARRANTY!**

-www.	PLAIN SHANK							
STOCK NUMBERS					PRICE			
PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	50 цв			
CN250131	21/2"	.131"	9/32"	99	\$240.20			
CN250148	2 ¹ / ₂ "	.148"	⁵ / ₁₆ "	74	\$244.85			
CN250162	2 ¹ / ₂ "	.162"	11/32"	61	\$256.79			
CN300148	3"	.148"	5/16"	64	\$239.90			

PAINTED DOUBLE HOT-DIPPED GALVANIZED TRIM NAILS FOR SOFFIT AND FASCIA

Maze **STORMGUARD**® Trim Nails are ideal for applying painted aluminum trim coil, soffit and fascia. The thick, uniform zinc-coating is compatible with aluminum, and the strong steel shank drives much better than aluminum nails. White and Brown trim nails are stock items in 1-lb boxes, 12 per master carton. Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!** For stainless steel trim nails, see page 23.

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 1 LB
R112M61 (WHITE)	1 1/4"	14	7/32"	450	\$8.20
R112M22 (Brown)	1 1/4"	14	7/32"	450	\$8.20
R113M61 (WHITE)	11/2"	14	7/32"	396	\$8.05
R113M22 (Brown)	11/2"	14	7/32"	396	\$8.05



(12) 1-lb boxes per master.

AVAILABLE IN ADDITIONAL PAINT COLORS

STAINLESS STEEL (304) NAILS FOR CELLULAR PVC TRIMBOARDS

Ideal for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.

PLAIN SHANK
PAINTED WHITE

•									
STOCK NUMB PLAIN SHANK		LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 5 LB Box			
PVC8825	2 (WHITE)	21/2"	12 ¹ / ₂	7/32"	190	\$59.10			

(6) 5-lb boxes per master.

	>	PAINTED WHITE			
STOCK NUMBERS RING SHANK	HEAD	NAILS/LB	<u>PRICE</u> 1		
PVC6A8252 (WHITE)	2"	121/2	7/32"	225	\$13.65
PVC8A8252 (WHITE)	7/32"	190	\$13.50		

(12) 1-lb boxes per master.

STAINLESS STEEL (204Cu) NAILS FOR CELLULAR PVC TRIMBOARDS

Economical 204Cu Stainless Steel for applying the popular cellular PVC trim such as KLEER®, KOMA® and AZEK® trimboards. Cellular PVC manufacturers recommend high quality fasteners such as stainless steel or Hot-Dipped Galvanized. For "gun-driven" nails, see page 12. In sea-coastal areas, Type 316 stainless steel nails are recommended.

PLAIN SHANK PAINTED WHITE

DING CHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 5 LB Box	PRICE 1 LB Box
CPVC88252 (WHITE)	21/2"	121/2	7/32"	190	\$52.80	\$11.85

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

RING SHANK PAINTED WHITE

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 5 LB Box	<u>РКІСЕ</u> 1
CPVC6A8252 (WHITE)	2"	121/2	7/32"	225	\$54.80	\$12.45

(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED FINISHING NAILS

Designed for exterior trim applications. Brad head sets easily and ensures neat finished appearance. **STORMGUARD**® Double Hot-Dipped Galvanized. **LIFETIME WARRANTY!**

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 LB	1 цв
T315	2"	14	1/8"	310	\$216.53	\$23.64	\$5.48
T317	21/2"	13	9/64"	196	\$199.83	\$23.40	\$5.13
T319	3"	111/2	5/32"	109	\$208.37	\$23.81	\$5.26

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED CASING NAILS

Designed for the secure application of window and door frames, cornices and exterior molding. Eliminate need for countersinking and puttying. **STORMGUARD**® Double Hot-Dipped Galvanized.

LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 LB
T305	2"	121/2	9/64"	212	\$199.04	\$23.67
T307	21/2"	111/2	9/64"	131	\$203.56	\$22.92
T309	3"	10	11/64"	85	\$207.18	\$23.32
T3091	31/2"	10	11/64"	67	\$204.48	\$22.33
T3092	4"	9	3/16"	48	\$201.10	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED GARAGE DOOR JAMB SEAL NAILS

These painted, Hot-Dipped Galvanized nails are perfect for applying jamb seals on garage doors. Available in a variety of colors to match manufacturers' colors. **Pricing includes paint charges.**

LIFETIME WARRANTY!



AVAILABLE IN LIMITED PAINT COLORS

PLAIN SHANK

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв
R112	11/4"	14	7/32"	450	\$269.94	\$29.43	\$8.20
R113	11/2"	14	7/32"	392	\$263.64	\$28.63	\$8.05
R114	13/4"	14	7/32"	344	\$256.77	\$28.37	\$7.70



AVAILABLE IN LIMITED PAINT COLORS RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв
S213A	1 ⁷ / ₁₆ "	121/2	3/16"	262	\$385.74	\$39.95	-
S214A	13/4"	121/2	3/16"	220	\$381.34	\$39.60	\$9.78

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

1-800-435-5949 • orders@mazenails.com

HAND-DRIVEN PAINTED TRIM NAILS

STAINLESS STEEL PAINTED TRIM NAILS (304)

Hammercaps reduce paint chipping!

High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a checkered head – Specially designed to hold

THE STATE OF THE S

more paint than a flat head. See Hammercaps on page 3.

PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	<u>PRICE</u> 1 в В ох
SST2*	1"	2d	.072"	3/16"	760	Call for pricing
SST3	11/4"	3d	.072"	3/16"	615	Call for pricing
SST5**	13/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**8252, 9514, 9572, 0003 only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB Box
SST2A*	1"	2d	.072"	3/16"	760	Call for pricing
SST3A	11/4"	3d	.072"	3/16"	615	Call for pricing
SST4A	11/2"	4d	.080"	3/16"	443	Call for pricing
SST5A**	13/4"	5d	.080"	3/16"	340	Call for pricing

*8252 white only

**10 popular colors

STAINLESS STEEL PAINTED TRIM NAILS (204Cu)

Hammercaps reduce paint chipping!

High quality painted trim nails for use with trim coil, soffit and fascia. Available painted in many different colors – pre-matched to coil manufacturers' colors. These nails have a striated head – Specially designed to hold more paint than a flat head. See Hammercaps on page 3. Less expensive and less corrosion-resistant than Type 304 stainless steel. Not recommended for coastal applications.



PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	PRICE 1 LB Box
CST2*	1"	2d	.072"	3/16"	760	Call for pricing
CST3	11/4"	3d	.072"	3/16"	615	Call for pricing

*8252 white only

RING SHANK - PAINTED

STOCK NUMBERS RING SHANK	LENGTH	PENNY SIZE	DIAMETER	HEAD	APPROXIMATE NAILS / LB.	<u>PRICE</u> 1
CST2A*	1"	2d	.072"	3/16"	760	Call for pricing
CST3A	11/4"	3d	.072"	3/16"	615	Call for pricing

*8252 white only

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.



What's the difference between Type 304 and Type 204Cu?
Scan to learn more.

applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge after discount

9770, 9560 9758 8252 9573 8030 8011 9749 9511 9654, 9753 9541, 9746 9512 9538, 9653 9695 9766 9559, 9514 9675 9550 9607, 9613 9519 9588 9713, 9532 9727 1168, 9556 9769 1179 9776 9658 9711 9572, 9596 9587 9747, 9561 1194 5053 9702 9605 9690 9720 0165 9522 9579 9742 5082 5083 9812 9586 9505 9615 5052 5054 5056 9820 9737 9513, 9637 9811 9503 1096, 9554 9536 9546 2101, 9704 9568 9687 9528 9698 9733 9521 1177 0336 (Copper) 9718 9569 7527 9735 0003

◆ NOTE: Actual paint colors may vary from the representations on the chart shown. This color chart only applies to Maze Stainless Steel Trim Nails.

See **www.mazenails.com/resources/painted-nail-colors** for details on color matches and painted color availability by nail type.



ALUMINUM PAINTED TRIM NAILS

Our quality paint finish is a special baking enamel – for fine durability. Made from .101" wire, with 3/16" flat heads. Available in white and brown finish only.



PLAIN SHANK - PAINTED

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 1 LB
AT38252 (WHITE)	11/4"	.101″	3/16"	1040	\$18.40
AT31177 (Brown)	11/4"	.101″	3/16"	1040	\$18.40

(25) 1-lb boxes per master.

Note: A \$.50 per pound up-charge applies to trim nails ordered in less than full master cartons and/or nails requiring custom labels.

DOUBLE HOT-DIPPED GALVANIZED GUTTER SPIKES

Ideal for aluminum, galvanized & vinyl gutters. The extra-thick **STORMGUARD**® zinc-coating will not react with aluminum. Strong, steel-core spikes drive better than aluminum spikes. For best results, spikes should be driven into rafters or trusses, not only into fascia. Minimum 1 spike every 24". Checkered heads enhance paint adhesion. Add \$63.70 per 50-lbs. for painting. *These items stocked in WHITE.

LIFETIME WARRANTY!	PLAIN SHANK
30000	>

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
T364	7"	3/16"	⁷ / ₁₆ "	16	\$232.50
T365	8"	3/16"	⁷ / ₁₆ "	14	\$222.52
T366	8"	1/4"	9/16"	8	\$228.52
T368	9"	1/4"	9/16"	7	\$228.87
T369	10"	1/4"	9/16"	6.5	\$227.07


LIFETIME WARRANTY!	RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
XT650A	61/2"	3/16"	7/16"	18	\$261.03
XT658A	65/8"	3/16"	⁷ / ₁₆ "	17	\$266.82
T364A*	7"	3/16"	7/16"	16	\$241.47
XT750A	71/2"	3/16"	7/16"	15	\$250.13
T365A*	8"	3/16"	7/16"	14	\$247.32
T366A	8"	1/4"	9/16"	8	\$247.09
T368A	9"	1/4"	9/16"	7	\$238.70
T369A	10"	1/4"	9/16"	6.5	\$242.99
ZL3691A	11"	1/4"	9/16"	6.2	\$294.00
ZL3692A	12"	1/4"	9/16"	5.8	\$308.30

Stocked in 50-lb Bulk Cartons.

ALUMINUM GUTTER FERRULES

Packed 500 pieces per box, these quality ferrules are made from .013" gauge aluminum. The 5" ferrules are commonly used with 7" spikes.



STOCK NUMBERS	LENGTH	GAUGE	WEIGHT PER BOX	PRICE Per Box
AF5	5"	.013"	5 LBS.	Call for pricing

DOUBLE HOT-DIPPED GALVANIZED GUTTER HANGER NAILS

These spiral shank nails are specially threaded so they drive well and hold tight. Their **STORMGUARD**® Double Hot-Dipped Zinc-Coating ensures excellent long-term rust protection.

LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb	5 LB
GH6S	2"	.120″	9/32"	137	\$232.39	ı
XR175S	2"	.135″	5/16"	109	\$234.10	ı
ARD200148Z	2"	.148″	9/32"	104	\$274.80	1
ARD250148Z	21/2"	.148″	9/32"	74	\$256.10	ı
GH8S	21/2"	.120″	9/32"	111	\$225.20	\$25.40

Stocked in 50-lb Bulk Cartons Unless Otherwise Specified.
(6) 5-lb boxes per master.



DOUBLE HOT-DIPPED GALVANIZED GENERAL PURPOSE RING SHANK NAILS

These **STORMGUARD**® Double Hot-Dipped Galvanized Nails that were originally designed for asbestos siding should be obsolete! However, our customers have found many other applications where extra holding power and dependable corrosion-resistance are desired. Checkered heads enhance paint adhesion. *These two lengths are stocked in 50-lb cartons in the M-61 White color. See "Garage Door Jamb Seal Nails" on page 22 for painted prices. Also available in other colors. **LIFETIME WARRANTY!**

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	<u>PRICE</u> 50 lв	5 LB
S212A	11/4"	121/2	3/16"	304	\$260.17	_
S213A*	1 ⁷ / ₁₆ "	121/2	3/16"	262	\$345.74	_
\$214A*	13/4"	121/2	3/16"	220	\$341.34	\$35.60

RING SHANK

HAND-DRIVEN NAILS FOR ROOFING

DOUBLE HOT-DIPPED GALVANIZED ASPHALT & FIBERGLASS SHINGLE NAILS

Designed for the secure application of asphalt and fiberglass shingles on new construction and re-roofing jobs. Ring and spiral shanks provide extra holding power, especially in high wind/hurricane areas. **STORMGUARD®** Double Hot-Dipped Zinc-Coating provides extra corrosion-resistance. Manufactured to meet ASTM spec. F1667 and ASTM spec. A-153 for Hot-Dipped Zinc-coating. Nails should be long enough to penetrate $^3/_4$ " into the wood deck lumber, or completely through plywood decking. Type 304

Stainless Steel Roofing Nails also available. All Maze Nails are 100%

Made in the U.S.A. For Coil-ated® Shingle Nails see page 14. LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 50 LB	5 цв
R100	7/8"	11	3/8"	272	\$217.13	\$24.04
R101	1"	11	3/8"	250	\$216.35	_
R102	11/4"	11	3/8"	202	\$219.50	\$23.94
R103	11/2"	11	3/8"	180	\$216.26	\$23.66
R104	13/4"	11	3/8"	145	\$209.97	\$23.29
R105	2"	11	3/8"	136	\$211.47	\$23.52
R107	21/2"	11	3/8"	106	\$210.94	\$23.08

LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 50 LB	5 LB
R100A	7/8"	11	3/8"	272	\$249.24	-
R101A	1"	11	3/8"	250	\$231.98	\$25.68
R102A	1 1/4"	11	3/8"	202	\$228.81	\$26.34
R103A	11/2"	11	3/8"	180	\$228.57	\$25.38
R104A	13/4"	11	3/8"	145	\$225.50	\$24.91
R105A	2"	11	3/8"	136	\$222.04	\$24.99
R107A	21/2"	11	3/8"	106	\$221.57	\$24.23

LIFETIME WARRANTY!

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 50 LB
R103S	11/2"	11	3/8"	180	\$236.29
R104S	13/4"	11	3/8"	145	\$240.08
R105S	2"	11	3/8"	136	\$229.50

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

E.G. (ELECTRO-GALVANIZED) ROOFING NAILS

Due to popular demand, Maze now makes e.g (electro-galvanized) roofing nails. These roofing nails are 100% Made in the USA, and meet the criteria of the BABA "Build America—Buy America" Act. Plain shank. For Coil-ated® shingle nails, see page 14.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
R102ZP	11/4"	.120"	3/8"	212	\$207.53

INSULATION ROOF DECK/RIDGE VENT NAILS

These extra-long "Asphalt Shingle Nails" are designed for the application of structural roof deck to wood trusses or rafters. Also great for application of shingles over rigid foam insulation into roof decking and for the installation of "ridge vents". Large heads prevent pull-through. Ring shanks provide exceptional holding power. **STORMGUARD**® Double Hot-Dipped Galvanized.

PLAIN SHANK
LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 50 LB
R159	3"	10	3/8"	72	\$202.79
R1591	31/2"	10	3/8"	62	\$197.17
R1592	4"	9	13/32"	46	\$201.80

RING SHANK
LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 50 LB	5 цв
R159A	3"	10	3/8"	72	\$215.96	\$24.90
R1591A	31/2"	10	3/8"	62	\$210.84	_
R1593A	41/2"	9	13/32"	40	\$246.41	_
R1595A	51/2"	7	13/32"	23	\$246.53	1

All Nails Above Stocked in 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

***NOTE: For aluminum ring shank asphalt shingle nails, see aluminum nails on page 17.





- Maze STORMGUARD® Nails withstood and exceeded the ASTM G85 test protocol required for Miami Dade County.
- Maze **STORMGUARD**® Ring Shank Nails provide more than twice the holding power of plain shank nails.
- Maze STORMGUARD® Roofing Nails meet the 2021 International Building Code 1507.2.6 and comply with ASTM F1667.

Miami Dade County, Florida NOA (Notice of Acceptance) No: 16-0712.06 Expiration Date: 08.17.26

HAND-DRIVEN NAILS FOR ROOFING

STAINLESS STEEL (304) PLAIN SHANK NAILS FOR ROOFING

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease.

	· ·	_>	ı	PLAIN SHA	NK
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 25 LB
SSRFG5	13/4"	11	3/8"	167	\$313.69
SSRFG6	2"	11	3/8"	148	\$313.78
SSRFG8	21/2"	11	3/8"	120	\$309.80

Stocked in 25-lb Bulk Cartons.

STAINLESS STEEL (304) RING SHANK **NAILS FOR ROOFING**

These nails are made from highly corrosion-resistant Type 304 Stainless Steel for outstanding rust-protection. The strong shanks drive with ease and the ring shanks ensure excellent holding power. For coil nails, see **mmannum** page 14.

DI	NI	2	SH	ıA	N	ıv
KI	N	G	ЭП	IA	N	ıĸ

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/Lb	PRICE 25 LB
SSRFG3A	11/4"	11	3/8"	226	\$331.99
SSRFG4A	11/2"	11	3/8"	194	\$330.90
SSRFG5A	13/4"	11	3/8"	167	\$335.59
SSRFG6A	2"	11	3/8"	148	\$323.50
SSRFG8A	21/2"	11	3/8"	120	\$330.22

Stocked in 25-lb Bulk Cartons.





COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full 3/8" head gives good bearing pressure on roofing and flashing material. Diamond point and smooth shank make driving easy.



STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 25 LB 5 LB
CU100	1"	10	3/8"	194	← Call for pricing ←
CU125	11/4"	10	3/8"	158	← Call for pricing ←
CU150	11/2"	10	3/8"	133	← Call for pricing ←
CU175	13/4"	10	3/8"	115	← Call for pricing →
CU200	2"	10	3/8"	102	← Call for pricing ←
CU250	21/2"	10	3/8"	83	← Call for pricing ←
CU300	3"	10	3/8"	70	← Call for pricing ←

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.

COPPER SLATING & FLASHING NAILS

These solid copper nails are the type recommended for use with many major brands of tile and slate roofing – and are the most compatible nails for use with copper flashing. The full ³/₈" head gives good bearing pressure on roofing and flashing material. Diamond point makes driving easy. Ring shank holds tight.

	-	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NAMED IN COL
The second secon	-	
	4	

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/LB	PRICE 25 LB	5 цв
CU100A	1"	10	3/8"	194	•— Call for	pricing —•
CU125A	11/4"	10	3/8"	158	← Call for	pricing —•
CU150A	11/2"	10	3/8"	133	← Call for pricing ←	
CU175A	13/4"	10	3/8"	115	←— Call for	pricing —•
CU200A	2"	10	3/8"	102	← Call for	pricing —•
CU250A	2 ¹ / ₂ "	10	3/8"	83	•— Call for	pricing —•
CU300A	3"	10	3/8"	70	•— Call for	pricing —•

Stocked in 25-lb Bulk Cartons (6) 5-lb boxes per master.



CEDAR SHAKE & SHINGLE ROOFING NAILS

DOUBLE HOT-DIPPED GALVANIZED CEDAR SHINGLE AND SHAKE NAILS

Maze **STORMGUARD®** Plain and Ring Shank Cedar Shake and Shingle Nails are Double Hot-Dipped Galvanized – which conform to ASTM Standard A153, Class D and conform to the nail specifications of the Cedar Shake and Shingle Bureau for non-saltwater areas. These slender, stiff nails resist splitting, bending and effectively resist rust. Nails should be long enough to penetrate sheathing at least ¾". Use only two nails per shake or shingle approximately ¾" from edge and 1½" above the butt line of the next course. Nails should be driven flush, but not so far that the nail head crushes the wood. Excellent for typical, non-coastal (over 15 miles from salt-water) residential applications **not** utilizing pressure-impregnated preservative or fire-retardant treatments. Check with treater for current, specific fastener requirements. Type 316 Stainless Steel nails (below) must be used in those severe conditions.

£	PLAIN SHANK
TO COLO COLO COLO COLO COLO COLO COLO CO	LIFETIME WARRANTY!

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв
R112	11/4"	14	7/32"	470	\$229.94	\$25.43	\$7.38
R113	11/2"	14	7/32"	396	\$223.64	\$24.63	\$7.23
R114	13/4"	14	7/32"	342	\$216.77	\$24.37	\$6.88
R115	2"	13	1/4"	232	\$208.59	\$23.65	\$5.20
R116	21/4"	13	1/4"	211	\$220.34	\$24.34	_
R117	21/2"	13	1/4"	163	\$246.94	_	_

RING SHANK LIFETIME WARRANTY!

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
R113A	11/2"	14	7/32"	396	\$297.21	\$33.85
R114A	13/4"	14	7/32"	342	\$287.51	1
R115A	2"	13	1/4"	232	\$258.48	1
R116A	21/4"	13	1/4"	211	\$252.35	1

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.


STAINLESS STEEL (316) CEDAR SHINGLE AND SHAKE NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service.

			RING SHANK				
STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB		
SSR112A	11/4"	14	7/32"	470	\$376.76		
SSR113A	11/2"	14	7/32"	428	\$389.27		
SSR114A	13/4"	14	7/32"	337	\$369.72		
SSR115A	2"	13	7/32"	237	\$383.32		

STAINLESS STEEL (316) 15° COIL-ATED® NAILS

Top-quality Type 316 STAINLESS STEEL Ring Shank Cedar Shake and Shingle Nails are ideal for the dependable application of cedar shakes and shingles. Mandatory within 15 miles of salt water areas as per the Cedar Shake and Shingle Bureau (www.cedarbureau.org) – and for applying pressure-impregnated preservative or fire-retardant treated shakes and shingles. (Check with treater for specific fastener requirements.) Type 316 Stainless Steel produces the most corrosion-resistant nails available – for a lifetime of worry-free service. **200 nails per coil. 16 coils per carton.** Compatible tools listed on page 11.



DOUBLE HOT-DIPPED GALVANIZED 15° COIL-ATED® NAILS

(15° Coil-ated® Nails for Cedar Shakes & Shingles)

MAZE **STORMGUARD**® Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are "the right nails for the job"! 200 nails per coil.





STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/ctn.	LBS/CTN.	PRICE PER CARTON
CLCEM115	2"	.095"	.219"	3,200	15	\$148.96
CLCEM116	21/4"	.095"	.219"	3,200	16	\$155.21
CLCEM117	21/2"	.095"	.219"	3,200	17	\$158.46
CLCEM119*	3"	.095"	.219"	2,400	16	\$150.41

^{*3&}quot; length can only be driven with Hitachi NV75AG, NV75AN and Bostitch N75C-1 tools.


MAZE **STORMGUARD**® Double Hot-Dipped Galvanized Nails are recommended by the Cedar Shake and Shingle Bureau. These coil nails, along with Maze bulk & collated stick nails are "the right nails for the job"! 200 nails per coil.





STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/ctn.	LBS/CTN.	PRICE PER CARTON
CLCEM113A	11//2"	.095"	.219"	3,200	13	\$152.51
CLCEM115A	2"	.095"	.219"	3,200	15	\$160.62
CLCEM116A	21/4"	.095"	.219"	3,200	16	\$167.91
CLCEM117A	21/2"	.095"	.219"	3,200	17	\$173.31
CLCEM119A*	3"	.095"	.219"	2,400	16	\$169.47

WASHER NAILS FOR METAL ROOFING



DOUBLE HOT-DIPPED GALVANIZED FLAT RUBBER WASHER NAILS

Widely used for fastening corrugated metal roofing and siding. Also popular for aluminum and fiberglass products. These **STORMGUARD®** Nails are double dipped in molten zinc after threading so no raw steel is exposed. EPDM rubber washers seal nail holes. Ring shanks hold tight. Available from stock in many popular colors. Call for availability. For painted nail adders, see page 3. Non-stocked colors require a minimum order of 200-lbs. per size and color and 50-lb. increments beyond. Most manufacturers recommend minimum nail penetration of 1" into purlin or girt. **LIFETIME WARRANTY!**



RING SHANK


Washer size: .375" OD x .135" ID x .090" THICK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 цв	1 цв
R163AF	11/2"	10	3/8"	126	\$278.08	\$29.85	1
R164AF	13/4"	10	3/8"	111	\$271.31	\$29.47	\$6.46
R165AF	2"	10	3/8"	100	\$267.93	\$29.32	-
R166AF	21/4"	10	3/8"	91	\$270.51	-	_
R167AF	21/2"	10	3/8"	82	\$277.97	\$28.12	_
R169AF	3"	10	3/8"	70	\$247.65	_	_
R1693AF	41/2"	9	13/32"	39	\$283.15	_	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

DOUBLE HOT-DIPPED GALVANIZED "FAT-HEAD" GRAY SILICONE WASHER NAILS

These gray silicone washers are twice as thick as our black EPDM washers. The extra resiliency allows them to seal the nail hole even if not driven at a right angle to the sheet. Do not overdrive! Washer should just begin to "balloon" under the nail head, but not bulge over nail head. Most Metal Roofing manufacturers recommend minimum nail penetration of at least 1" into purlin. These **STORMGUARD**® nails are double-dipped in molten zinc. **LIFETIME WARRANTY!**



RING SHANK

Washer size: .300" OD x .145" ID x .200" THICK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв
R163FH	11/2"	10	13/32"	119	\$320.13	_
R164FH	13/4"	10	13/32"	107	\$310.10	1
R165FH	2"	10	13/32"	96	\$299.61	\$33.55
R166FH	21/4"	10	13/32"	89	\$294.10	_
R167FH	21/2"	10	13/32"	79	\$286.70	_
R169FH	3"	10	13/32"	69	\$284.66	_
R1691FH	31/2"	10	13/32"	60	\$300.36	_


QUANTITIES COMMONLY USED - 100 nails per square

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

PAINTED NAILS AVAILABLE TO MATCH MANY INDUSTRY MANUFACTURERS OF METAL ROOFING AND SIDING!







HAND-DRIVEN POST AND FRAMING NAILS ("POLE BARN" NAILS)

100% American-made "Pole Barn" Nails are strong & dependable. Sharp ring and spiral shanks provide excellent holding power in fastening posts, timbers, trusses, girts, purlins, etc. Oil-quench hardened nails drive well without breaking. Most sizes of stiff stock nails available in **STORMGUARD®** Double Hot-Dipped Zinc-Coated finish. See "PTL" Nails on page 20 for hand-driven and page 7 for collated. Most sizes of oil-quench hardened nails are also available Double Hot-Dipped Galvanized. See page 30.



POST-FRAME RING SHANK NAILS

These stiff-stock and oil-quench hardened nails comply with the **ASTM Standard Specification F1667** Table 45, Type 1, Style 30 Post-Frame Ring Shank Nails. Sharp ring shanks provide excellent holding power in posts, trusses and timbers. **Safety glasses are required when driving hardened nails.**

- 1	R.	
1	77777	
- 1		1000

RING SHANK

STOCK NUMBERS STIFF - RING	LENGT	н	GAUGE	1	HEAD	Nails/lb	PRICE 50 lb
521A	21/2	•	11		9/32"	115	\$187.66
523A	3"		10		¹⁹ / ₆₄ "	78	\$179.83
525A	31/2	•	9		⁵ / ₁₆ "	57	\$182.71
526A	4"		7		3/8"	35	\$176.57
527A	41/2	•	7		3/8"	30	\$179.27
528A	5"		51/2		¹⁵ / ₃₂ "	23	\$167.69
530A	6"		51/2		¹⁵ / ₃₂ "	17	\$167.59
532A	7"		51/2		¹⁵ / ₃₂ "	16	\$166.30
534A	8"		51/2	15/32"		14	\$164.26
STOCK NUMBERS HARDENED - RING	LENGTH	GAU	IGE H E	/D	Nails/lb	PRICE 50 lb	5 LB
H521A	21/2"	11	9/3	 2	115	\$209.9	0 —
H523A	3"	10	19/6	, II 4	78	\$208.4	5 \$23.94
H524A	31/4"	10	19/6	4"	73	\$199.9	2 –
H525A	31/2"	9	5/1	11 5	57	\$205.6	9 \$23.39
H526A	4"	7	3/8		35	\$202.6	2 \$23.36
H527A	41/2"	7	3/8	II	30	\$200.5	4 \$23.63
H528A	5"	5¹/	/ ₂ 15/ ₃	וו 2	23	\$184.2	8 \$21.85
H678A	5"	7	3/8	"	26	\$203.3	2 _
H530A	6"	5¹/	/ ₂ 15/ ₃	2"	17	\$191.2	4 \$29.05
H680A	6"	7	3/8	"	22	\$200.7	3 \$25.20
H532A	7"	5¹/	/ ₂ 15/ ₃	2"	16	\$259.5	3 —
H534A	8"	5¹/	/ ₂ 15/ ₃	2"	14	\$257.0	0 –

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

POST-FRAME SPIRAL SHANK NAILS

Spiral shanks hold well and greatly assist in preventing racking of nailed truss and post members. Stiff stock or hardened. **Safety glasses required when driving hardened nails.** Also excellent for common nail applications.

ł	_	The State of the S
ı		TO POST OF CONTRACTOR

SPIRAL SHANK

STOCK NUMBERS STIFF - SPIRAL	LENG	TH	Gauge		HEAD	Nails/lb	PRICE 50 LB
523S	3"		10		¹⁹ / ₆₄ "	78	\$179.86
525 S	31/2	 2	9		5/16"	57	\$177.02
526 S	4"		7		3/8"	35	\$177.74
527\$	41/2	" 2	7		3/8"	30	\$181.10
528\$	5"		51/2		15/32"	23	\$161.37
530S	6"	51/2		15/32"		17	\$173.95
STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAL	JGE F	EAD	NAILS/LB	<u>PRICE</u> 50 lb	5 цв
H521S	21/2"	1	1 %	/32"	115	\$214.20	\$25.00
H523S	3"	10	0 19	/64"	78	\$211.88	\$24.28
H524S	31/4"	10	0 19	/64"	73	\$205.16	_
H525S	31/2"	9	5	/16"	57	\$209.92	\$24.46
H526S	4"	7	, ;	3/8"	35	\$200.25	_
H527S	41/2"	7	, ;	3/8"	30	\$201.38	_
H528S	5"	5 ¹	/2 15	/32"	23	\$185.78	_
H530S	6"	5 ¹	/2 15	/32"	17	\$187.85	_


Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.





Maze-Sponsored Nail Pounding Contest at the Annual NFBA Expo. Experienced builders only want to use the best nails at a pounding contest – MAZE!

HAND-DRIVEN POST AND FRAMING NAILS



STAINLESS STEEL (304) POST-FRAME NAILS FOR THE NEW TREATED LUMBER

These Type 304 stainless steel post-frame ring shank nails are recommended for the application of preservative-treated skirtboards. They are also excellent for other applications in severely corrosive environments. (Note: For maximum protection, Type 316 stainless steel nails are available on page 20.)

RING SHANK

•	KING SHAINK
· Alakanaa	
•	

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB	5 LB
XSST443A	11/2"	1111/2	9/32"	193	\$374.12	ı
XSST447A	2 1/2"	11	9/32"	119	\$294.19	\$68.58
XSST449A	3"	10	19/64"	83	\$279.30	\$67.49
XSST4491A	31/2"	9	5/16"	58	\$281.93	\$67.25
XSST4492A	4"	7	3/8"	35	\$275.14	\$66.55
XSST4494A	5"	51/2	15/32"	23	\$286.41	\$64.03
XSST4496A	6"	51/2	15/32"	17	\$284.20	1

Shipped in Standard 25-lb Bulk Cartons. (6) 5-lb boxes per master.

STAINLESS STEEL (304) FIBERGLASS LINER PANEL NAILS

For applying fiberglass reinforced plastic laminated panels for walls, ceilings, dividers and floors. These Type 304 stainless steel nails are ideal for corrosive environments such as agricultural confinement buildings, warehouses, swimming pools and dairy operations.

|--|

RING SHANK

STOCK NUMBER RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb
SS175135A	13/4"	.135"	9/32"	136	\$560.30

Stocked in 50-lb Bulk Cartons.

STORMGUARD® HOT-DIPPED AND HARDENED POST & TRUSS NAILS

These spiral shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening - and drive much better than regular commons with fewer wood splits. The superior Hot-Dipped Zinc-coating, recommended for pressure treated lumber, is especially popular in post-frame construction. Spiral shank is preferred by many builders.

Safety glasses required when driving hardened nails.



SPIRAL SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	Nails/lb	<u>PRICE</u> 50 lb	5 LB
TH449S	3"	10	19/64"	75	\$280.46	_
TH4490S	3 1/4"	10	19/64"	70	\$273.54	_
TH4491S	3 1/2"	9	5/16"	54	\$280.34	_
TH4492S	4"	7	3/8"	33	\$260.83	\$32.15

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

WARNING: WEAR SAFETY GLASSES WHEN DRIVING NAILS –
ESPECIALLY HARDENED NAILS!

STORMGUARD® HOT-DIPPED AND HARDENED POST-FRAME NAILS

These ring shank nails are **STORMGUARD®** Double Hot-Dipped Galvanized after threading and hardening. They are recommended for the application of skirtboards and other components treated with the new wood preservatives. They comply with the **ASTM Standard Specification F1667** for Post-Frame Ring Shank nails.

Safety glasses required when driving hardened nails.





RING SHANK

STOCK NUMBERS HOT-DIPPED/HARD	LENGTH	GAUGE	HEAD	Nails/lb	<u>PRICE</u> 50 lв	5 LB
TH447A	21/2"	11	9/32"	111	\$298.56	1
TH449A	3"	10	19/64"	75	\$259.98	\$28.83
TH4491A	31/2"	9	5/16"	54	\$248.57	\$27.57
TH4492A	4"	7	3/8"	33	\$248.17	\$27.22
TH4493A	41/2"	7	3/8"	29	\$246.51	-
TH4495A	5"	7	3/8"	24	\$243.50	-
TH4497A	6"	7	3/8"	21	\$245.20	_
TH4498A	8"	51/2	15/32"	14	\$313.55	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

HAND-DRIVEN SPECIALTY NAILS & SPIKES

(stalstatatatata



LOG HOME SPIKES - PLAIN SHANK

Heavy gauge plain shank spikes are ideal for log home construction, securing landscape timbers, or wherever a sturdy, long spike is required. Available bright or **STORMGUARD**® (Double Hot-Dipped Galvanized).



PLAIN SHANK

STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
L8	8"	3/8"	11/16"	4.1	\$176.71
L10	10"	3/8"	11/16"	3.2	\$185.28
L12	12"	3/8"	11/16"	2.7	\$164.79

STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
ZL8	8"	3/8"	11/16"	3.7	\$234.24
ZL10	10"	3/8"	11/16"	2.9	\$245.09
ZL12	12"	3/8"	11/16"	2.5	\$253.65

Shipped in Standard 50-lb Bulk Cartons.

LOG HOME SPIKES - RING SHANK

These spikes are the same style as those above, but with ring shanks, which increase holding power. **STORMGUARD**® (Double Hot-Dipped Galvanized).



RING SHANI	K
------------	---

STOCK NUMBERS STORMGUARD® - RING SHANK	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB
ZL8A	8"	3/8"	11/16"	3.7	\$249.98
ZL10A	10"	3/8"	11/16"	2.9	\$255.44
ZL12A	12"	3/8"	11/16"	2.5	\$271.96

Shipped in Standard 50-lb Bulk Cartons.

"SKINNY SPIKES"" - RING SHANK

These ¹/₄" diameter ring shank spikes give a higher nail count per pound than ³/₈" spikes. The thinner diameter drives easier and helps to reduce wood splits. Available bright or **STORMGUARD**® (Double Hot-Dipped Galvanized).

RING SHANK

8					
STOCK NUMBERS BRIGHT - RING	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
L368A	9"	1/4"	9/16"	7.9	\$182.43
L369A	10"	1/4"	9/16"	7.2	\$202.84

STOCK NUMBERS STORMGUARD® - RING	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
T368A	9"	1/4"	9/16"	7.2	\$238.70
T369A	10"	1/4"	9/16"	6.5	\$242.99
ZL3691A	11"	1/4"	9/16"	6.0	\$294.00
ZL3692A	12"	1/4"	9/16"	5.4	\$308.30

Shipped in Standard 50-lb Bulk Cartons.



MASONRY NAILS - HEAVY DUTY - PLATED

These heavy-duty, fluted masonry nails are made from hardened steel - and are zinc plated. Widely used for nailing down various traffic products into asphalt and gravel ... or wherever a highly durable, rust-resistant nail is needed for a tough application. The fluted shank holds tight and the strong, hardened nails drive well.



STOCK NUMBERS PLATED - FLUTED SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
VTRGG6P	2"	.250"	9/16"	35	\$290.00
VTRGG8P	21/2"	.250"	9/16"	28	\$277.80
VTRGG16P	31/2"	.250"	9/16"	19	\$277.70

Shipped in Standard 50-lb Bulk Cartons.

HAND-DRIVEN SPECIALTY NAILS & SPIKES

5/16" BRIDGE SPIKES

These heavy duty spikes are designed for tough jobs, such as landscape timbers, railroad ties & bridge construction. Available **STORMGUARD**® Double Hot-Dipped Galvanized if they will be exposed to weather or driven into pressure-treated lumber.



STOCK NUMBERS BRIGHT - PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB BOX
*X700313 Bright	7"	5/16"	9/16"	6.7	\$186.84
STOCK NUMBERS STORMGUARD® - PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB BOX
XT700313Z Hot-Dipped	7 "	5/16"	9/16"	6.1	\$240.10
XT800313Z Hot-Dipped	8"	5/16"	9/16"	5.3	\$245.05



STOCK NUMBERS BRIGHT - RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB BOX
*X700313A Bright	7"	5/16"	9/16"	6.7	\$218.10
*X800313A Bright	8"	5/16"	9/16"	5.8	\$203.55
STOCK NUMBERS STORMGUARD® - RING SHANK	LENG	TH GAUGE	HEAD	Nails/lb	PRICE 50 LB BOX
XT700313AZ Hot-Dippe	d 7	5/16"	9/16"	6.1	\$255.10
XT800313AZ Hot-Dippe	d 8	5/16"	9/16"	5.3	\$254.70

^{*}Not galvanized

Stocked in 50-lb Bulk Cartons.

ARDOX® SPIRAL SPIKES

These are ideal for landscape timbers and log home construction. Ardox® shanks hold tight. Available in **STORMGUARD®** Double Hot-Dipped Galvanized and Bright finish.



STOCK NUMBERS BRIGHT - SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
*ARD7	7"	5/16"	9/16"	7	\$237.33
*ARD8	8"	5/16"	9/16"	6.1	\$249.65
*ARD10	10"	5/16"	9/16"	5.0	\$275.94
*ARD12	12"	5/16"	9/16"	4.1	\$316.39
STOCK NUMBERS STORMGUARD® - SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
ARD8Z	8"	5/16"	9/16"	5.6	\$324.09
ARD10Z	10"	5/16"	9/16"	4.5	\$357.79
ARD12Z	12"	5/16"	9/16"	3.7	\$396.68

Ardox® is a registered trademark of Stelwire Ltd.

Stocked in 50-lb Bulk Cartons.

PALLET NAILS - SPIRAL SHANK

Designed for the construction and repair of wood pallets. These spiral shank nails are also good for re-nailing wagon beds and trailers.

-Milling 6000			SP	PIRAL SHANK		
STOCK NUMBERS STIFF - SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	
\$14	11/2"	11	9/32"	188	\$298.00	
\$16	2"	11	9/32"	144	\$287.40	
S17	21/4"	11	9/32"	130	\$285.64	
S18	21/2"	11	9/32"	115	\$278.10	
STOCK NUMBERS HARDENED - SPIRAL SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	
HS16	2"	11	9/32"	144	\$307.40	

Stocked in 50-lb Bulk Cartons.


FOUNDRY NAILS

These slim shank nails are widely used in foundries for fastening forms. They are also handy nails for other construction purposes.

=00000		Bright PLAIN S			
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb
XFN300135	3"	10	3/8"	77	\$178.83
XFN400135	4"	10	3/8"	58	\$184.17
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
XFN500135	5"	10	3/8"	47	\$94.13
XFN600135	6"	10	3/8"	40	\$93.33
XFN800135	8"	10	3/8"	35	\$89.65

PAN NAILS

Ideal for securing metal pans in place for poured concrete structures. Ring Shanks hold tight; large head ensures reliable hold.



Stocked in 50-lb Bulk Cartons.



BE SAFE! USE SAFETY GLASSES WHENEVER DRIVING ANY NAILS

^{*}Not galvanized

HAND-DRIVEN SPECIALTY NAILS

SQUARE-CAP® NAILS - STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging and

nails over plastic cap nails. Large ¹⁵/₁₆" domed caps are securely joined to sturdy ring shanks. Excellent holding power.

Please note sizes available in **STORMGUARD**® (Hot-Dipped Galvanized) for dependable corrosion-resistance.

crating. Many contractors prefer driving these sturdy all-steel

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
853A	3/4"	11	¹⁵ / ₁₆ "	91	\$149.44
854A	7/8"	11	¹⁵ / ₁₆ "	89	\$144.04
855A	1"	11	¹⁵ / ₁₆ "	86	\$147.25
856A	11/4"	11	15/16"	82	\$144.56
857A	11/2"	11	¹⁵ / ₁₆ "	78	\$139.16
858A	13/4"	11	¹⁵ / ₁₆ "	68	\$140.10
859A	2"	11	¹⁵ / ₁₆ "	64	\$138.89

STORMGUARD® (Hot-Dipped Galvanized)

STOCK NUMBERS STORMGUARD®-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
855AZ	1"	11	15/16"	78	\$174.99
856AZ	11/4"	11	15/16"	75	\$173.64
857AZ	11/2"	11	15/16"	64	\$171.69
859AZ	2"	11	¹⁵ / ₁₆ "	57	\$169.49

Stocked in 25-lb Bulk Cartons only.

ONE-LEGGED FENCE STAPLES

These ring shank staples have excellent holding power, and are offered in bright steel or **STORMGUARD**® (Double Hot-Dipped Galvanized) finish. The single leg makes it possible to start the staple in the post and then slip the wire into position with the other hand before driving the staple home.



RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENG	TH	G	AUGE	HEAD	NAILS/LB	PRICE 50 LB
F3	1 ½	′ แ 2		9	1/2" crown	72	\$242.57
F4	1 ³ /	/ II 4		9	1/2" crown	61	\$233.02
STOCK NUMBER STORMGUARD®-RING	SHANK	LENG	TH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
SF4		13/	/ II 4	9	¹/₂" crown	58	\$275.65

TILE BACKERBOARD NAILS

These **STORMGUARD®** Double Hot-Dipped Galvanized spiral shank nails are recommended for installing backerboard in areas with high moisture content. **(6) 5-lb. boxes per master.**



SPIRAL SHANK

STOCK NUMBERS SPIRAL SHANK	LENGTH	GAUGE	HEAD	PRICE 5 LB
HD103S	11/2"	11	3/8"	\$26.44

ROUND-CAP NAILS - STEEL HEAD

Originally designed for the application of roofing felt, these nails are also widely used for built-up roofing, rigid foam insulation, attaching sidewall curtains in poultry buildings and for general packaging

and crating. Large ¹⁵/16" round caps are securely joined to sturdy ring shanks. Excellent holding power. Please note sizes available in **STORMGUARD**® (Hot-Dipped Galvanized) for dependable corrosion-resistance.

RING SHANK

STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
854AR	⁷ / ₈ "	11	¹⁵ / ₁₆ "	89	Call for pricing
855AR	1"	11	15/16"	86	Call for pricing
856AR	1 1/4"	11	15/16"	82	Call for pricing
857AR	11/2"	11	15/16"	78	Call for pricing
858AR	13/4"	11	15/16"	68	Call for pricing
859AR	2"	11	15/16"	64	Call for pricing
STOCK NUMBERS BRIGHT-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 20 lb
861AR	2 ¹ / ₂ "	11	¹⁵ / ₁₆ "	58	Call for pricing
863AR	3"	11	15/16"	53	Call for pricing

STORMGUARD® (Hot-Dipped Galvanized)

STOCK NUMBERS STORMGUARD®-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 25 LB
855ARZ	1"	11	15/16"	78	Call for pricing
856ARZ	11/4"	11	15/16"	75	Call for pricing
857ARZ	11/2"	11	15/16"	64	Call for pricing
859ARZ	2"	11	15/16"	57	Call for pricing

Stocked in 25-lb or 20-lb Bulk Cartons only.

STOCK NUMBERS STORMGUARD®-RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 20 LB
863ARZ	3"	11	15/16"	49	Call for pricing

PLASTIC-HED YELLOW CAP NAILS

Maze Yellow Plastic-Hed Cap Nails allow for more nails per pound than metal cap nails. Siding nails drive right through the Plastic-Hed nail caps to eliminate bending problems often encountered when a skinny siding nail strikes a metal cap. The annular ring shank holds tight, and the plastic head eliminates damage to roofing felt, housewraps and foam insulation. 1" and 1½" sizes also available in 304 stainless steel. SSPH03 and SSPH06 - 2,000-ct. box. Call for pricing.





00-ct.



3,000-ct. Bucket
48 BUCKETS/SKID

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	L _{BS} /	LBS/ BCKT	<u>PRICE</u> 200 ст	2000 ст	Вискет 3000 ст
PH03	1"	12	15/16"	9	13	\$8.25	\$58.42	\$92.50
PH05	11/4"	12	15/16"	10	14	\$8.48	\$61.07	\$96.65
PH06	11/2"	12	15/16"	10	14	\$8.72	\$64.07	\$91.19**
PH08	2"	12	15/16"	12	_	_	\$71.77	_

*200-ct. boxes packed 6 per master. **These nails packed in 2500-count buckets.

HAND-DRIVEN SPECIALTY NAILS

CUT MASONRY NAILS - HARDENED STEEL

These Hardened Steel Cut Masonry nails, manufactured by Tremont Nail Co. in Massachusetts, established 1819, are ideal for attaching wood members to cinder block walls as well as to fresh concrete. The blunt point and tapered shank cause minimal spalling during penetration and offer even greater pull-out resistance than wire masonry nails. ³/₄" penetration is recommended for satisfactory holding power. Also recommended for face-nailing hardwood flooring. **Use safety glasses when driving any hardened nails.**

STOCK NUMBERS HARDENED	LENGTH	Nails/lb	PRICE 50 LB 5 LB 1 LB				
CMH4	11/2"	125	•—— Call for pricing ——•				
СМН6	2"	85	•—— Call for pricing ——•				
СМН8	2 1/2"	64	•—— Call for pricing ——•				
CMH10	3"	48	•—— Call for pricing ——•				
CMH16	3 1/2"	34	•—— Call for pricing ——•				

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

CUT MASONRY HOT-DIPPED GALVANIZED SILL PLATE NAILS

These nails are designed to attach treated wood sill plates to newly poured concrete. Please note: True Hot-Dipped Galvanizing reduces the temper of hardened square cut nails, so it is important that the nails are applied to "green" uncured concrete. Hot-Dipped Galvanized to specification ASTM A-153 to comply with building code requirements. **For best**

results, a drilling hammer is recommended.

STOCK NUMBERS HOT-DIPPED GALVANIZED	LENGTH	Nails/lb	PRICE 50 lb	5 LB	1 цв		
CMH8Z	2 1/2"	64	•—— Call for pricing ——•				
CMH10Z	3"	48	•—-	all for pricing	ı —•		

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



HARDWOOD TRIM NAILS

These slim diameter high performance Trim Nails are made from a high carbon steel wire to ensure good driving into Oak, Birch, Walnut and other Hardwoods. There are many more nails per pound than with ordinary finish nails - so they cost less to use. And, there are fewer wood splits!

Shipped in Standard 50-lb Bulk Cartons

Unless Otherwise Specified. (6) 5-lb boxes

per master. (12) 1-lb boxes per master.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb	5 LB	1 цв
HT100	1"	.072"	7/64"	810	\$304.02	_	1
HT125	11/4"	.072"	7/64"	743	\$292.81	\$33.00	\$6.90
HT150	11/2"	.072"	7/64"	613	\$282.06	\$32.70	\$6.87
HT200	2"	.072"	7/64"	454	\$273.10	\$32.10	\$6.64
HT250	21/2"	.083"	1/8"	272	\$261.53	\$30.85	\$6.50

SINKER NAILS - COATED

Counter-sunk head sinks flush with surface; holds fast in framing permanent construction. Vinyl coated. Checkered countersunk head and diamond point.

١								
	STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 LB	1 цв
	SINK8	2 ³ / ₈ "	111/2	17/64"	153	\$157.24	\$20.33	\$4.40
	SINK10	2 ⁷ / ₈ "	11	9/32"	111	\$161.79	\$20.57	\$4.44
	SINK12	31/8"	10	5/16"	81	\$165.69	\$20.85	\$4.43
	SINK16	31/4"	9	11/32"	64	\$156.82	\$20.57	\$4.47

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS

Ideal for general construction, carpentry and framing. Bright finish. Flat head and diamond point.

0							
STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 цв	1 цв
COM4	11/2"	121/2	1/4"	285	\$176.19	\$21.97	ı
COM6	2"	111/2	17/64"	167	\$166.26	\$21.47	\$4.62
COM8	21/2"	101/4	9/32"	101	\$159.76	\$20.63	\$4.46
COM10	3"	9	5/16"	66	\$161.75	\$21.10	\$4.55
COM12	31/4"	9	5/16"	61	\$166.06	\$21.08	\$4.52
COM16	31/2"	8	11/32"	47	\$159.49	\$20.41	\$4.49
COM20	4"	6	13/32"	29	\$158.78	_	_
COM30	41/2"	5	⁷ / ₁₆ "	23	\$165.78	-	_
COM50	51/2"	3	1/2"	13	\$156.91	_	_
COM60	6"	2	17/32"	10	\$162.06	_	_

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

COMMON NAILS HOT-DIPPED GALVANIZED

Ideal for general construction, carpentry and framing. Flat head and diamond point.

STOCK NUMBERS PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb
XCOM8Z	2 ¹ / ₂ "	10 ¹ / ₄	9/32"	98	\$223.01
XCOM10Z	3"	9	5/16"	60	\$222.09
XCOM16Z	31/2"	8	11/32"	43	\$220.15

DUPLEX NAILS

Double-headed nail driven into the wood up to the lower head. The second head remains exposed to allow easy pulling when temporary nailing project is completed.

*Length	under lower	head.	**Distance	between he	ads.		
STOCK NUMBERS BRIGHT	Size	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 LB	5 LB
DUP8	8d	21/4"*	101/4	1/4"**	90	Call for	pricing
DUP16	16d	3"*	8	3/8"**	45	Call for	pricing

Double Hot-Dipped Galvanized Duplex Nails

			-			
STOCK NUMBERS HOT-DIPPED GALVANIZED	Size	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
DUP8Z	8d	21/4"*	101/4	1/4**	87	Call for pricing
DUP16Z	16d	3"*	8	3/8"**	42	Call for pricing

HAND-DRIVEN SPECIALTY NAILS

MASONRY NAILS - HARDENED — FLUTED ROUND WIRE TYPE

Designed for fastening furring strips, floor plates, partition walls to "green" (uncured) concrete. Hardened steel. For best results, drive nails 3" or more from edge of masonry or block allowing 3/4" penetration. **Safety glasses required when driving hardened nails.** For 1/2" size, see Hardened Metal Lath Nails.



STOCK NUMBERS HARDENED - FLUTED	LENGTH	GAUGE	HEAD	NAILS/LB	PRICE 50 lb	5 LB	1 гв
H52S	3/4"	9	5/16"	230	\$215.51	\$24.38	\$5.52
H53S	1"	9	5/16"	176	\$209.49	\$24.30	\$5.43
H54S	1 1/4"	9	5/16"	150	\$215.44	\$23.23	\$5.22
H55S	1 1/2"	9	5/16"	129	\$208.45	\$23.52	\$5.30
H56S	1 3/4"	9	5/16"	108	\$205.44	\$22.74	\$5.27
H57\$	2"	9	5/16"	95	\$198.99	\$23.28	\$5.22
H59S	21/2"	9	5/16"	77	\$200.50	\$22.89	\$5.15
H60S	23/4"	9	5/16"	70	_	\$21.35	_
H61S	3"	9	5/16"	62	\$198.15	\$22.69	\$5.12
H63S	31/2"	8	3/8"	41	\$190.24	\$22.02	\$5.01

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.



HARDENED METAL LATH NAILS

These Hardened Metal Lath nails are ideal for attaching metal lath to masonry surfaces. The head is larger than standard masonry nails to ensure that the lath doesn't pull through. The strong shanks drive well without bending.



STOCK NUMBERS PLAIN SHANK HARDENED	LENGTH	GAUGE	HEAD	NAILS/LB	<u>PRICE</u> 50 lв	25 цв
HML50	1/2"	9	3/8"	324	\$235.94	\$119.37

PLYWOOD NAILS

Type recommended by plywood producers for underlayment, sheathing, and sub-floor applications. Sharp ring-shanks ensure extra holding power.

	R
--	---

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 lb	5 цв
F143	11/2"	121/2	1/4"	285	\$192.50	\$22.40
F145	2"	12	1/4"	190	\$188.44	\$22.12
F147	21/2"	11	9/32"	118	\$186.36	\$20.47

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master.

UNDERLAYMENT NAILS - FLAT HEAD

Sharp ring-shanks ensure extra holding power. Regular steel shank drives easily.

RING SHANK

STOCK NUMBERS RING SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	5 LB	1 цв
F141	1"	14	3/16"	640	\$266.80	ı	\$6.66
F142	11/4"	14	3/16"	528	\$243.04	\$28.53	\$6.27

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified. (6) 5-lb boxes per master. (12) 1-lb boxes per master.

FLOORING NAILS - CASING HEAD

Sharp spiral thread ensures maximum holding power. Hardened. Casing-type head. Recommended for hand driving. **Safety glasses should be used when driving hardened nails.**

\$20000000000

SPIRAL SHANK

STOCK NUMBERS HARDENED - SPIRAL	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB	1 цв
HF167	21/4"	111/2	11/64"	152	\$212.11	\$5.51

Shipped in Standard 50-lb Bulk Cartons Unless Otherwise Specified.
(12) 1-lb boxes per master.

FLOORING NAILS - CEMENT COATED

Ideal for face-nailing ³/₄" tongue and groove hardwood flooring. Higher carbon steel allows for ease of driving. Dimpled head.

PLAIN SHANK

STOCK NUMBER PLAIN SHANK	LENGTH	GAUGE	HEAD	Nails/lb	PRICE 50 LB
X225113CC	2 1/4"	.113"	.150"	158	\$226.19

Stocked in 50-lb Bulk Cartons.







NAILING TIPS AND APPLICATION GUIDELINES

How many nails will I need? (approximate count)

SIDING







BOX NAILS FOR HARDBOARD SIDING					
12" Horizontal Siding	2" - 31/2"	1,200 nails per 1,000 Sq. Feet			
4' x 8' Panel Siding	2" - 31/2"	3,300 nails per 1,000 Sq. Feet			

NAILS FOR CEDAR AND REDWOOD

	WOOD SIDIN	G
¹ / ₂ " X 4" Siding	2" - 21/2"	2,280 nails per 1,000 Lineal Feet
¹ / ₂ " X 6" Siding	2 ¹ / ₄ " - 2 ¹ / ₂ "	1,520 nails per 1,000 Lineal Feet
³ / ₄ " x 8" Siding	21/2" - 3"	1,140 nails per 1,000 Lineal Feet
³ / ₄ " x 10" Siding	21/2" - 3"	912 nails per 1,000 Lineal Feet
³ / ₄ " x 12" Siding	3"	760 nails per 1,000 Lineal Feet

³ / ₄ " x 12" Siding	ding 3"		ı	760 nails per 1,000 Lineal Feet	
FIBER CEMENT SIDING NAILS					
Lap Siding	2" -	31/2"	9	nails per 12' piece	
4' x 8' Panel Siding	2" - 31/2"		16" on Center - 55 Nails per Panel		
4' x 8' Panel Siding	2" -	2" - 31/2"		24" on Center - 49 Nails per Panel	
VINYL SIDING NAILS					
1 ¹ / ₂ ", 2" and 2 ¹ / ₂ "			115 nails per Square		
CFDA	R SH	AKE SI	DING	FACE NAILS	

2"

2"

16" Shakes

18" Shakes

CEDAR S	SHINGLE	NAILS
16" & 18" - New Roof Over an old Roof	1 ¹ / ₄ " 1 ³ / ₄ "	860 nails per Square
24" - New Roof Over an old Roof	1 ¹ / ₂ " 2"	570 nails per Square

Please be advised that the counts above are approximate and may vary significantly due to the different amount of exposure desired in each job. Shakes and shingles also come in a variety of widths that may also affect the number of nails used per Square.

ASPHALT & FIBERGLASS SHINGLE NAILS

On a New Roof	11/4"	320 nails per Square
Over an Old Roof	13/4"	320 nails per Square (A 3,600-ct case applies approx. 11 squares)

DECKING NAILS

⁵ / ₄ " x 6" Decking Joists spaced 16" O.C.	21/2" - 3"	460 nails per 100 Square Feet
2" x 4" Decking Joists spaced 16" O.C.	3" - 31/2"	580 nails per 100 Square Feet
2" x 6" Decking Joists spaced 16" O.C.	3" - 31/2"	460 nails per 100 Square Feet

UNDERLAYMENT & PLYWOOD NAILS

¹ /4" Pressed and Plywood Underlayment	11/4"	500 nails per 100 Square Feet
³ / ₈ " Pressed and Plywood Underlayment	11/2"	500 nails per 100 Square Feet
¹ / ₂ ", ⁵ / ₈ " ³ / ₄ " Plywood and Sheathing	2" & 2 ¹ / ₂ "	150 nails per 100 Square Feet
1" Plywood Subfloor	3"	150 nails per 100 Square Feet

360 nails per Square

310 nails per Square

NAILING TIPS AND APPLICATION GUIDELINES

When should I use a nail with a ring or screw shank?

Smooth shank nails are easy to drive – but they don't offer much holding power. For that reason, Maze Nail and Independent Nail engineers set out to design nails that would hold tighter in all sorts of construction applications.

The Maze mill designed and produced the world's first **spiral shank** nails - also called screw thread, Screw-Down® or "drive" nails. These nails have a spiral thread which causes them to turn when they are driven – much like wood screws – and they actually form their own thread in the wood fibers. They offer good holding power and are specifically designed for use with hardwoods and dense materials. Flooring, siding, decking, pallets and truss rafters are typical applications.

Independent Nail, a Div. of W.H. Maze Company, developed an annular (or ring) thread on their nails that provided even better holding power in many applications. Referred to as **ring shank** (or Anchor-Down® nails), the threads on these nails separate the wood fibers – which then lock back into the rings – thus resisting removal. These are widely used in plywood, underlayment, decking, siding and roofing applications.

A third type of threading, typical on masonry nails, is a **fluted shank**. This shank style gives those nails excellent holding power in concrete block and masonry applications. The horizontal threads cut the masonry to minimize cracking and provide excellent holding power.

THREADED NAILS HOLD TIGHTER!

When should I use Stainless Steel instead of Galvanized?

While many associations specify Hot-Dipped Galvanized Nails, there are certain applications where stainless steel nails are preferable to even Double Hot-Dipped Maze **STORMGUARD**® Nails.

- Marine Environments (within 5 miles of the seacoast) Type 316.
- Cedar & Redwood products (siding and decking), where the wood is left natural or treated with a clear wood finish.
- Severe or Corrosive Conditions, such as fertilizer storage buildings, salt storage buildings, livestock confinement buildings, etc.
- For Fire Treated and CCA Treated Cedar Shakes and Shingles



WARNING - Milled face hammers are not recommended for driving Hot-Dipped Galvanized nails. The highly abrasive surface of the hammer-face may compromise the integrity of the zinc-coating on the nail head . . . reducing its corrosion-resistance. **Smooth face hammers are recommended.**

Is salt spray testing used by MAZE?

No. Lab tests are great ... for some things. But not when it comes to evaluating the superior rust-resistance of Maze Double Hot-Dipped Galvanized **STORMGUARD®** nails compared to other types of so-called "corrosion-resistant" nails. Some lab tests, especially "salt spray", just don't accurately simulate true weathering conditions for nail applications of roofing, siding and trim.

Under the abnormal lab conditions encountered in the salt spray test, the typical "reaction product barrier" or "zinc patina" that protects Hot-Dipped Galvanized hardware is not allowed to form – as it would in the "real world". It is this oxidation barrier that allows Hot-Dipped products to resist nature's attacks – and ensures long-term corrosion protection. Salt spray testing doesn't allow this important layer to form – resulting in misleading results.

So, before you buy nails or screws based on lab tests, find out more about the true test – actual field experience! After all, that's what really counts. And remember that Maze has the best record of any zinc-coated nail producer – over 100 years of providing dependable Hot-Dipped nails to the building industry!

YOUR GUIDE TO GALVANIZED NAILS

All galvanized nails are coated with zinc – but HOW the coating is applied makes all the difference in the performance of the nail. What you need to know:



Hot-Dipped Galvanized (HDG)

The most reliable and preferred way to coat steel nails with zinc is "hot-dipping". Those nails are immersed in a bath of molten zinc like french fries in a pot of oil. The intense heat of the zinc bath causes the zinc and steel to bind together and forms multiple alloy layers that act as a base for a heavy zinc coating. This provides the nails with long term protection against rust. Hot dipping meets the all-important ASTM A153 specification. Double Hot-Dipped nails are dipped twice in molten zinc which fills any pinholes and adds thickness to the outer layer of zinc. Dependable corrosion-resistant steel nails rely on two critical zinc factors – thickness and uniformity. This method of Double Hot-Dipped Galvanizing is used exclusively by Maze Nails. The Double Hot-Dipped process is marketed under our tradename STORMGUARD®.

Electroplating/Electro-Galvanizing (E.G.)

Steel nails are electroplated by placing them in an electrolytic solution. The electric current in the bath deposits a very thin layer of zinc onto the nail surface. Although they look beautiful and shiny when they're brand new, the thin coating oxidizes away rapidly and the nails begin to prematurely rust. Electro-galvanized nails are not intended for exterior applications. Many building product manufacturers warn against using E.G. nails to apply their siding, trim and decking materials.





Hot-Galvanizing (HG)

Hot-Galvanized "HG" nails are NOT Hot-Dipped Galvanized

and do not offer the same corrosion resistance or performance as Hot-Dipped nails. Hot-galvanized nails are coated by sprinkling zinc chips onto cold steel nails in a barrel, then rotating the barrel in a furnace to melt and distribute the zinc. The melting zinc washes off on the nails – somewhat like buttering popcorn. Some of the nails get excess zinc and some nails get very little zinc. Because these "HG" nails are labelled so similarly to Hot-Dipped nails "HDG", many times





builders are sold hot-galvanized nails instead of genuine Hot-Dipped Galvanized nails. The downside to this is that there is a significant difference in the coating on the nails. Actual rust can often be seen on these "HG" nails in their shipping cartons....long before the nails are even used on a building project.



Maze Nail Advantages



Lifetime Warranty on MAZE Double Hot-Dipped Nails!

We stand behind our products! Details on the Maze LIFETIME WARRANTY are available from the toll free number below or from our website.



Maze High Carbon Steel Nails Allow Easier Driving!

High carbon steel is more expensive for Maze Nails to buy – but it makes much better nails! They don't bend or snap during driving. And, we can make the nails skinnier – so there are fewer wood splits ... and more nails per box! A much better value for the consumer!!



Wide Variety of Nails for One-Stop Shopping!

- Collated sticks and coils Bulk and packaged hand drive nails
- Copper, stainless steel, aluminum
 Double Hot-Dipped Galvanized
 - Plain, ring and spiral shank
 and many other varieties!



Made in the USA - Supporting the American Economy!

100% of Maze Nails are made in the U.S.! We do not import any nails!



Huge Inventories for Fast Shipment!



Expert Advice is Just a Phone Call Away!

Our inside sales team has over 100 years of combined experience.

Contact us today for nail recommendations!

800-435-5949

Maze Nail Chat Line: www.mazenails.com

Contact Area Sales Rep: www.mazenails.com/where-to-buy/rep-locator



l ¼"= 3d

1¾"= 5d

 $2\frac{1}{4}$ " = 7d

 $2\frac{1}{2}$ " = 8d

 $2\frac{3}{4}$ " = 9d

3'' = 10d

 $3\frac{1}{4}$ " = 12d

 $3\frac{1}{2}$ " = 16d

4" = 20d

 $4\frac{1}{2}$ " = 30d

5'' = 40d

 $5\frac{1}{2}$ " = 50d

6" = 60d

= 70d

8" = 80d

HΕΔD

Round metal piece formed at the top of the nail.

SHANK

The length of the nail between the head and the point.

POINT

Sharpened end opposite the head for ease in driving.

GAUGE

Referencing the thickness of a nail. Lower numbers indicate greater thickness.

.225" 7/32"

51/2	.200"	13/64"
7	.177"	11/64"
8	.162"	5/32"+
9	.148"	5/32" -
10	.135"	9/64"-
101/4	.131"	1/8"+
11	.1205"	1/8"-
111/2	.113"	7/64"+
12	.1055"	7/64"-
121/2	.099"	3/32"+
13	.0915"	3/32"-
14	.080"	5/64"+
15	.072"	1/32"

LENGTH

Distance from the bottom of the head to the point of a nail.

RIGIDITY

The bending and shear resistance of a nail.

Regular Steel Stock Low to medium carbon content - standard type of wire rod used in fastener manufacturing.

Stiff Stock

Higher carbon content steel - harder and stiffer than regular stock to prevent bending when driven into hardwoods.


Tempered Hardened Steel

Higher carbon content steel is used to make the nail and then the nail is heat treated, which provides even better resistance to bending.

NAIL TERMINOLOGY

Nail Heads

Flat head - Most common nail head. Provides large surface area for greater holding power.



Checkered flat head - Helps to stop slippage of the hammer on the head with applications such as framing, where excessive hammering may take place. Improves paint adhesion.

Countersunk head - Conically shaped bearing surface, which compresses the surface of the material under it as it is driven. Aids in concealment of the fastener head.

Deep countersunk head - Reduced holding power, but increased concealment of the fastener head. Used primarily on casing nails.

Brad head - Deep, circular, barrel-shaped head. Reduced holding power, but increased concealment of the fastener head. Used primarily with finish and trim work.

Duplex head - For temporary nailing jobs, such as scaffolding and concrete framing.

Cupped head - Concave or recessed top surface to accommodate material to aid with concealment. Used primarily with drywall fasteners.

Oval head - Used in certain geographic areas primarily with siding to avoid contact between the hammer and the siding.

Nail Shanks

Smooth - Most common for everyday projects. Provides the least amount of holding power.

Ring/Annular thread - A series of closely spaced concentric rings around the shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives the greatest holding power in soft or medium woods.

Screw/Spiral - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.

Ardox® - Designed to drive into hard woods and dense materials. Square wire is twisted to form the spiral shank, which results in the threads reaching all the way to the head of the nail. In comparison, most nails are made from round steel wire and the spiral or ring shanks are actually cut into the wire.

Barbed - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.

Fluted - Vertical thread for driving into cinder block, mortar joints, or other relatively soft masonry to minimize cracking and provide high holding power.

Nail Points

Diamond point - Most common nail point. To avoid splitting wood, best for medium to soft wood.

Long diamond point - For use with drywall. Eases driving into harder materials.

Blunt point - Reduces splitting, but not as easy to drive as a diamond point.

Origin of "PENNY-WISE" Nail Designations

There are two explanations for the English "penny" system for designating nail lengths. One thought is that one-hundred eight penny nails cost eight pence, one-hundred six penny nails cost six pence...etc. The other theory is that 1,000 eight penny (8d) nails weighed 8 pounds, 1,000 six penny (6d) nails weighed six pounds...etc.

The "d" abbreviation for penny (8d for example) has its roots in the "denarius" – the popular coin of ancient Rome.

Nails used for wood-to-wood applications (such as wood siding, cedar shingles, cedar shakes, etc.) are traditionally referred to by the "penny" designation, i.e. 5d, 6d, 8d... However, nails for non-wood applications, such as fiber cement siding, metal roofing, asphalt shingles, cellular PVC trim, etc. are often specified by their length in inches.

STAR DRIVE SCREWS - 80 GREAT SKUS!



Fasteners.

Distributed by Maze Nails - Peru IL plant!

MSRP PRICES ON PREMIUM QUALITY STAR DRIVE SCREWS STOCKED BY MAZE NAILS AT THE PERU, IL. PLANT



			*	**************************************				:		MSRP
Item Number	Lenath	Shank Diameter	Head Diameter	CONSTRUCTION SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A 6-96244	(Suggested Retail)
S20102500B	2-1/2"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	16.92	009	T-30	1	20001-8	\$185.09
S10102750P	2-3/4"	#10	.626"	Construction Screws - in PLASTIC BUCKETS	2.98	207	T-30	2	20346-0	\$46.13
S20103125B	3-1/8"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	16.95	200	T-30	1	20139-8	\$207.05
S20104000B	4"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	16.16	400	T-30	1	20003-2	\$175.61
S20105000B	5"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	14.70	300	T-30	1	20004-9	\$194.71
S20106000B	.9	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	17.28	300	T-30	1	20005-6	\$253.79
S22103125B	3-1/8"	3/8"	.669.	Construction Screws - in BULK PLASTIC PAILS	14.46	300	T-40	1	20426-9	\$215.48
S22104000B	4"	3/8"	"669"	Construction Screws - in BULK PLASTIC PAILS	15.38	300	T-40	1	20348-4	\$233.93
S22106000B	.9	3/8"	.669	Construction Screws - in BULK PLASTIC PAILS	22.88	300	T-40	1	20006-3	\$362.61
S22108000B	8	3/8"	.669	Construction Screws - in BULK PLASTIC PAILS	29.88	300	T-40	1	20008-7	\$575.80
S22110000B	10"	3/8"	.669	Construction Screws - in CARDBOARD BOXES	36.44	300	T-40	1	20009-4	\$907.62
S22112000B	12"	3/8"	669	Construction Screws - in CARDBOARD BOXES	43.07	300	T-40	1	20010-0	\$1,049.11
S10101500H	1-1/2"	#10	.445"	Constr. Screws for Panelized Stone - 40-CT	0.37	40	T-30	9	20332-3	\$7.12
S10102500H	2-1/2"	#10	.445"	Constr. Screws for Panelized Stone - 40-CT	0.54	40	T-30	9	20398-9	\$8.30
S10103125H	3-1/8"	#10	.626"	Construction Screws - in 40-CT BOXES	0.65	40	T-30	9	20123-7	\$11.18
S20104000H	4"	5/16"	.626"	Construction Screws - in 40-CT BOXES	1.63	40	T-30	9	20015-5	\$23.15
S20105000H	5"	5/16"	.626"	Construction Screws - in 40-CT BOXES	1.97	40	T-30	4	20016-2	\$34.70
S20106000H	6"	5/16"	.626"	Construction Screws - in 40-CT BOXES	2.32	40	T-30	4	20017-9	\$44.29
S22106000H	6"	3/8"	.669	Construction Screws - in 40-CT BOXES	3.06	40	T-40	4	20018-6	\$60.28
S22108000H		3/8"	.669	Construction Screws - in 40-CT BOXES	4.25	40	T-40	4	20020-9	\$96.30
			6					:		MSRP
Item Number	Length	Shank Diameter	Head Diameter	BLACK CONSTRUCTION SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retall Units per Case	UPC-A 6-96244	(Suggested Retail)
S20B03125B	3-1/8"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	16.95	200	T-30	1	20513-6	\$207.05
S20B04000B	4"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	16.16	400	T-30	1	20519-8	\$175.61
S20B05000B	5"	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	14.70	300	T-30	1	20525-9	\$194.71
S20B06000B	9	5/16"	.626"	Construction Screws - in BULK PLASTIC PAILS	17.28	300	T-30	-	20531-0	\$253.79

		MSRP	MSRP PRICES	ON PREMIUM QUALITY	STAR DRIVE SCREWS	RIVE	SCRI	EWS		
Fasteners.	"uers"	S	STOCKED	D BY MAZE NAILS AT THE PERU, IL. PLANT	: PERU,	IL. PI	LANT		Fasteners.	eners.
			*	THE REAL PROPERTY OF THE PARTY				:		MSRP
Item Number	Length	Shank Diameter	Head Diameter	UNIVERSAL SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A 6-96244	(Suggested Retail)
U10101625B	1-5/8"	#10	.328"	Universal Screws - Full Thread - BULK PAILS	19.97	2,500	T-25	7	11155-0	\$232.78
U09102000B	2"	6#	.328"	Universal Screws - in BULK PLASTIC PAILS	28.19	3,700	T-25	1	10003-5	\$262.97
U09102500B	2-1/2"	6#	.328"	Universal Screws - in BULK PLASTIC PAILS	25.01	2,600	T-25	1	10004-2	\$215.65
U09103125B	3-1/8"	6#	.328"	Universal Screws - in BULK PLASTIC PAILS	17.34	1,500	T-25	1	10111-7	\$177.62
U10103125B	3-1/8"	#10	.372"	Universal Screws - in BULK PLASTIC PAILS	22.2	1,500	T-25	1	10126-1	\$209.13
U10103500B	3-1/2"	#10	.372"	Universal Screws - in BULK PLASTIC PAILS	19.82	1,200	T-25	1	10010-3	\$199.04
U10104000B	4"	#10	.372"	Universal Screws - in BULK PLASTIC PAILS	18.81	1,000	T-25	1	10011-0	\$189.72
U12105000B	2"	#12	.439"	Universal Screws - in BULK PLASTIC PAILS	16.62	200	T-25	1	10058-5	\$222.47
U12106000B	.9	#12	.439"	Universal Screws - in BULK PLASTIC PAILS	19.86	200	T-25	1	10013-4	\$290.10
U12108000B	8	#12	.439"	Universal Screws - in BULK PLASTIC PAILS	15.69	300	T-25	1	11059-1	\$459.57
U10101625H	1-5/8"	#10	.372"	Univ. Screws - Full Thread -100-CT. BOXES	0.81	100	T-25	9	11157-4	\$11.10
U09102000H	2"	6#	.328"	Universal Screws - in 100-CT. BOXES	0.77	100	T-25	9	10030-1	\$10.14
U10102250H	2-1/4"	#10	.372"	Univ. Screws - Full Thread -100-CT. BOXES	1.09	100	T-25	9	11187-1	\$14.44
U09102500H	2-1/2"	6#	.328"	Universal Screws - in 100-CT. BOXES	0.97	100	T-25	9	10031-8	\$11.80
U09103125H	3-1/8"	6#	.328"	Universal Screws - in 100-CT. BOXES	1.17	100	T-25	9	10113-1	\$16.28
U09103125P	3-1/8"	6#	.328"	Universal Screws - in PLASTIC BUCKETS	3.82	330	T-25	2	10115-5	\$46.13
U10104000H	4"	#10	.372"	Universal Screws - in 50-CT. BOXES	0.95	50	T-25	9	10038-7	\$13.45
H10103000B	3"	#10	.372"	Stainless 316 Univ. Screws - in BULK PAILS	22.83	1,500	T-25	1	10045-5	\$639.33
		Shank	Head	SS316 CONSTR. SCREWS	Net Weight	Approx.		Retail Units per	UPC-A	(Suggested
Item Number	Length	Diameter 5/16"	Diameter 626"	Packaging & Description	Lbs.	Screws	Bit Size	Case	6-96244	\$436.44
120102333B	4"	5/16"	"626.	Stainless 316 Constr. Screws - in BILIK PAILS	17.76	400	- 1 - 30		20035-3	\$437.42
I20106000B	. "9	5/16"	.626"	Stainless 316 Constr. Screws - in BULK PAILS	18.74	300	T-30		20037-7	\$618.96
				More	e sizes on next page	ext page	•			MSRP
				FINE SCREWS				Retail		(Suggested
Item Number	Length	Shank Diameter	Head Diameter	Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Units per Case	UPC-A 6-96244	Retail)
F08101500H	1-1/2"	8#	.196"	Fine Screws - in 100-CT. BOXES	0.54	100	T-10	9	40012-8	\$7.39
F08101500B	1-1/2"	8#	.196"	Fine Screws - in BULK PAILS	26.78	0059	T-10	1	40000-5	\$367.88
F08101250H	1-1/4"	8#	.196"	Fine Screws - in 100-CT. BOXES	0.46	100	T-10	9	40219-1	\$7.22

		MSRP	MSRP PRICES	S ON PREMIUM QUALITY STAR DRIVE SCREWS	STAR D	RIVE	SCR	EWS		
Fasteners.	eners.	S	STOCKED	D BY MAZE NAILS AT THE PERU, IL. PLANT	: PERU,	IL. PI	LANT		Fasteners.	eners.
				JOM STATES	More sizes on previous page	evious p	age			MSRP
Item Number	Length	Shank Diameter	Head Diameter	WHITE FINE SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Retail Units per Case	UPC-A 6-96244	(Suggested Retail)
F08102000B	2"	8#	.196"	Fine Screws - in BULK PAILS	25.02	4500	T-10	1	40001-2	\$319.83
F08102000H	2"	8#	.196"	Fine Screws - in 100-CT. BOXES	0.68	100	T-10	9	40013-5	\$9.21
E08102000H		8#	.196"	WHITE Fine Screws - in 100-CT. BOXES	0.55	100	T-10	9	40231-3	\$11.79
E08102000P		8#	.196"	WHITE Fine Screws - in PLASTIC BUCKET	2.69	495	T-10	2	40233-7	\$46.13
E08102000B	2"	8#	.196"	WHITE Fine Screws - in BULK PAILS	24.35	4500	T-10	1	40229-0	\$380.59
F08102000P		8#	.196"	Fine Screws - in PLASTIC BUCKET	3.15	292	T-10	2	40008-1	\$46.13
F08102500H	2-1/2"	8#	.196"	Fine Screws - in 100-CT. BOXES	0.83	100	T-10	9	40014-2	\$11.01
E08102500H	2-1/2"	8#	.196"	WHITE Fine Screws - in 100-CT. BOXES	0.83	100	T-10	9	40237-5	\$14.08
E08102500P	2-1/2"	8#	.196".	WHITE Fine Screws - in PLASTIC BUCKET	2.76	390	T-10	2	40239-9	\$46.13
F08102500P	2-1/2"	8#	.196"	Fine Screws - in PLASTIC BUCKET	3.37	475	T-10	2	40009-8	\$46.13
F08102500B	2-1/2"	8#	.196"	Fine Screws - in BULK PAILS	24.78	3500	T-10	_	40002-9	\$299.83
F08103125H	3-1/8"	8#	.196"	Fine Screws - in 100-CT, BOXES	0.98	100	T-10	9	40057-9	\$13.45
F08103125B	3-1/8"	8#	.196"	Fine Screws - in BULK PAILS	17.04	2000	T-10	1	40055-5	\$133.44
F09104000B	4"	6#	.232"	Fine Screws - in BULK PAILS	14.22	1000	T-15	1	40005-0	\$308.49
							•	•		
				* Tatata WHITEsmannanasa				Retail		MSRP
Item Number	Length	Shank Diameter	Head Diameter	RE-FINE SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Units per Case	UPC-A 6-96244	(Suggested Retail)
Q08102500H	2-1/2"	8#	.196"	WHITE Re-Fine Screws - in 100-CT. BOXES	0.71	100	T-10	9	40267-2	\$14.08
				- Wannannann I				:		MSRP
:		Shank	Head	SS316 FINE SCREWS	Net Weight	Approx.	; ;	Retall Units per	UPC-A	(Suggested
K08101500H	1-1/2"	#8	.196"	Stainless 316 Fine Screws - in 100-CT BOXES	0.57	100	T-10	Cdse 6	40027-2	\$18.98
K08102000H	2"	8#	.196"	Stainless 316 Fine Screws - in 100-CT BOXES	0.72	100	T-10	9	40028-9	\$22.63
K08102500H	2-1/2"	8#	.196"	Stainless 316 Fine Screws - in 100-CT BOXES	0.86	100	T-10	9	40029-6	\$29.35
								. •		
				SWIEDS GVD				Retail		MSRP
Item Number	Length	Shank Diameter	Head Diameter	CAP SCREWS Packaging & Description	Net Weight Lbs.	Approx. Screws	Bit Size	Units per Case	UPC-A 6-96244	(Suggested Retail)
C08101250H	1-1/4"	8#	0.423"	Cap Screws - in 100-CT BOXES	0.50	100	T-15	9	30008-4	\$6.58
C08102500H	2-1/2"	8#	0.423"	Cap Screws - in 100-CT BOXES	0.89	100	T-15	9	30010-7	\$12.26
C08103125H	3-1/8"	8#	0.423"	Cap Screws - in 100-CT BOXES	1.06	100	T-15	9	30051-0	\$15.81

Fasteners.			MONTH OF THE CONTROL						
	S	STOCKED	D BY MAZE NAILS AT THE PERU, IL. PLANT	PERU,	IL. PI	-ANT		Fasteners.	eners.
	0	-	STEEL SIDING WILMAGEED	* 4"": - /W/ * - W	V		Retail	V C	MSRP (Suggested
Item Number Length	Snank Diameter	неаd Diameter	SIEEL SIDING - W/ WASHER Packaging & Description	Net Weignt Lbs.	Approx. Screws	Bit Size	Units per Case	UPC-A 6-96244	Retail)
M10101500B 1-1/2"	#10	0.445"	Steel Siding Screws - with White Cap	26.91	2300	T-20	1	50180-1	\$301.42
M10101500H 1-1/2"	#10	0.445"	Steel Siding Screws - with White Cap	9.0	20	T-20	9	50182-5	\$8.61
M10101500P 1-1/2"	#10	0.445"	Steel Siding Screws - with White Cap	3.75	320	T-20	2	50184-9	\$46.13
							Retail		MSRP
Item Number Bit Size		Bit I ength	"U-BITS" (DRIVERS) Packaging & Description	Top-Quality U-Bits are color	U-Bits are	color	Units per	UPC-A 6-96244-	(Suggested
		2"	U-bit T10 - 2 Bits per Card		1		12	60016-0	\$5.64
B00215020X T15	2	2"	U-bit T15 - 2 Bits per Card				12	60019-1	\$5.64
B00225020X T25	2	2"	U-bit T25 - 2 Bits per Card		==		12	60022-1	\$5.64
B00230020X T30	7	2"	U-bit T30 - 2 Bits per Card				12	60025-2	\$5.64
B00240020X T40	2	2"	U-bit T40 - 2 Bits per Card				12	60028-3	\$5.64
B00210020W T10	2	2"	U-bit T10 - 25 Bits per Plastic Box	0	Ц	n	_	60001-6	\$66.16
B00215020W T15	2	2"	U-bit T15 - 25 Bits per Plastic Box	10	-	1	1	60004-7	\$66.16
B00225020W T25	2	2"	U-bit T25 - 25 Bits per Plastic Box	162-	15.2"		1	8-20009	\$66.16
B00230020W T30	2	2"	U-bit T30 - 25 Bits per Plastic Box	Dest.	The second		1	60010-8	\$66.16
B00240020W T40	2	2"	U-bit T40 - 25 Bits per Plastic Box				1	60013-9	\$66.16



U² tamen -

CALL FOR



MAZE NAILS - 100 CHURCH STREET PERU IL 61354 800-435-5949 WWW.MAZENAILS.COM



mazenails.com



800.435.5949