




Color :  White

UPC Code : 078477778203

Country Of Origin : Please Contact  
Customer Service

**Available Colors :**



# 1451-2W

15 Amp Single-Pole Toggle Switch, Grounding, White

15 Amp, 120 Volt, Toggle Framed Single-Pole AC Quiet Switch,  
Residential Grade, Grounding, Quickwire Push-In & Side Wired  
- White Made in USA

Tried-and-true toggle designs, Leviton Residential Grade AC Quiet Switches cover all the bases; they install easily and are available in standard and illuminated versions. Their toggles and frames are constructed of impact-resistant thermoplastic, and they feature large head, hardened triple-drive screws for easy installation. Leviton's traditional switches are compatible with a wide range of Leviton plastic and metal wallplates.

## Technical Information

### Product Features

**Actuator Material :**  
Thermoplastic

**Amperage :** 15 A

**Body Material :** Thermoplastic

**Color :** White

**Feature :** Framed

**Grounding :** Grounding

**HP Rating :** 1/2HP-120V

**Max. Amperage :** 12 Amp

**Pole :** 1

**Standards and Certifications**  
: UL/CSA

**Strap Material :** Steel

**Terminal Accom. :** Side wiring  
accepts #10, #12 and #14  
AWG copper (CU) or #10 and  
#12 copper clad (CC) wire,  
Quickwire push-in terminals  
accept #14 AWG solid copper  
(CU) wire only

**Termination :** Quickwire Push-  
In & Side

**Torque Range :** 14 – 18 in.-lbs

**Type :** Toggle Switch

**Voltage :** 120 VAC

**Warranty :** 2-Year Limited

## Features and Benefits

- \_ Faster installation with combination of side wiring and Quickwire push-in wiring
- Side wiring accepts #10, #12 and #14 AWG copper (CU) or #10 and #12 copper clad (CC) wire
- Quickwire push-in terminals accept #14 AWG solid copper (CU) wire only
- Large head triple-drive combination screws (Standard, Phillips, Robertson) for fast wiring installation
- Impact-resistant, durable thermoplastic toggle and frame
- Backed by a Limited Two-Year Warranty
- NOTE: In Canada, a general-use switch does not require attachment to a grounding/bonding wire when installed in a grounded/bonded flush device box.

#### SPECIFICATION SUBMITTAL

JOB NAME: <input style="width: 90%; height: 20px;" type="text"/>	CATALOG NUMBERS: <input style="width: 45%; height: 20px;" type="text"/> <input style="width: 45%; height: 20px;" type="text"/>
JOB NUMBER: <input style="width: 90%; height: 20px;" type="text"/>	<input style="width: 45%; height: 20px;" type="text"/> <input style="width: 45%; height: 20px;" type="text"/>

#### Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.

T. Monday-Friday): +1-800-824-3005

#### Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·

FAX: +1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

#### Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)

5386- 1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

#### Visit our Website at: [www.leviton.com](http://www.leviton.com)

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

#### Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

[www.leviton.com/international/contacts](http://www.leviton.com/international/contacts)

© 2024 Leviton Manufacturing Co., Inc.