QOC16US

Replacement cover, QO, for 16 space load center, surface, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Complementary		
Cover Type	Surface cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	16	
Height	17.92 in (455.17 mm)	
Width	14.24 in (361.70 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901745990
Returnability	Yes
Country of origin	US

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.70 in (1.78 cm)	
Package 1 Width	14.24 in (36.17 cm)	
Package 1 Length	17.92 in (45.52 cm)	
Package 1 Weight	5.851 lb(US) (2.654 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	162	
Package 2 Height	39.50 in (100.33 cm)	
Package 2 Width	40.0000000000 in (101.6 cm)	
Package 2 Length	48.0000000000 in (121.92 cm)	
Package 2 Weight	946.000 lb(US) (429.098 kg)	

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☐ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC16UF

Replacement cover, QO, for 16 space load center, flush, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Flush cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	16	
Height	19.12 in (485.65 mm)	
Width	15.44 in (392.18 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001	
Discount Schedule	DE3A	
GTIN	785901745907	
Returnability	Yes	
Country of origin	MX	

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.50 in (3.81 cm)
Package 1 Width	15.70 in (39.88 cm)
Package 1 Length	19.60 in (49.78 cm)
Package 1 Weight	6.86 lb(US) (3.11 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	162
Package 2 Height	39.50 in (100.33 cm)
Package 2 Width	40.000000000 in (101.6 cm)
Package 2 Length	48.000000000 in (121.92 cm)
Package 2 Weight	1130.00009 lb(US) (512.559 kg)

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	€Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC24US

Replacement cover, QO, for 24 space load center, surface, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Surface cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	24	
Height	20.18 in (512.57 mm)	
Width	14.25 in (361.95 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901746010
Returnability	Yes
Country of origin	US

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.400 in (3.556 cm)	
Package 1 Width	14.600 in (37.084 cm)	
Package 1 Length	21.400 in (54.356 cm)	
Package 1 Weight	6.601 lb(US) (2.994 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	162	
Package 2 Height	39.50 in (100.33 cm)	
Package 2 Width	40.0000000000 in (101.6 cm)	
Package 2 Length	48.0000000000 in (121.92 cm)	
Package 2 Weight	1051.000 lb(US) (476.725 kg)	

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☐ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC24UF

Replacement cover, QO, for 24 space load center, flush, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Flush cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	24	
Height	22.13 in (562.10 mm)	
Width	15.44 in (392.18 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901745938
Returnability	Yes
Country of origin	US

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.70 in (4.32 cm)	
Package 1 Width	15.90 in (40.39 cm)	
Package 1 Length	22.6 in (57.4 cm)	
Package 1 Weight	7.85 lb(US) (3.56 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	108	
Package 2 Height	39.50 in (100.33 cm)	
Package 2 Width	40.0000000000 in (101.6 cm)	
Package 2 Length	48.0000000000 in (121.92 cm)	
Package 2 Weight	1171.687 lb(US) (531.468 kg)	

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☐ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC30US

Replacement cover, QO, for 30 space load center, surface, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

- Comprehensive		
Cover Type	Surface cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	30	
Height	29.86 in (758.44 mm)	
Width	14.24 in (361.70 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901746034
Returnability	Yes
Country of origin	US

1 0.70 in (1.78 cm)
0.70 in (1.78 cm)
14.24 in (36.17 cm)
29.86 in (75.84 cm)
9.050 lb(US) (4.105 kg)
PAL
81
39.50 in (100.33 cm)
40.000000000 in (101.6 cm)
48.000000000 in (121.92 cm)
747.000 lb(US) (338.833 kg)

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☐ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC30UF

Replacement cover, QO, for 30 space load center, flush, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Complementary		
Cover Type	Flush cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	30	
Height	31.06 in (788.92 mm)	
Width	15.44 in (392.18 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901745952
Returnability	Yes
Country of origin	MX

4
1
0.70 in (1.78 cm)
15.44 in (39.22 cm)
31.06 in (78.89 cm)
13.400 lb(US) (6.078 kg)
PAL
81
39.50 in (100.33 cm)
40.000000000 in (101.6 cm)
48.000000000 in (121.92 cm)
878.999 lb(US) (398.707 kg)

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☐ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC20U100S

Replacement cover, QO, for 20 space load center with 125A mains, surface, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Surface cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	20	
Height	17.92 in (455.17 mm)	
Width	14.25 in (361.95 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901746003
Returnability	Yes
Country of origin	MX

PCE	
1	
1.50 in (3.81 cm)	
16.000000000 in (40.64 cm)	
18.300 in (46.482 cm)	
5.851 lb(US) (2.654 kg)	
PAL	
162	
39.50 in (100.33 cm)	
40.000000000 in (101.6 cm)	
48.000000000 in (121.92 cm)	
978.00005 lb(US) (443.613 kg)	
	1 1.50 in (3.81 cm) 16.0000000000 in (40.64 cm) 18.300 in (46.482 cm) 5.851 lb(US) (2.654 kg) PAL 162 39.50 in (100.33 cm) 40.0000000000 in (101.6 cm) 48.00000000000 in (121.92 cm)

Warranty

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☑ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

QOC20U100F

Replacement cover, QO, for 20 space load center with 125A mains, flush, gray





Main

Marketing Trade Name	QO
Product Type	Load Center Cover

Complementary

Cover Type	Flush cover	
Product Compatibility	For indoor load center	
Surface Finish	Baked enamel Gray	
Number of Spaces	20	
Height	19.12 in (485.65 mm)	
Width	15.44 in (392.18 mm)	
Depth	0.7 in (17.8 mm)	
Tightening Torque	Cover 2.3 N.m	

Ordering and shipping details

<u> </u>	
Category	US1DE3A00001
Discount Schedule	DE3A
GTIN	785901745914
Returnability	Yes
Country of origin	MX

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	2.300 in (5.842 cm)	
Package 1 Width	16.700 in (42.418 cm)	
Package 1 Length	20.50 in (52.07 cm)	
Package 1 Weight	6.799 lb(US) (3.084 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	162	
Package 2 Height	39.50 in (100.33 cm)	
Package 2 Width	40.0000000000 in (101.6 cm)	
Package 2 Length	48.0000000000 in (121.92 cm)	
Package 2 Weight	1099.0009 lb(US) (498.498 kg)	

Warranty

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	☐ REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EPEU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
China RoHS Regulation	☑ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	