

Introducing Actual

Replacement Value.



Pro-Fit™ replacement parts are designed and built to fit Bell & Gossett* and Armstrong** pumps – with one notable difference: they're from Taco. So extra care goes in to every part. After all, Taco has a reputation for quality and durability to uphold. Next time you need parts, ask for Pro-Fit™. Outside of the improvement, you'll never notice the difference.

Taco® HIGH QUALITY REPLACEMENT PARTS
PRO-FIT™

Fits Bell & Gossett* And Armstrong* Pumps
* Both not affiliated with Taco, Inc.

* A trademark of ITT Industries, Inc. ** A trademark of S.A. Armstrong Limited.
Taco Inc., 1160 Cranston Street, Cranston, RI 02920 www.taco-hvac.com

Motors



Application

High quality Pro-Fit™ motors are made in the USA and designed to replace all Bell & Gossett* and Armstrong** fractional HP motors up to 3/4HP. Permanently lubricated, ball bearing construction make Pro-Fit™ replacement motors

maintenance-free. All motors are fitted with rigid, steel mounting cradles with resilient motor mounts to facilitate easy alignment of motor and pump shaft and ensure quiet, vibration-free operation. Note: 3/4 HP motors are C-Face mount.

Features


- Made in USA
- Ball Bearing Construction, Permanently Lubricated, Maintenance Free
- Quiet Operation
- ODP-Open Drip Proof design
- Automatic Thermal Overload
- Finned End Rings for improved cooling
- Class B Insulation
- Steel Motor Housing
- Corrosion Protection Coating
- Carbon Steel Shaft
- 1725 rpm, 4 pole

Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	B&G Part #	Armstrong Pump #	Armstrong Part #	HP
115/60/1					
MOT-A-100	100 (75-100)	111034	S-25	805316-010 CCW	1/12
MOT-B-100	1-1/2", 2", HV, PR	111036 111031	S-35, H-32, H-41	817025-001 CCW	1/6
MOT-B-101	HV-NEW	111061	N/A	817025-005 CCW	1/6
MOT-C-100	2-1/2", LD3	111040	S-45	817025-007 CCW	1/4
MOT-C-101	HD3	111042	S-46	817025-013 CCW	1/3
MOT-D-100	60-11	169035	H-51	816141-001 CW	1/4
MOT-D-101	60-2	169038	H-52	816141-002 CW	1/3
115/230/60/1					
MOT-D-102	60-13, PD-35	111044	H-53, S-55	811757-001 CW	1/2
MOT-D-104	60-14, PD-37	111047	H-54, S-57	811757-002 CW	3/4
208/230/460/60/3					
MOT-D-103	60-13, PD-35	111046	H-53, S-55	831011-083 811757-020	1/2
MOT-D-105	60-14, PD-37	111049	H-54, S-57	831012-083 811757-024	3/4

Dimensions

Pro-Fit™ Part #	HP	Voltage	Rotation	A	B
MOT-A-100	1/12	115/60/1	CCW	9	7
MOT-B-100	1/6	115/60/1	CCW	9	7-1/2
MOT-B-101	1/6	115/60/1	CCW	9	7
MOT-C-100	1/4	115/60/1	CCW	9	7-1/2
MOT-C-101	1/3	115/60/1	CCW	9	7-1/2
MOT-D-100	1/4	115/60/1	CW	9	7-1/2
MOT-D-101	1/3	115/60/1	CW	9	7-1/2
MOT-D-102	1/2	115/230/60/1	CW	10-1/2	7-1/2
MOT-D-103	1/2	208/230/460/60/3	-	9	7-1/2
MOT-D-104	3/4	115/230/60/1	CW	11	5-7/8
MOT-D-105	3/4	208/230/460/60/3	-	10	5-7/8



Bearing Assemblies & Bearing Cartridge kit



Application

Heavy-duty Pro-Fit™ bearing assemblies and bearing cartridge kits are designed to replace all Bell & Gossett* and Armstrong** seal/bearing assemblies. Rugged, die cast aluminum construction ensures proper alignment with motor shaft for longer bearing life. Universal bearing assemblies are bronze fitted with S/S faceplates for use on open or closed systems, reducing multiple SKU's.

Features


- Rugged, Precision machined, Die Cast Aluminum Bracket
- Powder Coated durable finish to resist corrosion
- Carbon Steel shaft, integral copper sleeve to resist corrosion
- 305 S/S Face Plate
- Durable Nitrile Lip-Seal
- Brass Impeller nut
- Universal Bearing Cartridge & Seal Kit fits all Pump models
- Dimpled shaft for positive coupler alignment
- Heavy Duty, bronze sleeve bearings
- Die-cast aluminum bearing supports

Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
BRG-A-100	100 (75-150)	118844 189034	S-25	816019-002
BRG-A-200 w/Impeller	100 (75-150)	189134	S-25	810019-001
BRG-B-100	HV & 2" (Old)	189100 189101 189102 189103 189162 189163	S-35, H-32	816549-091
BRG-B-101	HV & 2" (New)	189120 189121 189122 189129 189131 189165	N/A	816023-001
BRG-C-100	2-1/2", LD3, HD3, PR	189105 189106 118447	S-45, S-46, H-41	816027-002
BRG-D-100	PD-35, PD-37, 60-11, 60-2, 60-13, 60-14	186863 186864	S-55, S-57, H-51, H-52, H-53, H-54	816032-000

Dimensions

Pro-Fit™ Part #	A	B
BRG-A-100	5-1/4	6
BRG-B-100	6	6
BRG-B-101	5-1/4	6
BRG-C-100	6	6
BRG-D-100	6-3/4	7




Replacement Bearing Cartridge Kit

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
CAR-ABCD-100	N/A	N/A	All Models	816999-041

Dimensions

Pro-Fit™ Part #	A	B
CAR-ABCD-100	5	3-1/4



Impellers



Application

Durable, Noryl® Pro-Fit™ impellers replace all Bell & Gossett* and Armstrong** pumps through 3/4HP models. Designed to match original performance curves and reduce wholesaler parts inventories over 50%. One impeller can be used for closed or open systems, cast iron or bronze pumps.

Features

- Durable, composite Noryl® construction
- Replaces all steel, brass, & plastic impellers
- Integrally molded, brass key insert for added strength
- Designed for open or closed system applications
- Matches Bell & Gossett* and Armstrong** original performance curves


Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	B&G Part #	Armstrong Pump #	Armstrong Part #	Type
IMP-A-100 2.75" Diam.	100 (75-150)	118840 ST 118431 BR 189132 NF	S-25	812961-011 812961-041 812961-111	ST BR NFI
IMP-B-100 3.38" Diam.	—	—	S-35	816322-011 816322-041 816322-111	ST BR NFI
	2", HV HV-NEW	118668 ST 118436 BR 189128 NF	H-32	816556-011 816556-041 816556-111	ST BR NFI
IMP-C-100 4.25" Diam.	PR	118830 ST 118612 BR	H-41	816301-025 816301-055 816301-325	ST BR NFI
IMP-C-101 3.88" Diam.	2-1/2" LD3	118676 ST 118440 BR	S-45	816305-028 816305-058 816305-328	ST BR NFI
IMP-C-102 4.25" Diam.	HD3	118675 ST 118439 BR	S-46	816305-025 816305-055 816305-325	ST BR NFI
IMP-D-100 4.75" Diam.	PD-35	118630 ST 118627 BR	S-55	816304-021 816304-051 816304-321	ST BR NFI
IMP-D-101 5.25" Diam.	PD-37, 60-14	118629 ST 118626 BR	S-57, H-54	816304-017 816304-047 816304-317	ST BR NFI
IMP-D-102 5.00" Diam.	60-11	186441 ST 186359 BR 186360 NF	H-51	816302-019 816302-049 816302-319	ST BR NFI
IMP-D-103 5.25" Diam.	60-2	186441 ST 186359 BR	H-52	816302-017 816302-047 816302-317	ST BR NFI
IMP-D-104 5.25" Diam.	60-13	P61010 ST 186368 BR	H-53	816303-017 816303-047 816303-317	ST BR NFI

Type: ST = Steel, BR = Brass, NF/NFI = Plastic, ProFit = Noryl

Dimensions

Pro-Fit™ Part #	A	B	C	D
IMP-A-100	1-1/2	1-3/4	1-1/4	2-3/4
IMP-B-100	1-1/2	1-3/4	1-1/4	3-1/2
IMP-C-100	1-1/2	2	3-1/2	4-1/4
IMP-C-101	2	2	3-1/2	3-3/4
IMP-C-102	2	2	3-1/2	4-1/4
IMP-D-100	2	2	3-1/2	4-3/4
IMP-D-101	2	2	3-1/2	5-1/4
IMP-D-102	1-1/2	2	3-1/2	5
IMP-D-103	1-1/2	2	3-1/2	5-1/4
IMP-D-104	1-1/2	2	3-1/2	5-1/4



Couplers



Application

Pro-Fit™ heavy-duty spring couplers eliminate multiple inventory. With reinforced eyelets, one coupler fits all pumps with 1/2" motor shafts. Reinforced eyelets are designed for improved performance and extended life.

Features

- Rugged, cast zinc with steel reinforced eyelets to increase life of coupler
- Heavy-duty spring
- Fits all 1/2" motor shafts
- Standard Woods 3-J for all 5/8" motor shafts (optional 1/2" inserts included)


Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
COU-ABC-100 1/2 X 1/2 Spring Coupler	100 (75-150) 1-1/2", 2" HV, PR	118705 189110 118712	S-25, S-35, H-32, H-41	806026-001
	2-1/2", LD3, HD3	118723	S-45, S-46	806168-001
COU-D-100 1/2 X 5/8 1/2 X 1/2 Woods 3-J	60-2 60-11 PD-37, 60-14 PD-35, 60-13	118473 H-51 H-52 S-57, H-54 S-55, H-53		810120-003 807436-000 806137-000 810120-006


Dimensions

Pro-Fit™ Part #	A	B	C
COU-ABC-100	3	1/2 X 1/2	3-1/4
COU-D-100	2	1/2 X 5/8	2-1/6

COU-ABC-100



COU-D-100



Seal Kit



Application
One universal seal kit fits all models with 1/2" pump shaft. Ceramic & carbon

surfaces designed for extended wear and long life.

Features


- Ceramic & Carbon facing surfaces
- 18/8 Stainless Steel Spring, holder & retainer
- Buna N Cup & Bellows
- Universal Seal Kit fits all pump models

Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
SLK-ABCD-100	All 1/2" Seal Pumps	118681	All 1/2" Seal Pumps	816706-001 816706-021

Dimensions

Pro-Fit™ Part #	A	B
SLK-ABCD-100	1	1-1/4



Body Gaskets




Application
Four body gaskets replace all models up to 3/4 HP.

Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	B&G Part #	Armstrong Pump #	Armstrong Part #
GSK-A-100	100(75-100)	P04080	S-25	104442-000
GSK-B-100	1-1/2", 2", HV HV-NEW	P04890	S-35, H-32	106049-000
GSK-C-100	2-1/2", LD3, HD3, PR	P05800	S-45, S-46, H-41	106050-000
GSK-D100	PD-35, PD-37, 60-11, 60-2, 60-13, 60-14	P57410	S-55, S-57, H-51 H-52, H-53, H-54	106158-000

Dimensions

Pro-Fit™ Part #	A	B
GSK-A-100	3	2-3/4
GSK-B-100	3-3/4	3-1/2
GSK-C-100	4-3/4	4-1/4
GSK-D100	5-1/2	5-1/4



Resilient Motor Mounts



Application
Direct replacements for all Bell & Gossett* motors 1/12 to 3/4HP.

Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
MNT-AB-100	1/12, 1/6 HP	118223	—	810120-000
MNT-CD-100	1/4-3/4, OLD 1/6 HP	118227, 118228	—	810120-001


Oil Tube



Application
Pro-Fit™ pump and motor lubricant is light-weight, detergent-free suitable for all pump models.


Part # Cross Reference

Pro-Fit™ Part #	Bell & Gossett Pump #	Bell & Gossett Part #	Armstrong Pump #	Armstrong Part #
OIL-ABCD-100	All Models	L23401	All Models	116621-00



Taco[®] HIGH QUALITY REPLACEMENT PARTS
PRO-FIT[™]

Fits Bell & Gossett * And Armstrong * Pumps
* Both not affiliated with Taco, Inc.



HYDRONIC COMPONENTS & SYSTEMS

Do it once.
Do it right. 

Taco, Inc., 1160 Cranston Street, Cranston, RI 02920 / (401) 942-8000 / Fax (401) 942-2360
Taco (Canada) Ltd., 6180 Ordan Drive, Mississauga, Ontario L5T 2B3 / (905) 564-9422 / Fax (905) 564-9436
www.taco-hvac.com