

Closet Connector Housing (CCH) Panel, LC Adapters

Duplex, 6 F, 50 μ m multimode (OM3/OM4/OM4 extended 10G distance)

CORNING

Corning Cable Systems Closet Connector Housing Panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® Solutions hardware products for a “one-size-fits-all” approach. Used with factory-installed or field-installable connectors, these panels provide interconnect or cross-connect capability in a housing at main cross-connections, intermediate cross-connections, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and single-mode applications.

Features and Benefits

Universal design approach

One-size-fits-all LANscape® Solutions housings

Broadest range of fiber count and adapter types

Solutions for all needs

Colored icon labeling

Easy connector identification



Part Number: CCH-CP06-E4



Part Number: CCH-CP06-E4



CORNING

Closet Connector Housing (CCH) Panel, LC Adapters

Duplex, 6 F, 50 µm multimode (OM3/OM4/OM4 extended 10G distance)

CORNING

Specifications

General Specifications

Application	Enterprise Networks, Data Center
Product Type	Panels & Modules
Fiber Category	50 µm MM (OM3/OM4/OM4 extended 10G distance)

Design - Hardware

Connector polish	UPC
Fiber Count	6
Number of adapters per panel	6

Design Adapter

Adapter Housing Color	Aqua
Adapter Housing Material	Composite
Adapter Style	Standard
Adapter Type	LC duplex
Insert Material	Ceramic

Chemical characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

Ordering Information

Order Number	CCH-CP06-E4
Product description	Closet Connector Housing (CCH) Panel, LC Adapters, duplex, 6 F, 50 µm multimode (OM3/OM4/OM4 extended 10G distance)

Closet Connector Housing (CCH) Panel, LC Adapters

Duplex, 6 F, 50 μ m multimode (OM3/OM4/OM4 extended 10G distance)

The Corning logo is a blue square with the word "CORNING" in white, serif, uppercase letters.

Shipping Information

Units per Delivery	1/1
Package Contents	CCH Adapter Panel with installation guide

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/cablesystems

A complete listing of the trademarks of Corning Cable Systems is available at www.corning.com/cablesystems/trademarks.

Corning Cable Systems is ISO 9001 certified. © 2011 Corning Cable Systems. All rights reserved.

The Corning logo is the word "CORNING" in a large, black, serif, uppercase font.