

# Closet Connector Housing (CCH) Panel, ST® Compatible Adapters

6 F, 50 µm multimode (OM3/OM4/OM4 extended 10G distance)

CORNING

Corning Cable Systems Closet Connector Housing Panels (CCH-CP) are offered in a variety of fiber counts for use with LANscape® Solutions hardware products for a “one-size-fits-all” approach. Used with factory-installed or field-installable connectors, these panels provide interconnect or cross-connect capability in a housing at main cross-connections, intermediate cross-connections, telecommunication rooms or work areas. Available with a variety of industry-standard adapter types, the CCH-CP provides an efficient way to securely mate two connectors and offers multimode and single-mode applications.

## Features and Benefits

### Universal design approach

One-size-fits-all LANscape® Solutions housings

### Broadest range of fiber count and adapter types

Solutions for all needs

### Colored icon labeling

Easy connector identification



Part Number: CCH-CP06-H3



Part Number: CCH-CP06-H3



# Closet Connector Housing (CCH) Panel, ST<sup>®</sup> Compatible Adapters

6 F, 50 µm multimode (OM3/OM4/OM4 extended 10G distance)

CORNING

## Specifications

### General Specifications

Application	Enterprise Networks, Data Center
Product Type	Panels & Modules
Fiber Category	50 µm MM (OM3/OM4/OM4 extended 10G distance)

### Design - Hardware

Connector polish	UPC
Fiber Count	6
Number of adapters per panel	6

### Design Adapter

Adapter Housing Color	Aqua
Adapter Housing Material	Metal
Adapter Style	Standard
Adapter Type	ST <sup>®</sup> Compatible
Insert Material	Ceramic

### Chemical characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

## Ordering Information

Order Number	CCH-CP06-H3
Product description	Closet Connector Housing (CCH) Panel, ST <sup>®</sup> Compatible adapters, 6 F, 50 µm multimode (OM3/OM4/OM4 extended 10G distance)

# Closet Connector Housing (CCH) Panel, ST<sup>®</sup> Compatible Adapters

6 F, 50  $\mu$ m multimode (OM3/OM4/OM4 extended 10G distance)

The Corning logo is a blue square with the word "CORNING" in white, serif, uppercase letters.

## Shipping Information

Units per Delivery	1/1
Package Contents	CCH Adapter Panel with installation guide

**Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA**

**800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/cablesystems](http://www.corning.com/cablesystems)**

A complete listing of the trademarks of Corning Cable Systems is available at [www.corning.com/cablesystems/trademarks](http://www.corning.com/cablesystems/trademarks).

Corning Cable Systems is ISO 9001 certified. © 2011 Corning Cable Systems. All rights reserved.

The Corning logo is the word "CORNING" in a large, black, serif, uppercase font.