

# Single-Panel Housing (SPH) Wall-mountable, holds one CCH connector panel, black

CORNING

**Part Number:**  
**SPH-01P**

Corning single-panel housing is a cost-effective option for storage, protection and termination of optical fiber cables in applications with minimal mounting space. The housing accepts standard LANscape® solution CCH connector panels and offers protection for the fiber cable and connectors for indoor wall-mount installations. This compact unit has a 1.5 inch frontal projection and is optimized for use in locations such as Box-in-a-Box applications, building entrances, terminals, wiring closets, open office and other areas where space is a premium. The SPH-01P housings have a stacking feature to allow up to three independent SPH-01P housings to be stacked and function as one wall-mount unit allowing capacity expansion without consuming additional wall space. The built-in splice tray with routing guides provide both protection and segregation of the cable and fiber during initial install and any future MAC work that is needed. The durable black metal housing can be used for splice management, cross-connect or both for up to 12 single fiber heat-shrink splices, and the improved splice organizer will also handle six ribbon heat-shrink splices if so desired. The single-panel housing can be mounted in multiple orientations including a DIN rail mounting option to allow fiber protection and connectivity in electronic and/or control cabinet applications as well as standard wall mounting.



# Single-Panel Housing (SPH) Wall-mountable, holds one CCH connector panel, black

CORNING

## Specifications

### General Specifications

|               |                         |
|---------------|-------------------------|
| Mounting Type | Wall-Mountable          |
| Product Type  | Wall-Mountable Hardware |
| Application   | Enterprise Networks     |

### Standards

|      |   |
|------|---|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |
|------|---|

### Design

|                              |   |
|------------------------------|---|
| Number of Panels per Housing | 1   |
| Panel or Module Type         | CCH   |
| Splice Tray Options          | Includes a 6 slot 0.4-in splice holder, up to 12 heat-shrink splices double stacked and/or 6 heat-shrink ribbon splices |
| Housing Type                 | SPH   |

### Connector Specs

|               |       |
|---------------|-------|
| Housing Color | Black |
|---------------|-------|

### Shipping Dimensions

|        |                     |
|--------|---------------------|
| Height | 196.85 mm (7.75 in) |
| Width  | 171.45 mm (6.75 in) |
| Depth  | 54.1 mm (2.13 in)   |

### Ordering Information

|                |               |
|----------------|---------------|
| Product Number | SPH-01P       |
| EAN Code       | 4056418142739 |

Single-Panel Housing (SPH) Wall-mountable,  
holds one CCH connector panel, black



| Ordering Information |        |
|----------------------|--------|
| Shipping Weight      | 0.5 kg |
| Units per Delivery   | 1/1    |



Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States  
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks). All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2022 Corning Optical Communications. All rights reserved.