

Experience a safer and more open world

# **COMPETITOR INDICATOR KITS**

Best® and Schlage® Mortise Locks



# **TABLE OF CONTENTS**

## Contents

Features	<u>. 3</u>
Finishes	4
Indicator Option Codes	5
Best® Mortise Locks	6
Schlage® Mortise Locks	7
How to Order	8
Parts	9

Competitor indicator kits are approved by UL as an accessory item on doors using Schlage® L9000 or Best® 45H/34H/35H mortise locks. Kits should be ordered only for the specific functions as listed by ASSA ABLOY ACCENTRA® and are surface applied as an accessory to existing locksets.



This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

# ACCENTR/ ASSA ABLO

# COMPETITOR INDICATOR KITS

## Indicator Retrofit Kits

Indicators can be used in a variety of applications and are most commonly used to identify occupancy or display the locked/unlocked status of a room.

Upgrade existing Best<sup>®</sup> or Schlage<sup>®</sup> mortise locks with a retrofit indicator kit from ASSA ABLOY ACCENTRA<sup>®</sup>. These kits offer a seamless upgrade to existing sectional mortise locks to add security and privacy.

## Features

- Can be mounted on the inside, outside or both sides of the door
- Large viewing window
- Patented curved design for viewing at multiple angles
- Window located prominently above the cylinder
- Highly reflective viewing window for increased safety
- Multiple color, text, graphic and language combinations available
- Covers existing Best<sup>®</sup> or Schlage<sup>®</sup> sectional trim indicator preps
- Two-year warranty

# **Typical Applications**

- Classroom doors
- Privacy rooms
- Nursing/new mother rooms
- Patient rooms
- Restrooms
- Meeting rooms

# Certifications

 UL/cUL Classified for use on 3 hr doors using Schlage<sup>®</sup> L9000 or Best<sup>®</sup> 45H/34H/35H mortise locks





Cylinder\*

Cointurn





Thumbturn

Blank/No Input

\*Cylinder not included.


ANSI/BHMA Code Finish Description				
605 Bright Brass, Clear Coated	606 Satin Brass, Clear Coated	612 Satin Bronze, Clear Coated	613E Dark Oxidized Satin Bronze - equivalent	
618 Bright Nickel Plated, Clear Coated	619 <sup>2</sup> Satin Nickel Plated, Clear Coated	625 Bright Chrome Plated	626 <sup>2</sup> Satin Chrome Plated	
629 <sup>1</sup> Bright Stainless Steel	630 <sup>1,2</sup> Satin Stainless Steel			

Note: All finishes will be provided per ACCENTRA color standards. ACCENTRA does not guarantee finish will match to Best® or Schlage® finish.

- 1. Indicator escutcheon nickel plated to match stainless steel.
- 2. Finish available with MicroShield\* antimicrobial coating, additional finishes by special application. Consult factory for availability.

MicroShield coating may vary finish color from architectural standards. MicroShield is not intended as a substitute for traditional infection control programs such as hand hygiene or use of disinfectants. Coated products must still be cleaned to ensure the surfaces will be free of destructive microbes. ACCENTRA makes no representations or warranties, express or implied, as to the efficacy of MicroShield.

Mortise indicator option codes are designed to convey wording and color in one simple code.



Option Code	Wording	Color
V10	Unlocked/Locked	Green/Red
V10F	Ouvert/Fermé	Green/Red
V20	Vacant/Occupied	Green/Red
V20F	Libre/Occupée	Green/Red
V30	Icons Only	Green/Red
V40	Unlocked/Locked	White/Red
V50	Vacant/Occupied	White/Red
V60	Icons Only	White/Red

Sectional trim indicator kits are available to retrofit to Best<sup>®</sup> 45H, 34H or 35H series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- · Kits available for use on sectional trim installations only
- Can only be used with H or R roses. Roses greater than 3-1/4" in diameter cannot be used.
- Thumbturn design will be the standard ACCENTRA thumbturn
- L and LT privacy functions will use a coin turn for emergency override

The following chart details the functions that can be accommodated.

Best <sup>®</sup> Function	Illustration	Description	Outside	Inside
L		Privacy F19	BE193	
LT		Privacy	e e	
AB		Office F20		BE194
AT		Office F04		
RD		Classroom DL F29	BE190*	
ТА		Dormitory F12		
TD		Dormitory	لعا	
IND		Intruder F33		BE190*
INL		Intruder F32		6

\*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Best® 40H series catalog. Refer to that catalog for more information and function details.

# SCHLAGE® MORTISE LOCKS

Sectional trim indicator kits are available to retrofit to Schlage<sup>®</sup> L series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- · Kits available for use on sectional trim installations only
- Can be used with A, B, C, AVA or MER roses. Roses greater than 3-1/4" in diameter cannot be used.
- Thumbturn design will be the standard ACCENTRA thumbturn
- L/LV9040 and L/LV9044 privacy functions will use a coin turn for emergency override

The following chart details the functions that can be accommodated.

Schlage <sup>®</sup> Function	Illustration	Description	Outside	Inside
L/LV9040		Privacy F22	SC193	
L/LV9044	: ∎ ●= <b> </b> ■  =●	Privacy	0	SC194
L/LV9050		Office F04		
L/LV9456		Corridor F13		Q
L9473		Dormitory F21		
L/LV9060		Apartment Entrance Lock F09		
L/LV9071		Classroom Security F32	SC190*	
L/LV9077		Classroom Security Holdback	6	SC190*
L/LV9457		Classroom Security F33	LæJ	<b>.</b>
L/LV9458		Classroom Security F34		
L9466		Store/utility Room Lock with Deadbolt F14		
L/LV9070		Classroom Lock F05		SC197

\*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Schlage<sup>®</sup> L series catalog. Refer to that catalog for more information and function details.

### **Competitor Indicator Kits**

7

To order, specify by model number. Door thickness and indicator option code must be specified with each kit.

Competitor indicator kits are handed and easily field reversible. All units are shipped from the factory with a default handing. Handing must be field verified and adjusted as needed per product installation instructions.

## **Best**®

Model Number	Door Thickness	Finish	Option Code
BE190	1-3/4"	626	V10

# Schlage<sup>®</sup>


8

Model Number	Door Thickness	Finish	Option Code
SC190	1-3/4"	626	V10

Note: Indicators for both sides of the door require two kits.

# PARTS

Replacement parts are available as follows:



ltem #	Decription	Part Number
	Best® Sectional Escutcheon - Cylinder	50-8800-2304 x Finish
	Schlage® Sectional Escutcheon - Cylinder	50-8800-2303 x Finish
1	Best Sectional Escutcheon - Thumbturn (includes thumbturn)	50-8800-0390* x Finish
1	Schlage Sectional Escutcheon - Thumbturn (includes thumbturn)	50-8800-0389* x Finish
	Best or Schlage Sectional Escutcheon - Cointurn (cointurn not included)	50-8800-2301 x Finish
	Best or Schlage Sectional Escutcheon - No Input / Blank	50-8800-2302 x Finish
2	Indicator Window	856F049
	Display Assembly - Green Unlocked / Red Locked	858F241
	Display Assembly - Green Vacant / Red Occupied	858F251
	Display Assembly - Green Unlocked Icon / Red Locked Icon	858F261
2	Display Assembly - White Unlocked / Red Locked	858F271
3	Display Assembly - White Vacant / Red Occupied	858F281
	Display Assembly - White Unlocked Icon / Red Locked Icon	858F291
	Display Assembly - Green Ouvert / Red Fermé	865F241
	Display Assembly - Green Libre / Red Occupée	865F251
4A	Best Spindle Cam - Thumbturn	855F619
4B	Best Spindle Cam - Cylinder / No Input / Blank	855F707*
4C	Best Spindle Cam - Cointurn (includes cointurn)	855F747* x Finish
4D	Schlage Spindle Cam - Thumbturn	50-8800-9322
4E	Schlage Spindle Cam - Cylinder / No Input / Blank	50-8800-7314*
4F	Schlage Spindle Cam - Cointurn (includes cointurn)	50-8800-7318* x Finish
5	Retaining Pad and Screw Kit	50-8800-0391
7	Mounting Plate	855F658
Not Shown	Screw Pack	858F497 x Finish
Not Shown	Template Kit	50-8800-9327

\*These parts are for 1-3/4" standard thickness doors. For other thicknesses, please contact factory.

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



#### **TECHNICAL SUPPORT**

(troubleshooting, product use and application, returns) Tel: 855-557-5078 Email: techsupport.accentra@assaabloy.com

#### **CUSTOMER SUPPORT**

(orders, product configuration, pricing, lead-time) Tel: 855-557-5078 x2 Email: <u>Customerservice.Accentra@assaabloy.com</u>

U.S.A.: ASSA ABLOY ACCENTRA® 225 Episcopal Road Berlin, CT 06037-4004 Tel: 1-800-438-1951 Fax: 1-800-338-0965 www.accentra-assaabloy.com

#### Canada:

ASSA ABLOY Door Security Solutions Canada 160 Four Valley Drive Vaughan, Ontario L4K 4T9 Tel: 1-800-461-3007 Fax: 1-800-461-8989 assaabloydss.ca International: ASSA ABLOY Americas International Tel: 1-905-821-7775 Fax: 1-905-821-1429 assaabloyai.com

ASSA ABLOY ACCENTRA® is a brand associated with ASSA ABLOY Access and Egress Hardware Group, Inc., an ASSA ABLOY Group company. Copyright © 2021-2025, ASSA ABLOY Access and Egress Hardware Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Access and Egress Hardware Group, Inc. is prohibited. 4200-048-05/25