

**Customer:** Lost8's,  
20815 NE 16th Ave, Suite B12,  
Miami, FL 33179



Report Issue Date  
08/17/2021

**Sample ID:** 48348/1  
**Laboratory Number:** ATL-1126

Extraction Technician: HP  
Analytical Chemist: HP

**Sample Description/Size:** D10 Gummies - Strawberry Blazed  
4oz



*Hernan Prieto*

# CANNABINOID PROFILE

Order Date  
08/13/2021

Analysis Date  
08/17/2021

## Cannabinoids (HPLC)

Test	LOD (ng/g)	mg/container	%	Cannabinoid (%)					
				0	20	40	60	80	100
Cannabidiol (CBD)	<2.0	0	N/D						
Cannabidiol Acid (CBD-A)	<2.0	0	N/D						
Cannabigerol Acid (CBG-A)	<2.0	0	N/D						
Cannabigerol (CBG)	<2.0	0	N/D						
Cannabidiol (CBD)	<2.0	0	N/D						
Cannabinol (CBN)	<2.0	0	N/D						
Delta 9-Tetrahydrocannabinol (THC)	<2.0	0	N/D						
Delta 8-Tetrahydrocannabinol	<2.0	317.6	0.86						
Delta 10-Tetrahydrocannabinol (THC)	<2.0	<10	<0.02						
Cannabichromene (CBC)	<2.0	0	N/D						
Delta 9-Tetrahydrocannabinolic Acid (THC-A)	<2.0	0	N/D						

## Cannabinoids Total

Test	mg/container	%	Cannabinoid (%)					
			0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	0	0						
TActive Cannabinoids	<327.6	0.86						
Total Cannabinoids	<327.6	0.86						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab uncertainty are calculated for CBDs and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

ND = Not Detected

