

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® EY-3010-A
Product code : 100000002510

Manufacturer or supplier's details

Company : H.B. Fuller Company
Address : 1200 Willow Lake Boulevard
Vadnais Heights, MN 55110
Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy resin
Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Pasty solid
Color	white
Odor	Neutral

GHS Classification

Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitization : Category 1
Germ cell mutagenicity : Category 2
Carcinogenicity : Category 2

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer.

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects
Carcinogenicity:
IARC

Group 2B: Possibly carcinogenic to humans

diantimony trioxide

1309-64-4

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
Epoxy resin	25068-38-6	50 - 70
Brominated epoxy resin	40039-93-8	10 - 20
triphenyl phosphate	115-86-6	1 - 5
Aromatic difunctional epoxy resin	14228-73-0	1 - 5
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	2530-83-8	1 - 5
diantimony trioxide	1309-64-4	1 - 5

SECTION 4. FIRST AID MEASURES
General advice

: Show this material safety data sheet to the doctor in attendance.

If inhaled

: Move to fresh air.
If symptoms persist, call a physician.

In case of skin contact

: Wash off with soap and water.
Get medical attention immediately if irritation develops and persists.
Remove contaminated clothing and shoes.

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

Wash contaminated clothing before reuse.

- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : Do NOT induce vomiting.
If victim is fully conscious, give a cupful of water.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific extinguishing methods :
Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Not applicable
- Advice on safe handling : No special precautions required.
- Conditions for safe storage : Keep in a dry, cool place.
- Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
triphenyl phosphate	115-86-6	TWA	3 mg/m3	ACGIH
		TWA	3 mg/m3	OSHA Z-1
		TWA	3 mg/m3	OSHA P0
diantimony trioxide	1309-64-4	TWA	0.5 mg/m3	ACGIH
		TWA	0.5 mg/m3	OSHA Z-1
		TWA	0.5 mg/m3	OSHA P0

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
Material : Nitrile rubber
- Eye protection : Safety glasses
- Skin and body protection : Remove and wash contaminated clothing before re-use.
- Protective measures : Avoid contact with skin.
- Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Pasty solid
- Color : white
- Odor : Neutral
- Odor Threshold : No data available
- Melting point/freezing point : not determined
- Boiling point/boiling range : not determined
- Evaporation rate : not determined
- Flammability (solid, gas) : Not classified as a flammability hazard
- Upper explosion limit : upper flammability limit
not determined
- Lower explosion limit : lower flammability limit
not determined
- Density : 4.460 lb/gal
- Solubility(ies)
Water solubility : not determined

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : not determined

Viscosity

Viscosity, kinematic : not determined

Solid Content, % by weight: : 99.9

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Conditions to avoid : Not applicable

Hazardous decomposition products : Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Ingredients:

triphenyl phosphate:

Acute oral toxicity : LD50 Oral rat: 3,500 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 7,900 mg/kg

diantimony trioxide:

Acute oral toxicity : LD50 Oral rat: > 34,600 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

triphenyl phosphate :

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.28 - 0.5 mg/l
Exposure time: 96 h
Test Method: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.86 - 1.2 mg/l
Exposure time: 48 h
Test Method: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata): 0.6 - 4 mg/l
Exposure time: 96 h
Test Type: static test

diantimony trioxide :

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 80 mg/l
Exposure time: 96 h
Test Method: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 361.5 - 496.0 mg/l
Exposure time: 48 h
Test Method: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata): 0.63 - 0.8 mg/l
Exposure time: 72 h
Test Type: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Not applicable

Domestic regulation

49 CFR

UN/ID/NA number : 3082
Proper shipping name : Environmentally hazardous substances, liquid, n.o.s.
(TRIPHENYL PHOSPHATE)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : no

International Regulation

IATA-DGR

UN/ID No. : 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(TRIPHENYL PHOSPHATE)
Class : 9
Packing group : III
Labels : 9
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015

IMDG-Code

UN number : 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

diantimony trioxide 1309-64-4

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

diantimony trioxide 1309-64-4

US State Regulations

California Prop 65 WARNING! This product contains a chemical known in the State of California to cause cancer.

diantimony trioxide 1309-64-4

The ingredients of this product are reported in the following inventories:

TSCA On TSCA Inventory
DSL All components of this product are on the Canadian DSL.
REACH Not in compliance with the inventory
AICS On the inventory, or in compliance with the inventory
NZIoC Not in compliance with the inventory
ENCS Not in compliance with the inventory
KECI On the inventory, or in compliance with the inventory

H.B. Fuller® EY-3010-A

Version 1.1

Revision Date 07/14/2015


PICCS Not in compliance with the inventory
IECSC Not in compliance with the inventory
TWINV Not in compliance with the inventory
Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® EY-3010-B
Product code : 100000002511

Manufacturer or supplier's details

Company : H.B. Fuller Company
Address : 1200 Willow Lake Boulevard
Vadnais Heights, MN 55110
Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy curing agent
Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	blue
Odor	amine-like

GHS Classification

Acute toxicity (Oral) : Category 4
Acute toxicity (Dermal) : Category 3
Skin corrosion : Category 1B
Serious eye damage : Category 1
Skin sensitization : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements:

H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Precautionary Statements:

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
2,2'-iminodi(ethylamine)	111-40-0	90 - 100

SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
If not breathing, give artificial respiration.
Keep patient warm and at rest.
Consult a physician after significant exposure.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Call a physician if irritation develops or persists.
Wash contaminated clothing before re-use.

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

- | | |
|------------------------|--|
| In case of eye contact | : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Protect unharmed eye. |
| If swallowed | : If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. If possible drink milk afterwards. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--|---|
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Specific extinguishing methods | : |
| Further information | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for fire-fighters | : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material. Shovel into suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|-----------------------------|--|
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower. |
| Conditions for safe storage | : Keep containers tightly closed in a dry, cool and well-ventilated place. |
| Materials to avoid | : No special restrictions on storage with other products. |

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	OSHA P0

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Combined particulates and organic vapor type
- Hand protection
Material : butyl-rubber
- Eye protection : Safety goggles
Face-shield
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Long sleeved clothing
Chemical resistant apron
- Protective measures : Avoid contact with skin.
- Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : blue
- Odor : amine-like
- Odor Threshold : No data available
- Melting point/freezing point : not determined
- Boiling point/boiling range : not determined
- Evaporation rate : not determined
- Flammability (solid, gas) : Not classified as a flammability hazard
- Upper explosion limit : upper flammability limit

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

	not determined
Lower explosion limit	: lower flammability limit not determined
Density	: 0.890 - 0.930 g/cm3
Solubility(ies)	
Water solubility	: not determined
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: not determined
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Solid Content, % by weight:	: 99.9

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : 828.38 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 679.69 mg/kg
Method: Calculation method

Ingredients:

2,2'-iminodi(ethylamine):

Acute oral toxicity : LD50 Oral rat: 819 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: 672 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

2,2'-iminodi(ethylamine) :

Toxicity to fish : LC50 (*Poecilia reticulata* (guppy)): 248 mg/l
Exposure time: 96 h
Test Method: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 16 mg/l
Exposure time: 48 h
Test Method: static test

Toxicity to algae : EC50 (*Pseudokirchneriella subcapitata*): 345.6 mg/l
Exposure time: 96 h
Test Type: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Not applicable

Domestic regulation

49 CFR

UN/ID/NA number : 2079
Proper shipping name : Diethylenetriamine mixture
Class : 8
Packing group : II
Labels : 8
ERG Code : 154
Marine pollutant : no

International Regulation

IATA-DGR

UN/ID No. : 2079
Proper shipping name : Diethylenetriamine mixture
Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : 2079
Proper shipping name : DIETHYLENETRIAMINE MIXTURE
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B

H.B. Fuller® EY-3010-B

Version 0.1

Revision Date 05/14/2015

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) report

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US State Regulations

California Prop 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.
REACH	Not in compliance with the inventory
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
TWINV	Not in compliance with the inventory

Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

H.B. Fuller® EY-3010-B


Version 0.1

Revision Date 05/14/2015

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email:
msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.

