ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : ROYCO 756A

Product code : 00000000062594613

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone : CHEMTREC: +1 (800) 424 9300

International: +1 (703) 527 3887

LANXESS Emergency Phone: +1 (866) 673 6350

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable liquids : Category 4

Skin irritation : Category 2

Specific target organ toxicity

- single exposure

Category 3 (Respiratory system)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Combustible liquid.

May be fatal if swallowed and enters airways.

1/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Causes skin irritation.

May cause respiratory irritation.

Precautionary Statements : Prevention:

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel un-

well.

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

Toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 50 - < 70
Distillates (petroleum), hydrotreated middle	64742-46-7	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

ROYCO 756A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/03/2021

 2.1
 05/25/2021
 203000015599
 Country / Language: US / EN

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Get medical attention immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained per-

sonnel.

In case of skin contact : Wash off with soap and water.

Remove contaminated clothing and shoes. Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Get medical attention if symptoms appear.

If swallowed : Get medical attention immediately.

Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Aspiration hazard if swallowed - can enter lungs and cause

damage.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: Causes irritation with symptoms of reddening, itching,

and swelling.

May cause respiratory tract irritation with symptoms of cough-

ing, sore throat and runny nose.

Ingestion and/or vomiting may cause aspiration into the lungs resulting in chemical pneumonitis (inflammation of the lungs).

Effects : May be fatal if swallowed and enters airways.

3/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Causes skin irritation.

May cause respiratory irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

No action shall be taken involving any personal risk or without

suitable training.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water mist

Dry powder

Sand

Alcohol-resistant foam Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Toxic and irritating gases/fumes may be given off during burn-

ing or thermal decomposition.

Combustible liquid.

In a fire or if heated, a pressure increase will occur and the

container may burst.

Hazardous combustion prod: :

ucts

Carbon monoxide

Carbon dioxide (CO2)

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Use a water spray to cool fully closed containers.

Move containers from fire if this can be done without risk.

Fight fire remotely due to the risk of explosion.

If this is impossible, withdraw from area and allow fire to burn.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment.

4/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Do not touch or walk through spilled material.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation. Do not breathe vapors, aerosols. Remove all sources of ignition.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility.

Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Contaminated absorbent material may pose the same hazard

as the spilled product.

Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling : Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a

dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep container closed when not in use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Empty containers retain residue and can be dangerous.

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Do not reuse container.

Further information on stor-

age stability

Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated light naphthenic	64742-53-6	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Distillates (petroleum), hydrotreated middle	64742-46-7	TWA (Mist)	5 mg/m3	OSHA Z-1
Distillates (petroleum), hy- drotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Engineering measures : If user operations generate dust, fumes, gas, vapor or mist,

use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection

Material : Nitrile rubber Wearing time : < 60 min

Remarks : Solvent-resistant gloves Gloves should be discarded and

replaced if there is any indication of degradation or chemical breakthrough. Before removing gloves clean them with soap

and water.

After contamination with product change the gloves immediately and dispose of them according to relevant national and

local regulations

Eye protection : Safety glasses with side-shields

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Skin and body protection : Impervious clothing

Protective suit

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Physical state : liquid

Color : red

Odor : aromatic

Odor Threshold : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : 180 °F / 82 °C

Method: ASTM D 93

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

7/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Relative vapor density : No data available

Relative density : 0.8587 - 0.88 (60.1 °F / 15.6 °C)

Density : 0.87 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : No data available

Decomposition temperature : No data available

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 13.2 mm2/s (104 °F / 40 °C)

Method: ASTM D 445

600 - 2500 mm2/s (-65 °F / -54 °C)

Method: ASTM D 445

Explosive properties : No data available

Oxidizing properties : No data available

Metal corrosion rate : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air.

Conditions to avoid : Contamination

Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

8/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Hazardous decomposition

products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni-

trogen (NOx), dense black smoke.

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Acute toxicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: ves

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Dosage caused no mortality Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 GLP: No information available.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Dosage caused no mortality Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Dosage caused no mortality Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

9/21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Skin corrosion/irritation

Causes skin irritation.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Distillates (petroleum), hydrotreated light:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Distillates (petroleum), hydrotreated light:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitization on laboratory animals.

GLP : yes

Distillates (petroleum), hydrotreated middle:

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitization on laboratory animals.

GLP : yes

Distillates (petroleum), hydrotreated light:

Routes of exposure : Dermal Species : Guinea pig

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Genotoxicity in vitro : Test Type: Ames test

Test system: TA98

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: equivocal

GLP: No information available.

Remarks: Information given is based on data obtained from

similar substances.

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: no

Remarks: Information given is based on data obtained from

similar substances.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: equivocal

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female) Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

GLP: No information available.

Remarks: Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Genotoxicity in vivo : Species: Mammalian-Animal

Application Route: Intraperitoneal Method: OECD Test Guideline 475

Result: negative

GLP: yes

Carcinogenicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), hydrotreated middle:

Species : Mouse, male
Application Route : Dermal
Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male and female

Application Route: Oral

Dose: 1000 milligram per kilogram

General Toxicity Parent: NOAEL: >= 1,000 mg/kg bw/day

Fertility: NOAEL: >= 1,000 mg/kg bw/day

Early Embryonic Development: NOAEL: >= 1,000 mg/kg

bw/day

Method: OECD Test Guideline 421

Result: No effects on fertility and early embryonic develop-

ment were detected.

GLP: yes

Remarks: Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Effects on fertility : Species: Rat, female

Duration of Single Treatment: 21 Weeks

General Toxicity Parent: NOAEL: >= 1,500 mg/kg body weight

GLP: yes

Species: Rat, male

Duration of Single Treatment: 21 Weeks

General Toxicity Parent: NOAEL: >= 3,000 mg/kg body weight

General Toxicity F1: NOAEL: 750 mg/kg body weight

GLP: yes

STOT-single exposure

May cause respiratory irritation.

Components:

Print Date: 07/08/2021

Distillates (petroleum), hydrotreated light naphthenic:

Assessment : May cause respiratory irritation.

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Distillates (petroleum), hydrotreated middle:

Assessment : May cause respiratory irritation.

Distillates (petroleum), hydrotreated light:

Assessment : May cause respiratory irritation., May cause drowsiness or

dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily

Dose : 125 - 250 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.

Remarks : Test results on an analogous product

Distillates (petroleum), hydrotreated middle:

Species : Rat, male and female

Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 28 d
Dose : 25 mg/m³

Method : OECD Test Guideline 412

GLP : yes

Remarks : Subacute toxicity

Distillates (petroleum), hydrotreated light:

Species : Rat, male and female

NOAEC : > 5.28 mg/kg
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 14d

Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

May be fatal if swallowed and enters airways.

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Components:

Distillates (petroleum), hydrotreated light naphthenic:

May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated middle:

May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated light:

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: ves

Remarks: water extractable fraction

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Remarks: water extractable fraction

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

End point: Growth rate Exposure time: 72 h

Analytical monitoring: No information available.

Method: OECD Test Guideline 201 GLP: No information available. Remarks: water extractable fraction Test results on an analogous product

NOELR (Pseudokirchneriella subcapitata (green algae)): >

100 mg/l

End point: Growth rate Exposure time: 72 h

Analytical monitoring: No information available.

Method: OECD Test Guideline 201 GLP: No information available.

15 / 21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

> Remarks: water extractable fraction Test results on an analogous product

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 10 mg/l

End point: Reproduction Exposure time: 21 d

Analytical monitoring: No information available.

Method: OECD Test Guideline 211

GLP: yes

Remarks: water extractable fraction

Distillates (petroleum), hydrotreated middle:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 65 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: ves

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 68 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (microalgae)): 78 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: Fresh water

Persistence and degradability

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Biodegradability : Result: Not readily biodegradable.

Distillates (petroleum), hydrotreated middle:

Biodegradability aerobic

> Concentration: 30 mg/l Result: Readily biodegradable.

Biodegradation: 60 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Distillates (petroleum), hydrotreated light:

Biodegradability : Result: rapidly biodegradable

16 / 21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Bioaccumulative potential

Components:

Distillates (petroleum), hydrotreated light:

Partition coefficient: n-

octanol/water

: log Pow: 6 - 8.2

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

When discarded in its purchased form, this product meets the criteria of ignitability, and should be managed as a hazardous waste (EPA Hazardous Waste Number D001). (40 CFR

261.20-24)

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product, should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

17 / 21

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

Domestic regulation

49 CFR

UN/ID/NA number : NA 1993

Proper shipping name : Combustible liquid, n.o.s.

(NAPHTHA, HYDROTREATED LIGHT)

Class : CBL
Packing group : III
Labels : COMB

COMBUSTIBLE 3

ERG Code : 128 Marine pollutant : no

If the quantity is in a non-bulk packaging (less than 119 gallons), this material ships as non-regulated unless the Combustible Liquid is a Hazardous Substance or a Hazardous Waste. (See 49 CFR 173.150(F)(2))

Hazard and Handling Notes.

Combustible., Keep separated from foodstuffs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes (Pure)	1330-20-7	100	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Aspiration hazard

Skin corrosion or irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

US State Regulations

Massachusetts Right To Know

Distillates (petroleum), hydrotreated light naph-	64742-53-6	50 - 70
thenic		
Distillates (petroleum), hydrotreated middle	64742-46-7	10 - 20
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light naph-	64742-53-6	50 - 70
thenic		
Distillates (petroleum), hydrotreated middle	64742-46-7	10 - 20
Proprietary Acrylic Copolymer	Not Assigned	> 1
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION


Further information

ROYCO 756A



Version Revision Date: SDS Number: Date of last issue: 02/03/2021 2.1 05/25/2021 203000015599 Country / Language: US / EN

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act: CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances;

ROYCO 756A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/03/2021

 2.1
 05/25/2021
 203000015599
 Country / Language: US / EN

(Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/25/2021

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.