



SAFETY DATA SHEET

1. Identification

| | |
|---|--|
| Product identifier | Tapmatic® Dual Action Plus #2 Cutting Fluid |
| Other means of identification | |
| Part Number | 40220, 40230, 40240, 40260 |
| Recommended use | A metal-cutting fluid safe for tapping, drilling, reaming, threading or finishing on aluminum. |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/Distributor information | |
| Manufacturer | |
| Manufacturer | |
| Company name | LPS Laboratories, a division of Illinois Tool Works, Inc. |
| Address | 4647 Hugh Howell Rd. Tucker, GA 30084 (U.S.A.) |
| Country | |
| In Case of Emergency | Tel: +1 770-243-8800 1-800-424-9300 (inside U.S.) +001 703-527-3887 (outside U.S.) |
| Website | www.lpslabs.com |
| E-mail | sds@lpslabs.com |

2. Hazard(s) identification

| | | |
|------------------------------|-----------------------------------|-------------|
| Physical hazards | Flammable liquids | Category 4 |
| Health hazards | Acute toxicity, oral | Category 4 |
| | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2B |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| | |
|--|--|
| Signal word | Danger |
| Hazard statement | Combustible liquid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. Causes eye irritation. |
| Precautionary statement | |
| Prevention | Keep away from flames and hot surfaces-No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection. |
| Response | In case of fire: Use appropriate media for extinction. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone, email or on the company website. |
| Supplemental information | None known. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|-----------|
| Distillates Petroleum, Hydrotreated Light | | 64742-47-8 | 70 - < 80 |
| Benzyl Acetate | | 140-11-4 | < 0.3 |
| Other components below reportable levels | | | 20 - < 30 |

4. First-aid measures

| | |
|---|---|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Get medical attention if symptoms persist. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately. |
| Ingestion | Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. |
| Most important symptoms/effects, acute and delayed | Not available. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Symptoms of overexposure can include shortness of breath, drowsiness, headaches, confusion, decreased coordination, visual disturbances and vomiting, and are reversible if exposure is stopped. In case of shortness of breath, give oxygen. Keep victim under observation. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Dry chemical powder. Water spray. Water fog. Foam. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Combustible. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| Fire-fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| Specific methods | In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use water spray to cool unopened containers. Move container from fire area if it can be done without risk. Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Combustible liquid. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Local authorities should be advised if significant spillages cannot be contained. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch or walk through spilled material. Wear appropriate protective equipment and clothing during clean-up. Avoid skin contact and inhalation of vapors during disposal of spills. Ensure adequate ventilation. |
| Methods and materials for containment and cleaning up | ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). The product is immiscible with water and will spread on the water surface. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. |
| Environmental precautions | Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

Precautions for safe handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. All equipment used when handling the product must be grounded. Do not breathe vapor. Avoid contact with skin and eyes. Avoid prolonged exposure. Do not get this material on clothing. Use only in well-ventilated areas. Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Do not handle or store near an open flame, heat or other sources of ignition. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedings. Keep out of the reach of children. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components

Type

Value

Benzyl Acetate (CAS
140-11-4)

TWA

10 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection

Use protective gloves made of: Nitrile.

Other

Do not get this material in contact with skin. Wear suitable gloves and eye/face protection. Chemical resistant gloves.

Respiratory protection

No personal respiratory protective equipment normally required. Avoid breathing dust/fume/gas/mist/vapors/spray. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Thermal hazards

Not available.

General hygiene considerations

When using do not smoke. Do not get in eyes. Avoid contact with skin. Wash hands after handling. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Liquid.

Physical state

Liquid.

Form

Liquid.

Color

Amber

Odor

Mild. Oily.

Odor threshold

Not established

pH

Not applicable

Melting point/freezing point

Not established

Initial boiling point and boiling range

~195°C (383°F)

Flash point

> 165.2 °F (> 74.0 °C) Tag Closed Cup

Evaporation rate

< 0.1 BuAc

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

0.6 %

Flammability limit - upper (%)

7 %

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

< 0.05 mm Hg @ 20°C

Vapor density

> 1 (air = 1)

Relative density

Not available.

| | |
|--|--|
| Solubility(ies) | |
| Solubility (water) | Not soluble |
| Partition coefficient (n-octanol/water) | > 1 |
| Auto-ignition temperature | > 442.4 °F (> 228 °C) |
| Decomposition temperature | Not established |
| Viscosity | Not established |
| Other information | |
| Heat of combustion | Not established |
| Percent volatile | 70 - 75 % |
| Specific gravity | 0.83 - 0.85 (water = 1) |
| VOC (Weight %) | 0 % per State and Federal Consumer Product Regulations |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | Not available. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Avoid temperatures exceeding the flash point. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | At thermal decomposition temperatures, carbon monoxide and carbon dioxide. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Ingestion | May be harmful if swallowed. May be fatal if swallowed and enters airways. |
| Inhalation | Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. |
| Skin contact | Causes skin irritation. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. |
| Eye contact | Causes eye irritation. |

Symptoms related to the physical, chemical and toxicological characteristics Irritating to eyes, respiratory system and skin. Defatting of the skin. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

| Components | Species | Test Results |
|--|---------|--------------|
| Benzyl Acetate (CAS 140-11-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 2000 mg/kg |
| | Rat | > 2000 mg/kg |
| Distillates Petroleum, Hydrotreated Light (CAS 64742-47-8) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 2000 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Cat | > 6.4 mg/l |
| | Rat | > 0.1 mg/l |
| <i>Oral</i> | | |
| LD50 | Rat | > 5000 mg/kg |

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation. Defatting, drying and cracking of skin.

Serious eye damage/eye irritation Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

| | |
|---|---|
| Skin sensitization | Irritating to skin. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | Not classifiable as to carcinogenicity to humans. |
| ACGIH Carcinogens | |
| Benzyl Acetate (CAS 140-11-4) | Not classifiable as a human carcinogen. A4 |
| IARC Monographs. Overall Evaluation of Carcinogenicity | |
| Benzyl Acetate (CAS 140-11-4) | 3 Not classifiable as to carcinogenicity to humans. |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Eyes. May cause irritation to the respiratory system. Narcotic effects. |
| Specific target organ toxicity - repeated exposure | Skin. Lungs. Respiratory system. Central nervous system. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |
| Chronic effects | Prolonged or repeated contact may cause drying, cracking, or irritation. Prolonged inhalation may be harmful. |
| Further information | Symptoms may be delayed. |

12. Ecological information

Ecotoxicity Not available.

| Components | Species | Test Results |
|--|--|---------------------------|
| Benzyl Acetate (CAS 140-11-4) | | |
| Aquatic | | |
| Fish | LC50 Medaka, high-eyes (<i>Oryzias latipes</i>) | 3.48 - 4.6 mg/l, 96 hours |
| Distillates Petroleum, Hydrotreated Light (CAS 64742-47-8) | | |
| Aquatic | | |
| Fish | LC50 Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>) | 2.9 mg/l, 96 hours |

* Estimates for product may be based on additional component data not shown.

Persistence and degradability Not inherently biodegradable.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

| | |
|---|------|
| Tapmatic® Dual Action Plus #2 Cutting Fluid | > 1 |
| Benzyl Acetate | 1.96 |

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code Not assigned.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|--------------------------|--|
| Hazard categories | Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No |
|--------------------------|--|

| | |
|---|----|
| SARA 302 Extremely hazardous substance | No |
|---|----|

| | |
|--|----|
| SARA 311/312 Hazardous chemical | No |
|--|----|

| | |
|---------------------------------|----------------|
| SARA 313 (TRI reporting) | Not regulated. |
|---------------------------------|----------------|

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

| | |
|---------------------------------------|----------------|
| Safe Drinking Water Act (SDWA) | Not regulated. |
|---------------------------------------|----------------|

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-24-2013

Revision date 09-27-2013

Version # 02

NFPA ratings Health: 1
Flammability: 2
Instability: 0

Disclaimer The information in the sheet was written based on the best knowledge and experience currently available.

Revision Information Product and Company Identification: Disclosure Overrides
Regulatory Information: United States
HazReg Data: North America
GHS: Classification