

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

1. Identification of the substance & the company

Chemical name Phenol, isobutylenated, phosphate (3:1)

Synonym(s) tert-butylphenyl diphenyl phosphate

Chemical family Aryl phosphate

Type of product and use Lubricant Additive

Supplier ICL-IP America Inc.

622 Emerson Road - Suite 500St Louis, Missouri 63141, USA

Tel:(314)983-7884 Fax:(314)983-7607

e-mail:msdsinfo@icl-ip.com

Emergency Telephone Chemtrec (800)424-9300

Medical: PROSAR 1-888-875-1685 (24HRS)

2. Hazards identification

OSHA HAZARDS No OSHA hazards

Labels and other form of warning

Symbol(s)

NFPA Ratings (Scale 0-4) Health = 1, Fire = 1, Reactivity = 0. HMIS Ratings (Scale 0-4) Health = 1, Fire = 1, Reactivity = 0.

3. Composition / information on ingredients

Components	CAS No.	Weight %
t-Butylphenyl diphenyl phosphate	56803-37-3	40 - 46
Bis(t-butylphenyl)phenyl phosphate	65652-41-7	12 - 18
Tri(t-butylphenyl) phosphate	78-33-1	1 - 3
Triphenyl phosphate	115-86-6	42 - 48

Butylated triphenyl phosphate is multi constituent substance can also be described as: (CAS No. 68937-40-6) Phenol, isobutylated, phosphate (3:1)

4. First-aid measures



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

Eye contact Holding the eyelids apart, flush eyes promptly with copious flowing water for at

least 20 minutes. Get medical attention immediately.

Skin contact Remove contaminated clothing. Wash skin thoroughly with mild soap and plenty of

water for at least 15 minutes. Wash clothing before reuse. Get medical attention if

irritation persists.

In case of inhalation, remove person to fresh air. Keep him quiet and warm. Apply

artificial respiration if necessary and get medical attention immediately.

Ingestion If swallowed, wash mouth thoroughly with plenty of water. Get medical attention

immediately.

NOTE: Never give an unconscious person anything to drink

None known

Notes to the physician Treat symptomatically and supportively.

Most important symptoms and effects, acute or delayed

No specific antidote.

5. Fire - fighting measures

Suitable extinguishing media Material is not combustible. Use extinguishing media appropriate to surrounding

fire conditions.

Unusual fire and explosion

hazards

When heated to decomposition, may release poisonous and corrosive fumes of

carbon dioxide, carbon monoxide and phosphorus oxides. The material is not

sensitive to ignition from static discharge.

Fire fighting procedure Fire fighters should wear full protective clothing and self-contained breathing

apparatus (SCBA). Contain runoff to prevent entry into water or drainage systems.

6. Accidental release measures

Personal precautions Wear appropriate safety clothing and eye/face protection (see Section 8).

Methods for cleaning upSoak up with sand or other suitable absorbant and dispose of as solid waste.

Collect in suitable and properly labeled containers. Ventilate area and wash spill

site after material pickup is complete.

Environmental precautions Prevent product from entering drains, ditches and rivers.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name

Product id 7064

Revision date 11/09/2014 Revision: 4

SYN-O-AD 8485

Supersedes 08/12/2013

Handling and storage

Avoid bodily contact. Keep containers tightly closed. Handling

Storage Store in a dry, cool, well-ventilated area away from incompatible materials (see

"materials to avoid"). Maximum recommended storage temperature of 65°C

(149°F) Crystallizes at temperatures below 4.4°C (40°F).

Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
t-Butylphenyl diphenyl phosphate 56803-37-3	Not determined	Not determined
Bis(t-butylphenyl)phenyl phosphate 65652-41-7	Not determined	Not determined
Tri(t-butylphenyl) phosphate 78-33-1	Not determined	Not determined
Triphenyl phosphate 115-86-6	3 mg/m³	3 mg/m³

Ventilation requirements Ventilation must be sufficient to maintain atmospheric concentration below

recommended exposure limit.

Personal protective equipment:

In case of insufficient ventilation wear suitable respiratory equipment. - Respiratory protection

Chemical safety gloves - Hand protection

- Eve protection Chemical splash goggles and/or face shield if splash hazard exists

Body covering clothes and boots. - Skin and body protection

Do not eat, smoke or drink where material is handled, processed or stored. Wash **Hygiene measures**

hands thoroughly after handling and before eating or smoking. Safety shower and

eve bath should be provided.

Physical and chemical properties

Appearance Clear, transparent liquid

None Odor -21°C Melting point/range

>400°C (762mmHg) **Boiling point/range** -26.11°C (-15 °F) Pour point >80°C (closed cup) Flash point



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

Flammable/Explosion limits Not flammable/Not explosive

Vapor pressure 1.08x10(-3)Pa (20°C)

Density 1.176 g/mL (25°C)

- Solubility in water 3.2 mg/l at 20°C

Auto-ignition temperature Not self-ignitable

Decomposition temperature >234°C

Viscosity 63.6 cP (25°C)

Explosive propertiesThere are no chemical groups associated with explosive properties present in the

molecule

Oxidising properties The structure indicates non oxidizing properties

10. Stability and reactivity

Stability Stable under normal conditions

Conditions to avoid Exposure to moisture.

Materials to avoid Strong oxidizers, strong acids and strong alkalis.

It hydrolyzes slowly at normal temperatures in acidic or alkaline aqueous

solutions.

Hazardous decomposition

products

Carbon dioxide and carbon monoxide

Phosphorus oxides,

11. Toxicological information

Acute toxicity:

- Rat oral LD50 > 5000 mg/kg

- Rabbit dermal LD50 > 2000 mg/kg

- Rat inhalation LC50 > 0.4 mg/l

- Eye irritation (rabbit) Not irritant

- Dermal irritation (rabbit) Not irritant

Dermal sensitization Sensitiser (Local lymph node assay in the mouse)

Based on the favourable outcome of the Human Patch test and the epidimiological information that no incidences of sensitization are known at the production facility for many years related to the use and production of the substance, it was decided

not to classify for sensitization

Sub-chronic toxicity:

- NOEL 100 ppm (13 weeks oral rat)

Chronic toxicity No data available

{ Page 4 of 8 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

Mutagenicity No evidence of genotoxic or mutagenic activity was noted in Ames tests, the

mouse lymphoma and chromosome aberration tests.

Carcinogenicity Not classified by IARC

Not included in NTP 12th Report on Carcinogens Not classified as a carcinogen by USA OSHA

Reproductive toxicity Butylated triphenyl phosphate did not demonstrate reproductive toxicity.

In a rat reproduction study, male and female animals received either 50, 250 or 1000 mg/kg/day for several weeks after which they mated. There was no reproductive toxicity observed at any dose level. Diagnostic pathology confirmed no alterations to the reproductive organs. There was no effect on mating index,

litter size, survival of the offspring or on any other measured parameter.

Teratogenicity Not teratogenic when administered orally up to 1000 mg/kg

Neurotoxicity No signs of acute delayed neurotoxicity when administered orally to hens at 23

g/kg

12. Ecological information

Aquatic toxicity:

- 96 Hour-LC50, Fish 0.8 mg/l (Ictalurus punctatus)

- 48 Hour-EC50, Daphnia magna 202 µg/L

Biodegradation Readily biodegradable

Bioaccumulative potential The wholefish BCF was found to be 1850.

Note: Not considered to be PBT or vPvB

13. Disposal considerations

Waste disposal Observe all federal, state and local environmental regulations when disposing of

this material

14. Transportation information

UN No. 3082



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

DOT Proper shipping name: Environmentally hazardous substances, liquid, n.o.s

(triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10%

to 48% triphenyl phosphates)

Class: 9 - Miscellaneous Hazardous Material

Label: 9

Packing Group: III

Not regulated for surface and air transport in non-bulk (<119 gallons) packagings. (contains triphenyl phosphate which is a Marine Pollutant per 49CFR 172.101

Appendix B)

IMDG Proper shipping name: Environmentally hazardous substance, liquid, n.o.s

(triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10%

to 48% triphenyl phosphates)

Class: 9 - Miscellaneous Dangerous Substances and Articles

Label: 9

Mark: MARINE POLLUTANT

Packing Group: III

ICAO/IATA Proper shipping name: Environmentally hazardous substance, liquid, n.o.s

(triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10%

to 48% triphenyl phosphates)

Class: 9

Hazard label(s): Miscellaneous

Packing group: III

Marking: Environmentally hazardous substance

15. Regulatory information

USA Reported in the EPA TSCA Inventory.

- SARA 313 This product does not contain a chemical listed at or above de minimis

concentrations

- Massachusetts Right-to-Know Listed (Triphenyl phosphate)

Hazardous Substances list - New Jersey Right-to-Know **Hazardous Substances list**

Listed (Triphenyl phosphate)

- Pennsylvania Right-to-Know **Hazardous Substances list**

Listed (Triphenyl phosphate)

- Rhode Island Right-to-Know **Hazardous Substances list**

Listed (Triphenyl phosphate)



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

- California-Prop 65 This product does not contain any ingredient known to the State of California to

cause cancer or reproductive toxicity as listed under the State drinking Water and Toxic Enforcement Act of 1986.

- Waste Classifications This material does not meet RCRA's characteristic definition of ignitability,

corrosivity, or reactivity, and is not listed in 40CFR 261.33.

- Workplace Classification This product is considered hazardous under the OSHA Hazard Communication

Standard (29CFR 1910.1200)

Canada Listed in DSL

-WHMIS hazard class Non-controlled

EU Reported in EINECS

Japan Listed in ENCS

Australia Listed in AICS

New Zealand Inventory Listed in NZIoC

China

- China inventory Listed in IECSC

Korea Listed in ECL

Taiwan Listed

Philippines Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s)

1, 2 (US), 8 (REACH)

Health, Safety & Environment Policy

We will strive to ensure that our operations and products meet the needs of the present global community without compromising the ability of future generations to meet their needs We accept that the success of our business is dependent on the supply of products and services that will benefit society whilst ensuring human safety and protection of the environment and natural resources Within the framework of our commitment to the Responsible Care program, we will provide a healthy and safe work environment for employees and will responsibly manage our products at all stages of their life cycle in order to protect human health and the environment whilst maintaining high production standards of operation



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name SYN-O-AD 8485

Product id 7064

Revision date 11/09/2014 Revision: 4

Supersedes 08/12/2013

TO MEET THIS COMMITMENT WE WILL: Comply with or exceed applicable national and international regulatory requirements and other requirements to which we subscribe Communicate openly and actively encourage dialogue with employees, customers and community concerning our products and operations Implement documented management systems consistent with and for promotion of the Responsible Care ethics

Develop and supply products that can be manufactured, transported, used and disposed of safely whilst best meeting the needs of our customers Regularly assess, continually improve and responsibly manage health, safety and environmental risks associated with products and processes throughout their life-cycles Share knowledge and expertise with others and seek to learn from and incorporate improved practices into our own operations

Educate and train employees, contractors and customers to improve their HSE performance Communicate up-to-date information to enable our workers, customers and other interested parties to handle our products in a safe and environmentally responsible manner Endeavor to work with customers, suppliers, distributors and contractors to foster the safe use, transport and disposal of our chemicals Support Product Stewardship programs in cooperation with customers, distributors and transporters

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ICL-IP America Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will ICL-IP America Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this SDS and the English version of it, the English version shall prevail.

Prepared by HERA Division in ISRAEL

telephone: +/972-8-6297835 telefax: +/972-8-6297832

www.icl-ip.com

e-mail:msdsinfo@icl-ip.com

End of safety data sheet