

SAFETY DATA SHEET

| Section 1: IDENTIFICATION | | | | |
|-------------------------------------|-------------------------------------------------------|----------------|--|--|
| 1.1 PRODUCT IDENTIFIER | 1.1 PRODUCT IDENTIFIER | | | |
| Product Name: | Daraclean 212 | | | |
| Product Code: | Not available. | | | |
| 1.2 RECOMMENDED USE OF CHE | EMICAL AND RESTRICTION | ONS ON USE | | |
| Use: | Use: Non-Destructive Testing. | | | |
| 1.3 DETAILS OF THE SUPPLIER (| 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET | | | |
| Name/Address: | Magnaflux 155 Harlem Ave. Glenview, IL 60025 | | | |
| Telephone Number: | 847-657-5300 | | | |
| 1.4 EMERGENCY TELEPHONE NUMBER | | | | |
| Emergency Telephone Number: | CHEMTREC 800-424 | 1-9300 | | |
| Date of Preparation: | October 24, 2014 | | | |
| Revision date: | January 6, 2016 | Version #: 1.2 | | |
| Section 2: HAZARD(S) IDENTIFICATION | | | | |

Hazard class

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Skin irritation 2 Serious eye damage 1 Carcinogenicity 2

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012



Signal Word:DangerHazard Statement:Causes skin irritation. Causes serious eye damage. Suspected of
causing cancer.Prevention:Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands
thoroughly after handling. Wear protective gloves/protective clothing/eye
protection/face protection. Obtain special instructions before use. Do not
handle until all safety precautions have been read and understood.Response:If exposed or concerned: Get medical advice/attention. If on skin:
Wash with plenty of water. Take off contaminated clothing and wash it
before reuse. If skin irritation occurs: Get medical advice/attention. If in
eyes: Rinse cautiously with water for several minutes. Remove contact



lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

| Storage: | Store locked up. |
|-----------|-------------------------------------------------------------------------------------------------------------------|
| Disposal: | Dispose of contents and container in accordance with all local, regional, national and international regulations. |


2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

17 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

WHMIS Classification(s):

Class D2A - Carcinogenicity Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



WHMIS Signal Word:

WARNING

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

| Ingredient | UN # | H / F/ R / * | CAS No | Wt. % |
|-------------------------------------|----------------|----------------|------------|---------|
| Triethanolamine | Not available. | Not available. | 102-71-6 | 10 - 30 |
| Nonanoic acid | Not available. | Not available. | 112-05-0 | 5 - 10 |
| Amides, coco, N,N-bis(hydroxyethyl) | Not available. | Not available. | 68603-42-9 | 1 - 5 |
| Sodium benzoate | Not available. | Not available. | 532-32-1 | 1 - 5 |
| Diethanolamine | Not available. | Not available. | 111-42-2 | 0.1 - 1 |

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

* Per NOM-018-STPS-2000



Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

| Eye: | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately. |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin: | In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops or persists. |
| Inhalation: | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| Ingestion: | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention or call poison control. |
| 4.2 MOST IMPORTANT SYMPT | OMS AND EFFECTS, BOTH ACUTE AND DELAYED |
| Eye: | Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. |
| Skin: | Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. |
| Inhalation: | May cause respiratory tract irritation. |
| Ingestion: | May be harmful if swallowed. May cause stomach distress, nausea or vomiting. |
| 4.3 INDICATION OF ANY IMME | DIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED |
| Note to Physicians: | Symptoms may not appear immediately. |
| Specific Treatments: | In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible). |
| | Section 5: FIRE-FIGHTING MEASURES |
| 5.1 FLAMMABILITY Flammability: 5.2 EXTINGUISHING MEDIA | Not flammable by WHMIS/OSHA/NOM-018-STPS-2000 criteria. |
| | |

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

| Unsuitable Extinguishing Media: | Do not use a solid water stream as it ma | v scatter and spread fire. |
|---------------------------------|------------------------------------------|----------------------------|
|---------------------------------|------------------------------------------|----------------------------|

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon, oxides of nitrogen.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool. Floor will become slippery if material is released.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Avoid contact with skin and eyes.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

| Methods for Containment: | Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for Cleaning-Up: | Scoop up material and place in a disposal container. Provide ventilation. |
| | Section 7: HANDLING AND STORAGE |

7.1 PRECAUTIONS FOR SAFE HANDLING

| Handling: | Do not get in eyes, on skin, or on clothing. Do not swallow. Do not breathe dust/fume/gas/mist/vapours/spray. Use only in well-ventilated areas. Handle and open container with care. Do not eat, drink or smoke when using this product. (See section 8) |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General Hygiene Advice: | Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |
| 7.2 CONDITIONS FOR SAFE ST | ORAGE, INCLUDING ANY INCOMPATIBILITIES |
| Storage: | Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up. Store between 4 °C (40 °F) and 38 °C (100 °F). (See section 10) |

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

| Occupational Exposure Limits | | | |
|-------------------------------------|----------------|------------------------------|--|
| Ingredient | OSHA-PEL | ACGIH-TLV | |
| Triethanolamine | Not available. | 5 mg/m³ | |
| Nonanoic acid | Not available. | Not available. | |
| Amides, coco, N,N-bis(hydroxyethyl) | Not available. | Not available. | |
| Sodium benzoate | Not available. | Not available. | |
| Diethanolamine | Not available. | 1 mg/m ³ (vapour) | |

8.2 EXPOSURE CONTROLS

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Page 4 of 10



8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

Skin Protection:

Hand Protection: Wear chemical resistant gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Health and SafetyDo not eat, smoke or drink where material is handled, processed or
stored. Wash hands carefully before eating or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: | Thin liquid. |
|------------------------------------------|---------------------------|
| Color: | Colorless to pale yellow. |
| Odor: | Not available. |
| Odor Threshold: | Not available. |
| Physical State: | Liquid. |
| pH: | 8.5 |
| Melting Point/Freezing Point: | Not available. |
| Initial Boiling Point and Boiling Range: | ~ 100 °C (~ 212 °F) |
| Flash Point: | None. |
| Evaporation Rate: | 1.0 (Water = 1) |
| Flammability: | Not flammable. |
| Lower Flammability/Explosive Limit: | Not available. |
| Upper Flammability/Explosive Limit: | Not available. |
| Vapor Pressure: | 24 mmHg @ 20 °C (68 °F) |
| Vapor Density: | Not available. |
| Relative Density/Specific Gravity: | ~ 1.0 |
| Solubility: | Complete. |
| Partition coefficient: n-octanol/water: | Not available. |
| Auto-ignition Temperature: | Not available. |
| Decomposition Temperature: | Not available. |
| Viscosity: | Not available. |
| Oxidizing Properties: | Not available. |



| Not available. |
|----------------|
| |

VOC Content:

10.41 g/L

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

10.5 INCOMPATIBLE MATERIALS

Nitrites. Amines. Bases. Strong oxidizers. Reducing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
- **Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
- Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
- Inhalation: May cause respiratory tract irritation.

Acute Toxicity:

| Ingredient | IDLH | LC50 | LD50 |
|-------------------------------------|----------------|----------------|---------------------------|
| | | | Oral 4190 mg/kg, rat |
| Triethanolamine | Not available. | Not available. | Dermal >20 mL/kg, rabbit |
| Nonanoic acid | Not available. | Not available. | Not available. |
| Amides, coco, N,N-bis(hydroxyethyl) | Not available. | Not available. | Oral 12400 µL/kg, rat |
| Sodium benzoate | Not available. | Not available. | Oral 2100 mg/kg, rat |
| | | | Oral 620 µL/kg, rat |
| Diethanolamine | Not available. | Not available. | Dermal 7640 µL/kg, rabbit |
| | | | |

| Calculated overall Chemical Acute Toxicity Values | | |
|---------------------------------------------------|------------------|---------------------|
| LC50 (inhalation) LD50 (oral) LD50 (dermal) | | |
| Not available. | >2000 mg/kg, rat | >2000 mg/kg, rabbit |



| Ingredient | Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)* |
|-------------------------------------|---------------------------------------------------------------------------------------------|
| Triethanolamine | I-3 |
| Nonanoic acid | Not listed. |
| Amides, coco, N,N-bis(hydroxyethyl) | I-2B, CP65 |
| Sodium benzoate | Not listed. |
| Diethanolamine | G-A3, I-2B, CP65 |

* See Section 15 for more information.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

| Skin Corrosion/Irritation: | Causes skin irritation. |
|-------------------------------------------------------|-------------------------------------------------------------------|
| Serious Eye Damage/Irritation: | Causes serious eye damage. |
| Respiratory Sensitization: | Based on available data, the classification criteria are not met. |
| Skin Sensitization: | Based on available data, the classification criteria are not met. |
| STOT-Single Exposure: | Based on available data, the classification criteria are not met. |
| Chronic Health Effects: | |
| Carcinogenicity: | Suspected of causing cancer. |
| Germ Cell Mutagenicity: | Based on available data, the classification criteria are not met. |
| Reproductive Toxicity: | |
| Developmental: | Based on available data, the classification criteria are not met. |
| Teratogenicity: | Based on available data, the classification criteria are not met. |
| Embryotoxicity: | Based on available data, the classification criteria are not met. |
| Fertility: | Based on available data, the classification criteria are not met. |
| STOT-Repeated Exposure: | Based on available data, the classification criteria are not met. |
| Aspiration Hazard: | Based on available data, the classification criteria are not met. |
| Toxicologically Synergistic Materials: Not available. | |
| Other Information: | Not available. |
| | |

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation:

Not available.

12.4 MOBILITY IN SOIL

Not available.



12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Other disposal recommendations:

Not available.

Section 14: TRANSPORT INFORMATION

| DOT | TDG | NOM-004-SCT2-1994 |
|-----------------------------|----------------------------|--------------------------|
| Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN PROPER SHIPPING NAM | E | |
| DOT | TDG | NOM-004-SCT2-1994 |
| Not applicable. | Not applicable. | Not applicable. |
| 14.3 TRANSPORT HAZARD CLAS | S (ES) | |
| DOT | TDG | NOM-004-SCT2-1994 |
| Not applicable. | Not applicable. | Not applicable. |
| 14.4 PACKING GROUP | | |
| DOT | TDG | NOM-004-SCT2-1994 |
| Not applicable. | Not applicable. | Not applicable. |
| 14.5 ENVIRONMENTAL HAZARDS | 5 | |
| Not available. | | |
| 14.6 TRANSPORT IN BULK ACCC | RDING TO ANNEX II OF MARPO | L 73/78 AND THE IBC CODE |

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

US: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Mexico: SDS prepared pursuant to NOM-018-STPS-2000.



| SARA Title III | | | | |
|-------------------------------------|---------------------------------|------------------------------|---------------------|----------------|
| Ingredient | Section 302 (EHS) TPQ (Ibs.) | Section 304 EHS RQ (lbs.) | CERCLA RQ (lbs.) | Section 313 |
| Triethanolamine | Not listed. | Not listed. | Not listed. | Not listed. |
| Nonanoic acid | Not listed. | Not listed. | Not listed. | Not listed. |
| Amides, coco, N,N-bis(hydroxyethyl) | Not listed. | Not listed. | Not listed. | Not listed. |
| Sodium benzoate | Not listed. | Not listed. | Not listed. | Not listed. |
| Diethanolamine | Not listed. | Not listed. | 100 | 313 |

State Regulations

California Proposition 65:

This product contains chemicals known to the State of California to cause cancer.

Global Inventories:

| Canada DSL/NDSL | USA TSCA |
|--------------------|--------------------------------------|
| DSL | Yes. |
| | DSL/NDSL DSL DSL DSL DSL DSL DSL DSL |

| NFPA-National Fire Protection Association: | | |
|--------------------------------------------|--|---|
| Health: | | 2 |
| Fire: | | 0 |
| Reactivity: | | 0 |
| | | |

| HMIS-Hazardous Materials Identification System: | |
|-------------------------------------------------|----|
| Health: | 2* |
| Fire: | 0 |
| Physical Hazard: | 0 |

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

- A1 Confirmed human carcinogen.
- A2 Suspected human carcinogen.
- A3 Animal carcinogen.
- A4 Not classifiable as a human carcinogen.
- A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.



- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

| Section 16: OTHER INFORMATION | | |
|-------------------------------------------------------------------------------------------------------|------------------|--|
| Date of Preparation: | October 24, 2014 | |
| Expiry Date: | October 24, 2017 | |
| Version: | 1.2 | |
| Revision Date: | January 6, 2016 | |
| Disclaimer: We believe the statements, technical information and recommendations contained herein are | | |

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

| | End of Safety Data Sheet |
|---------------|--------------------------|
| Prepared for: | Magnaflux |
| | www.nexreg.com |
| | Phone: (519) 488-5126 |
| Prepared by: | Nexreg Compliance Inc. |