

Version 1.2 Revision Date: 06/27/2016

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : A-A-59601E Type II

Recommended use of the chemical and restrictions on use

Recommended use : Dry Cleaning and Degreasing Solvent

Manufacturer or supplier's details

Company : Nexeo Solutions, LLC.

Address 3 Waterway Square Place Suite 1000

The Woodlands, TX. 77380 United States of America

Cage Code: : 4N760

**NSN** : 1 PT : 6850-00-110-4498

5 GL: 6850-00-274-5421 55 GL: 6850-00-285-8011 Bulk: 6850-00-637-6135

**Emergency telephone number:** 

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC (1-800-424-9300)

Additional Information: : Responsible Party: Product Safety Group

E-Mail: msds@nexeosolutions.com SDS Requests: 1-855-429-2661 SDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ toxicity

- single exposure

: Category 3 (Central nervous system)

Aspiration hazard : Category 1

**GHS Label element** 

Hazard pictograms :





Signal word : Danger

SDS Number: 100000007492 1 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

Hazard statements : H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

### **Hazardous components**

CAS-No.	Chemical Name	Weight %
64742-48-9 /	Naphtha (pet), hydrotreated heavy AND/OR Dis-	90 - 100
64742-47-8	tillates (pet), hydrotreated light	

Any Concentration shown as a range is due to batch variation.

SDS Number: 100000007492 2 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: No hazardous combustion products are known

Specific extinguishing meth-

. ods : Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

SDS Number: 100000007492 3 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec-

tive equipment and emergency procedures

ner-

: Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

SDS Number: 100000007492 4 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

CAS-No.	Components	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
64742-48-9 / 64742-47-8	Naphtha (pet), hydrotreated heavy AND/OR Distillates (pet), hydrotreated light	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

In the case of vapour formation use a respirator with an ap-

proved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless

Odour : Hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Freezing Point (Melting

point/range)

: -58 °C (-72 °F)

Boiling Point (Boiling point/boiling range)

: Expected 158 - 243.3 °C (316 - 469.9 °F)

Flash point : Expected 61 - 66 °C (142 - 151 °F)

Method: closed cup

SDS Number: 100000007492 5 / 14 A-A-59601E Type II



## A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

Evaporation rate : < 1

(Butyl Acetate = 1)

Flammability (solid, gas) : No data available

Upper explosion limit : 5.5 - 6 %(V)

Lower explosion limit : 0.6 - 0.7 %(V)

Vapour pressure : Expected 0.225 - 0.6975 mmHg @ 0 - 25 °C (32 - 77 °F)

Relative vapour density : 4.5(Air = 1.0)

Relative density : 0.78 - 0.81

Density : Expected 0.78 - 0.805 g/cm3 @ 15 °C (59 °F)

Solubility(ies)

Water solubility : 1.5 g/l Negligible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 235 - 315 °C

Thermal decomposition : No data available

Viscosity

Viscosity, kinematic : 1.8 mm2/s @ 20 °C (68 °F)

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Strong oxidizing agents

Strong acids strong alkalis Chlorine Oxygen

SDS Number: 100000007492 6 / 14 A-A-59601E Type II



### A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

### Components:

64742-48-9 / 64742-47-8:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): mg/m3 > 5610

Assessment: The component/mixture is low toxic after short

term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

### **Product:**

Result: Irritating to skin.

### Components:

64742-48-9 / 64742-47-8:

Species: Rabbit Exposure time: 24 h Result: Irritating to skin.

### Serious eye damage/eye irritation

### **Product:**

Result: Irritating to eyes.

### **Components:**

### 64742-48-9 / 64742-47-8:

Species: Rabbit

Result: Irritating to eyes.

### Respiratory or skin sensitisation

### **Components:**

### 64742-48-9 / 64742-47-8:

Test Type: Buehler Test Exposure routes: Dermal Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

SDS Number: 100000007492 7 / 14 A-A-59601E Type II



### A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

### Germ cell mutagenicity

**Components:** 

64742-48-9 / 64742-47-8:

Germ cell mutagenicity -

Assessment

: Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Components:** 

64742-48-9 / 64742-47-8:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by ACGIH.

Reproductive toxicity

**Components:** 

64742-48-9 / 64742-47-8:

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

STOT - single exposure

**Components:** 

**64742-48-9 / 64742-47-8:** Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as

specific target organ toxicant, single exposure, category 3 with narcotic effects.

**Aspiration toxicity** 

**Product:** 

Aspiration Toxicity - Category 1

SDS Number: 100000007492 8 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

### **Components:**

64742-48-9 / 64742-47-8:

May be fatal if swallowed and enters airways.

#### **Further information**

### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### Components:

64742-48-9 / 64742-47-8:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Daphnia magna (Water flea)): 1.4 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

Acute aquatic toxicity- As-

sessment

: Toxic to aquatic life.

Chronic aquatic toxicity- As-

sessment

: Toxic to aquatic life with long lasting effects.

### Persistence and degradability

### **Components:**

64742-48-9 / 64742-47-8:

Biodegradability : aerobic

Biodegradation: 61 % Exposure time: 28 d

Remarks: Readily biodegradable

### **Bioaccumulative potential**

No data available

SDS Number: 100000007492 9 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

**DOT (Department of Transportation):** 

UN1268, PETROLEUM DISTILLATES, N.O.S., (MIXTURE OF PETROLEUM DISTILLATES), CBL, III

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

**Special Notes:** : The flash point for this material is greater than 100 F (38 C).

Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SDS Number: 100000007492 10 / 14 A-A-59601E Type II



### A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

#### **SECTION 15. REGULATORY INFORMATION**

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
**Benzene	71-43-2	10	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Immediate (Acute) Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

108-88-3 \*\*Toluene 98-82-8 \*\*Cumene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene 91-20-3 \*\*Naphthalene

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

108-88-3 \*\*Toluene 98-82-8 \*\*Cumene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene

### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307 The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3 \*\*Toluene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene 91-20-3 \*\*Naphthalene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

SDS Number: 100000007492 11 / 14 A-A-59601E Type II



### A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

108-88-3 \*\*Toluene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene 91-20-3 \*\*Naphthalene

**US State Regulations** 

**Massachusetts Right To Know** 

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

64742-48-9 / Naphtha (pet), hydrotreated heavy AND/OR 90 - 100 %

64742-47-8 Distillates (pet), hydrotreated light

**New Jersey Right To Know** 

64742-48-9 / Naphtha (pet), hydrotreated heavy AND/OR 90 - 100 %

64742-47-8 Distillates (pet), hydrotreated light

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

98-82-8 \*\*Cumene 71-43-2 \*\*Benzene 100-41-4 \*\*Ethylbenzene 91-20-3 \*\*Naphthalene

WARNING! This product contains a chemical known to the

State of California to cause birth defects or other reproductive

harm.

108-88-3 \*\*Toluene 71-43-2 \*\*Benzene

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

**Special Notes:** : \*\* Other substances in the product which may present a

health or environmental hazard.

SDS Number: 100000007492 12 / 14 A-A-59601E Type II




## A-A-59601E Type II

Version 1.2 Revision Date: 06/27/2016

### **SECTION16. OTHER INFORMATION**

### NFPA:



Special hazard.

### HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

**Revision Date** : 06/27/2016

### Material number:

16061997, 16058851, 16058071, 16058070, 16055796, 16055660

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic

SDS Number: 100000007492 13 / 14 A-A-59601E Type II



Version 1.2 Revision Date: 06/27/2016

GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50		Lethal Concentration 50%	

SDS Number: 100000007492 14 / 14 A-A-59601E Type II