



		Sherini i fondari
R	OYCO 22MS MIL-G-81827A	
Version: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
SECTION 1. PRODUCT AND C	OMPANY IDENTIFICATION	
Product name:	ROYCO 22MS MIL-G-81827A	
	HIGH LOAD AIRCRAFT GREASE	
Product Use Description:	Lubricant	
Company:	<u>Manufacturer</u> Anderol Specialty Lubricants, a division of 215 Merry Lane East Hanover, NJ 07936 United States of America	Chemtura Corporation
	Telephone: +1 203-573-4596, Toll Free: -	+1 888-263-3765
Emergency telephone number:	CHEMTREC: (24 hours) 800-424-9300 : : 703-527-3887	
	For additional emergency telephone numb Data Sheet.	pers see section 16 of the Safety
Prepared by	Product Safety Department (US) +1 866-430-2775	
	MSDSRequest@chemtura.com	
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Lubricant	
Restrictions on use	: Reserved for industrial and profes	sional use.

SECTION 2. HAZARDS IDENTIFICATION

Form	viscous liquid
Colour	black
Odour	mild hydrocarbon-like

GHS Classification

Skin sensitisation	: Category 1
Carcinogenicity	: Category 1B
Acute aquatic toxicity	: Category 2
Chronic aquatic toxicity	: Category 3

GHS Label element





rsion: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
Signal word	: Danger	
Hazard pictograms		
Hazard statements	: H317 May cause an allergic H350 May cause cancer. H401 Toxic to aquatic life. H412 Harmful to aquatic life	
Other hazards	: None	
Precautionary statements	and understood. P261 Avoid breathing dust/ P272 Contaminated work cl the workplace. P273 Avoid release to the e P280 Wear protective glove P281 Use personal protectiv Response: P302 + P352 IF ON SKIN: \ P308 + P313 IF exposed or attention. P333 + P313 If skin irritation advice/ attention. P363 Wash contaminated c Storage: P405 Store locked up. Disposal:	safety precautions have been read fume/ gas/ mist/ vapours/ spray. othing should not be allowed out o nvironment. s. ve equipment as required. Wash with plenty of soap and wate concerned: Get medical advice/ n or rash occurs: Get medical
Self-ignitable	: No data available	
Carcinogenicity:		
IARC	Group 2A: Probably carcinoger	
OSHA	sodium nitrite Group 2A: Probably carcinoger No component of this product p equal to 0.1% is identified as a carcinogen by OSHA. No component of this product p equal to 0.1% is identified as a	resent at levels greater than or carcinogen or potential resent at levels greater than or
	equal to 0.1% is identified as a	carcinogen of potential





ROYCO 22MS MIL-G-81827A

Version: 1.1

Revision Date: 09/15/2015

Print Date: 01/05/2016

NTP

carcinogen by OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. Known to be human carcinogen Quartz (SiO2) 14808-60-7

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
molybdenum disulphide	1317-33-5	>= 1 - < 5 %
Graphite	7782-42-5	>= 1 - < 5 %
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 5 %
sodium nitrite	7632-00-0	>= 1 - < 5 %
pentaerythritol	115-77-5	>= 1 - < 5 %
NJTS#: 46728100000-0002 - Proprietary amine		>= 0.1 - < 1 %
Quartz (SiO2)	14808-60-7	>= 0.1 - < 1 %
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8	>= 0.1 - < 1 %

SECTION 4. FIRST AID MEASURES

If inhaled	 Remove to fresh air. Aspiration may cause pulmonary oedema and pneumonitis. If breathing is difficult, give oxygen. If symptoms persist, call a physician. 	
In case of skin contact	: Wash off with warm water and soap. If skin irritation persists, call a physician.	
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. 	
If swallowed	: Obtain medical attention. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	: None known.	
Notes to physician	: For specialist advice physicians should contact the Poisons Information Service.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: (on small fires) Carbon dioxide (CO2)	
SAP 6.0 SDS 2012-2 NA GHS	3 / 13	SDS Number: 40000001766





ROYCO 22MS MIL-G-81827A

Version: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
	Dry chemical Dry sand Extinguishing media - large fires Foam Water mist	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health. 	
Specific extinguishing methods	: Cool containers/tanks with water s	pray.
Special protective equipment for firefighters	: Self-contained breathing apparatus operated in positive pressure mode Body covering protective clothing,	e.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Wear suitable protective equipment.	
Environmental precautions	: Should not be released into the environment. Do not flush into surface water or sanitary sewer system.	
Methods and materials for containment and cleaning up	: Scrape up. Pick up and transfer to properly labelled containers.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Handle in accordance with go practice. Avoid contact with skin, eyes a Wear suitable protective equip Keep tightly closed. Protect from contamination. 	and clothing.
Conditions for safe storage	: Keep tightly closed in a dry, co Protect from contamination.	ool and well-ventilated place.
Materials to avoid	: Oxidizing agents	
SAP 6.0 SDS 2012-2 NA GHS	4 / 13	SDS Number: 40000001766





ROYCO 22MS MIL-G-81827A

Version: 1.1

Revision Date: 09/15/2015

Print Date: 01/05/2016

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
molybdenum disulphide	1317-33-5	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
		TWA (Total dust)	10 mg/m3	OSHA P0
Graphite	7782-42-5	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Respirable fraction)	2 mg/m3	ACGIH
		TWA (Respirable)	2.5 mg/m3	NIOSH REL
		TWA (Dust)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (respirable dust fraction)	2.5 mg/m3	OSHA P0
pentaerythritol	115-77-5	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

SAP 6.0 SDS 2012-2 NA GHS

SDS Number: 40000001766





ROYCO 22MS MIL-G-81827A

Version:	1.1
----------	-----

Revision Date: 09/15/2015

Print Date: 01/05/2016

NJTS#: 46728100000-0002 - Proprietary amine		TWA	10 ml/m3	ACGIH
Quartz (SiO2)	14808-60-7	TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable dust)	0.05 mg/m3	NIOSH REL
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable fraction)	0.025 mg/m3	ACGIH

Personal protective equipment

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. Respirator with combination filter for vapour/particulate (EN 141)
Hand protection Remarks	:	Impervious gloves
Eye protection	:	Safety glasses with side-shields or Tightly fitting safety goggles
Skin and body protection	:	impervious clothing
Hygiene measures	:	If high pressure forces the product under the skin get immediate medical attention!
		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAP 6.0 SDS 2012-2 NA GHS	6 / 13	SDS Number: 40000001766
Melting point/range	:	
рН	: No data available	
Odour Threshold	: No data available	
Odor	: mild hydrocarbon-like	
Color	: black	
Appearance	: viscous liquid	





ROYCO 22MS MIL-G-81827A

ersion: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
	No data available	
Boiling point/boiling range	: No data available	
Evaporation rate	: No data available	
Flash point	: > 230 °C Method: open cup	
Auto-flammability	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: Not applicable	
Relative vapour density	: No data available	
Relative density	: 0.8	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Conditions to avoid	: Contamination
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides Oxides of calcium Sulphur oxides





ROYCO 22MS MIL-G-81827A

Version: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
SECTION 11. TOXICOLOGICAL I	NFORMATION	
Acute oral toxicity (Product)	: LD50: > 5,000 mg/kg Species: Rat Remarks: Information given is ba substances.	sed on data obtained from sim
Acute inhalation toxicity pentaerythritol (Component)	: LC0: > 11 mg/l Exposure time: 6 h Species: Rat Test substance: see user defined Remarks: Information given is ba substances.	
Acute dermal toxicity Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene	: LD50: > 2,000 mg/kg Species: Rat	

pentaerythritol (Component) :	LD50: 10,000 mg/kg Species: Rabbit
NJTS#: 46728100000-0002 - : Proprietary amine (Component)	LD50 Dermal: > 5,000 mg/kg Species: Rabbit
reaction products with 2,4,4- trimethylpentene (Component)	Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404 Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404 Remarks: Information given is based on data obtained from similar substances.
NJTS#: 46728100000-0002 - : Proprietary amine (Component)	Species: Rabbit Result: No skin irritation Method: Draize Test
reaction products with 2,4,4- trimethylpentene (Component)	Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

pentaerythritol (Component)

(Component)

Result: No eye irritation

: Species: Rabbit





ROYCO 22MS MIL-G-81827A

sion: 1.1	Revision Date: 09/15/2015	Print Date: 01/05/2016
	substances.	
NJTS#: 46728100000-0002 - Proprietary amine	: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 40	F
(Component)	Method. OECD Test Guideline 40	5
Sensitisation Benzenamine, N-phenyl-,	: Species: Guinea pig	
reaction products with 2,4,4- trimethylpentene	Classification: Did not cause sens Method: OECD Test Guideline 40	
(Component) NJTS#: 46728100000-0002 -	: Maximisation Test (GPMT)	
Proprietary amine (Component)	Species: Guinea pig Classification: May cause sensitis Result: May cause sensitisation b	
	Patch Test Species: Human	
	Classification: May cause sensitis Result: May cause sensitisation b	
Aspiration toxicity (Product)	: No aspiration toxicity classification	
CMR effects		
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component)	: Mutagenicity: Not mutagenic in A	mes lest
pentaerythritol (Component)	: Mutagenicity: In vitro tests did not Reproductive toxicity: No toxicity	
NJTS#: 46728100000-0002 - Proprietary amine (Component)	: Carcinogenicity: Animal testing di Mutagenicity: Animal testing did n on bacterial or mammalian cell cu	ot show any mutagenic effects.,
Further information (Product)	: No data is available on the produc	ct itself.
CTION 12. ECOLOGICAL INFO	RMATION	
Ecotoxicity effects		





ROYCO 22MS MIL-G-81827A

Version: 1.1

Revision Date: 09/15/2015

Print Date: 01/05/2016

Toxicity to daphnia and other aquatic invertebrates

Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component)	: EC50: 51 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202	
pentaerythritol (Component)	: EC50: 600 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea)	
NJTS#: 46728100000-0002 - Proprietary amine (Component)	: EC50: 0.68 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) semi-static test Analytical monitoring: y	/es
Toxicity to algae Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene (Component)	: EbC50: > 100 mg/l Exposure time: 72 h Species: Desmodesmus subspicatus (Method: OECD Test Guideline 201	green algae)
pentaerythritol (Component)	: EC50: > 1,000 mg/l Exposure time: 72 h Species: Algae Method: OECD Test Guideline 201	
Toxicity to bacteria NJTS#: 46728100000-0002 - Proprietary amine (Component)	Exposure time: 48 h Species: Protozoa EC50: > 10,000 mg/l Exposure time: 3 h	
Toxicity to daphnia and other a pentaerythritol (Component)	Species: Bacteria quatic invertebrates (Chronic toxicity) : NOEC: > 1,000 mg/l Exposure time: 21 d Survival Species: Daphnia magna (Water flea)	
NJTS#: 46728100000-0002 - Proprietary amine (Component)	: NOEC: 0.02 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Analytical monitoring: yes	
Elimination information (per	sistence and degradability)	
Bioaccumulation (Product)	: Remarks:	
SAP 6.0 SDS 2012-2 NA GHS	10 / 13	SDS Number: 40000001766





ROYCO 22MS MIL-G-81827A Revision Date: 09/15/2015 Print Date: 01/05/2016 Version: 1.1 No data available : Remarks: Mobility (Product) No data available **Biodegradability (Product)** : Remarks: No data available Further information on ecology **Ecotoxicology Assessment** Results of PBT assessment (Product) This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). Additional ecological : There is no data available for this product. information (Product) Harmful to aquatic life with long lasting effects. **SECTION 13. DISPOSAL CONSIDERATIONS Disposal methods**

Waste from residues : In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

ADR Not dangerous goods

RID Not dangerous goods

MERCOSUR Not dangerous goods

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods





ROYCO 22MS MIL-G-81827A

Version: 1.1

Revision Date: 09/15/2015

Print Date: 01/05/2016

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard Chronic Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313: sodium nitrite 7632-00-0
US State Regulations	
California Prop 65 Quartz (SiO2 aniline	
Quartz (SiO2 aniline	State of California to cause cancer.
Quartz (SiO2 aniline	State of California to cause cancer. 2) 14808-60-7 62-53-3
Quartz (SiO2 aniline The components of this pro	State of California to cause cancer. 14808-60-7 62-53-3 duct are reported in the following inventories:
Quartz (SiO2 aniline The components of this pro US.TSCA DSL AICS	State of California to cause cancer. 14808-60-7 62-53-3 duct are reported in the following inventories: On TSCA Inventory This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. On the inventory, or in compliance with the inventory
Quartz (SiO2 aniline The components of this pro US.TSCA DSL AICS NZIoC	State of California to cause cancer. 14808-60-7 62-53-3 duct are reported in the following inventories: On TSCA Inventory This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. On the inventory, or in compliance with the inventory Not in compliance with the inventory
Quartz (SiO2 aniline The components of this pro US.TSCA DSL AICS NZIoC ENCS	State of California to cause cancer. 14808-60-7 62-53-3 duct are reported in the following inventories: On TSCA Inventory This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. On the inventory, or in compliance with the inventory Not in compliance with the inventory On the inventory, or in compliance with the inventory
Quartz (SiO2 aniline The components of this pro US.TSCA DSL AICS NZIoC	State of California to cause cancer. 14808-60-7 62-53-3 duct are reported in the following inventories: On TSCA Inventory This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. On the inventory, or in compliance with the inventory Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number





ROYCO 22MS MIL-G-81827A

Version: 1.1

Revision Date: 09/15/2015

Print Date: 01/05/2016

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.