

Sani-Com® Towelette

Safety Data Sheet

According to Regulations (EC) No. 453/2010

MS Code: MS14 Revision: 13 Rev Date: 04/21/2015 Supersedes: 12/10/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Towellete, mixture
Product name. : Sani-Com Towelette
Product group : Trade product
Product code : LB-2031/F
Part number : SC-3205

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/preparation : Cleaning agent

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Celeste Industries Corporation 8221 Teal Drive, suite 405 Easton, Maryland 21601 (USA) Within USA: (410) 822-5775 International: 00 (1) 410-822-5775 e-mail: info@celestecorp.com

1.4. Emergency telephone number

Emergency contact number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours)

within USA and CANADA: 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Directive 67/548/EEC or 1999/45/EC

No labelling applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| U.Z. WIIATUIES | | | |
|----------------|--|---------|---|
| Name | Product identifier | % | Classification according to Directive 67/548/EEC |
| Ethanol | (CAS No.) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 | 20 - 24 | F; R11 |
| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
| Ethanol | (CAS No.) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 | 20 - 24 | Flam. Liq. 2, H225 |

EN (English)

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : If respiratory irritation occurs upon inhalation, remove to fresh air. Seek medical attention if

symptoms develop or persist.

First-aid measures after skin contact : When symptoms occur: rinse immediately with plenty of water.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes.

First-aid measures after ingestion : Seek medical attention immediately. If the person is fully conscious, make him/her drink water.

Never give an unconscious person anything to drink. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

: Intended for hand use without causing irritation but if contacts other skin areas that may become Symptoms/injuries after skin contact

irritated.

Symptoms/injuries after eye contact : May cause irritation to the eyes.

Symptoms/injuries after inhalation May cause chronic nasal passage, throat, or lung irritation if breathed over a prolonged period of

time in the form of a mist.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: : Dry chemical powder, water spray, alcohol resistant foam.

Special hazards arising from the substance or mixture

Fire hazard Contains a flammable ingrediant, however is classified a a non-flammable liquid. According to

Annex VI of Directive 67/548/EEC, a mixture having a flash point greater than 21 °C and less than 55 ℃ is classified non-flammable if the mixture could not in any way support combustion.

Advice for firefighters

Protective equipment for firefighters : Extra personal protection: complete protective clothing including self-contained breathing

apparatus.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.

For emergency responders

Protective equipment : Refer to section 8

Environmental precautions

No additional information available

Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into

container for disposal. For large spills, dike with dirt, then remove by vacuum truck for disposal.

Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

Precautions for safe handling

: Avoid contact with eyes. Avoid breathing mist or vapor . Keep away from any source of heat, Precautions for safe handling

ignition, open flame-NO SMOKING.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical measures: : Provide adequate ventilation.

Storage condition(s) : Store in dry, cool, well-ventilated area.

Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

| Ethanol (64-17-5) | | |
|-------------------|-------------|------------------------|
| Austria | MAK (mg/m³) | 1900 mg/m ³ |
| Austria | MAK (ppm) | 1000 ppm |

EN (English) 2/7

| Ethanol (64-17-5) | | |
|---|--|-----------------------------------|
| Austria | MAK Short time value (mg/m³) | 3800 mg/m³ |
| Austria | MAK Short time value (ppm) | 2000 ppm |
| Belgium | Limit value (mg/m³) | 1907 mg/m³ |
| Belgium | Limit value (ppm) | 1000 ppm |
| France | VLE (mg/m³) | 9500 mg/m ³ |
| France | VLE (ppm) | 5000 ppm |
| France | VME (mg/m³) | 1900 mg/m ³ |
| France | VME (ppm) | 1000 ppm |
| Germany | TRGS 900 Occupational exposure limit value (mg/m³) | 960 mg/m³ |
| Germany | TRGS 900 Occupational exposure limit value (ppm) | 500 ppm |
| Italy - Portugal - USA ACGIH Italy - Portugal - USA ACGIH | ACGIH TWA (mg/m³) ACGIH TWA (ppm) | 1884 mg/m³ 1000 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m3) | 1900 mg/m³ |
| USA NIOSH | | |
| | NIOSH REL (TWA) (ppm) | 1000 ppm |
| USA OSHA | OSHA PEL (TWA) (mg/m3) | 1900 mg/m³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |
| Spain | VLA-ED (mg/m³) | 1910 mg/m³ |
| Spain | VLA-ED (ppm) | 1000 ppm |
| Switzerland | VLE (mg/m³) | 1920 mg/m ³ |
| Switzerland | VLE (ppm) | 1000 ppm |
| Switzerland | VME (mg/m³) | 960 mg/m³ |
| Switzerland United Kingdom | VME (ppm) WEL TWA (mg/m³) | 500 ppm 1920 mg/m ³ |
| United Kingdom | WEL TWA (mg/m²) WEL TWA (ppm) | 1000 ppm |
| Czech Republic | Expoziční limity (PEL) (mg/m3) | 1000 mg/m³ |
| Czech Republic | Expoziční limity (PEL) (ppm) | |
| <u>'</u> | , , , , , , | 530 ppm |
| Czech Republic | Expoziční limity (NPK-P) (mg/m3) | 3000 mg/m³ |
| Czech Republic | Expoziční limity (NPK-P) (ppm) | 1590 ppm |
| Denmark | Grænseværdie (langvarig) (mg/m3) | 1900 mg/m³ |
| Denmark | Grænseværdie (langvarig) (ppm) | 1000 ppm |
| Denmark | Grænseværdie (kortvarig) (mg/m3) | 3800 mg/m ³ |
| Denmark | Grænseværdie (kortvarig) (ppm) | 2000 ppm |
| Finland | HTP-arvo (8h) (mg/m3) | 1900 mg/m ³ |
| Finland | HTP-arvo (8h) (ppm) | 1000 ppm |
| Finland | HTP-arvo (15 min) | 2500 mg/m³ |
| Finland | HTP-arvo (15 min) (ppm) | 1300 ppm |
| Hungary | AK-érték | 1900 mg/m³ |
| Hungary | CK-érték | 7600 mg/m ³ |
| Ireland | OEL (8 hours ref) (mg/m3) | 1900 mg/m ³ |
| Ireland | OEL (8 hours ref) (ppm) | 1000 ppm |
| Lithuania | IPRV (mg/m3) | 1000 mg/m ³ |
| Lithuania | IPRV (ppm) | 500 ppm |
| Lithuania | TPRV (mg/m3) | 1900 mg/m ³ |
| Lithuania | TPRV (ppm) | 1000 ppm |
| Lithuania | NRV (mg/m3) | 1900 mg/m ³ |
| Lithuania | NRV (ppm) | 1000 ppm |
| Norway | Gjennomsnittsverdier (AN) (mg/m3) | 950 mg/m³ |
| Norway | Gjennomsnittsverdier (AN) (ppm) | 500 ppm |
| Poland | NDS (mg/m3) | 1900 mg/m³ |
| Slovakia | NPHV (priemerná) (mg/m3) | 960 mg/m³ |
| Slovakia | NPHV (priemerná) (mg/m3) NPHV (priemerná) (ppm) | 500 ppm |
| | , , , , | '' |
| Slovakia | Upozornenie (SK) | krátkodobý kategória II. |
| Canada (Quebec) | VEMP (mg/m³) EN (English) | 1880 mg/m³ |

3/7 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| Ethanol (64-17-5) | | |
|-------------------|-------------|------------------------|
| Canada (Quebec) | VEMP (ppm) | 1000 ppm |
| Australia | TWA (mg/m³) | 1920 mg/m ³ |
| Australia | TWA (ppm) | 1000 ppm |

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.

Personal protective equipment : Normally not required when used as intended.

Hand protection : Product is designed for use on hands.

Eye protection : Normally not required if used as intended.

Skin and body protection : Normally not required if used as intended.

Respiratory protection : Normally not required if used as intended.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Saturated towelleteAppearance: Clear liquidColour: ColourlessOdour: Pleasant.Odour threshold: No data available

pH : No data available
Melting point : No data available
Solidification point : No data available

Boiling point : 82.2 $^{\circ}$ C Flash point : 36.1 $^{\circ}$ C

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapour pressure : No data available

Relative vapour density at 20 ℃ 2.07 0.96 g/cm³ Relative density Solubility Soluble in water Log Pow No data available Log Kow No data available Self ignition temperature No data available Decomposition temperature No data available No data available Viscosity, kinematic Viscosity, dynamic No data available Explosive properties No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents, strong reducing agents

10.6. Hazardous decomposition products

None known.

EN (English) 4/7

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Ethanol (64-17-5) | |
|--|---|
| LD50 oral rat | 10470 mg/kg |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified (according to Directive 67/548 EEC and 1999/45/EC) |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified (No classification for mutagenicity as none of the components is classified for mutagenicity) |
| Carcinogenicity | : Not classified (No classification for carcinogenicity as none of the components is classified for carcinogenicity) |
| Reproductive toxicity | : Not classified (No classification for reproduction as none of the components is toxic for reproduction) |
| Specific target organ toxicity (single exposure) | : Not classified (None of the components shows specific effects in acute toxicity studies requiring classification for Specific Target Organ Systemic Toxicity single exposure) |
| Specific target organ toxicity (repeated exposure) | : Not classified (None of the components shows specific effects in acute toxicity studies requiring classification for Specific Target Organ Systemic Toxicity repeated exposure) |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| Ethanol (64-17-5) | |
|------------------------------|-----------------------------|
| LC50 fishes | > 14200 mg/l 96 hours |
| LC50 other aquatic organisms | 5012 mg/l 48 hours- daphnia |
| EC50 Daphnia | 454 mg/l |
| NOEC (acute) | 9.6 mg/l Daphnia magna |
| ErC50 (algae) | 275 mg/l |
| ErC50 (other aquatic plants) | 4432 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

FOAMING ALCOHOL HAND SANITIZER

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international

regulations.

Waste disposal recommendations : Comply with local regulations for disposal.

SECTION 14: Transport information

In accordance with DOT/ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. Domestic (USA) DOT Shipping Regulation

This material is an aqueous solution of alcohol containing less than 24% alcohol by volume and more than 50% water. Per 49 CFR, 173. 150 (e) this solution is non-regulated for ground or water transport. Packets with an applicator containing small quantities (less than 10 mL) of this solution are considered "Solids containing flammable liquid, n. o. s.; UN3175" and are not subject to IATA DGR per Special Provision A46.

EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 453/2010

HAZMAT MARKING:

Domestic(US): n/a

14.2. UN proper shipping name

Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Transport document description : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II, (E)

14.3. Transport hazard class(es)

Class (UN) : 4.1 Hazard labels (UN) : 4.1



14.4. Packing group

Packing group (UN) : II

14.5. Environmental hazards

Other information : This material is an aqueous solution of alcohol containing less than 24% alcohol by volume and

more than 50% water.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 40
Classification code : F1

Orange plates :

40 3175

Tunnel restriction code : E
Limited quantities (ADR) : LQ08
Excepted quantities (ADR) : E2
EAC code : 1Z

14.6.2. Transport by sea

Not regulated.

14.6.3. Air transport

Not subject to IATA DGR.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH candidate substance

Other regulations, restrictions and prohibition

regulations

: Compliance with following regulations: Regulation (EC) 1907/2006 as amended. Regulation (EC) 1272/2008 as amended. Directive 1999/45/EC as amended. Directive 67/548/EEC as amended.

15.1.2. National regulations

No data available

15.2. Chemical safety assessment

CSA has not been established

SECTION 16: Other information

Sources of Key data : MSDS.

EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Abbreviations and acronyms

ACGIH (American Conference of Governement Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Flam. Lig. 3 H226

Full text of R-, H- and EUH-phrases:

| Flam. Liq. 2 | flammable liquids Category 2 |
|--------------|------------------------------------|
| Flam. Liq. 3 | flammable liquids Category 3 |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| R11 | Highly flammable |

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

I.

EN (English) 7/7