

Super D Fragrance packets

Safety Data Sheet

According to Regulations (EC) No. 453/2010 MS Code : MS46F Revision : 7 Bev Date : 04/21/2015 Supersedes : 01/02/2014

INDUSI	RIES CORFORATION an IN 00 company	MS Code : MS46F	Revision : 7	Rev Date : 04/21/2015	Supersedes : 01/02/2014		
SECT	ION 1: Identification of the	substance/mixture a	nd of the com	oanv/undertaking			
1.1.	Product identifier						
Product	form	: Mixture					
Product	name	: Super D Fragrand	e packets				
Product	group	: Trade product					
Part nu	mber	: SD-7500 series					
1.2.	Relevant identified uses of the	substance or mixture and	uses advised aga	inst			
1.2.1.	Relevant identified uses						
Use of t	he substance/preparation	: Air Freshener & De	eodorizer				
1.2.2. No data	Uses advised against available						
1.3.	Details of the supplier of the sa	fetv data sheet					
	Industries Corporation						
	eal Drive, suite 405						
Easton,	Maryland 21601 (USA)						
Within I	JSA: (410) 822-5775						
Internat	ional: 00 (1) 410-822-5775						
e-mail:	info@celestecorp.com						
1.4.	Emergency telephone number						
Emerge	ncy contact number			Fire, Exposure or Accident ca	II CHEMTREC (24 hours)		
		within USA and CA					
		Outside USA and C	Janada (conect can	accepted): 1-703-527-3883			
SECT	ION 2: Hazards identification	on					
2.1.	Classification of the substance	or mixture					
	ication according to Directive 67/5 ssified as hazardous	48/EEC or 1999/45/EC					
		and any incompation official	_				
	e physicochemical, human health ssified as dangerous for use/supply	and environmental effect	5				
2.2.	Label elements						
Labelli	ng according to Directive 67/548/E	EC or 1999/45/EC					
	king required						
2.3.	Other hazards						
	bstance/mixture does not meet the l	PBT criteria of REACH. ann	ex XIII.				
	ostance/mixture does not meet the v						
SECT	ION 3: Composition/inform	ation on ingredients					
3.1.	Substances	, second s					
Not app							
3.2.	Mixtures						
	xture does not contain any substanc	es to be mentioned accordir	ng to the criteria of	section 3.2 of REACH annex I			
	ION 4: First aid measures		5				
4.1.	Description of first aid measure	e.					
	I measures after inhalation	: breathing very high overexposure, see overcome by overe	k fresh air. Seek im exposure to vapors.	vapor may cause anesthetic e mediate medical attention if in (Overexposure is most likely t adequate ventilation).	dividual is severely		
First-aid	I measures after skin contact		•	tely with plenty of soapy water	:		
First-aid	I measures after eye contact			n water for at least 15 minutes			
First-aid	I measures after ingestion			the person is fully conscious, ything to drink. Do not induce			

Safety Data Sheet according to Regulation (EC) No. 453/2010

4.2. Most important symptoms and ef	ifects, both acute and delayed
Symptoms/injuries after inhalation	: Product has an anesthetic effect.
Symptoms/injuries after skin contact	: Intended for hand use without causing irritation.
Symptoms/injuries after eye contact	: May cause irritation to the eyes.
	ical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media:	: Dry chemical powder, water spray, alcohol resistant foam.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Slight fire hazard when exposed to high heat, flame or oxidizers.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	: Treat as chemical fire. Cool down the containers exposed to heat with a water spray. If leaking
	do not spray water onto container. Water surrounding area to contain fire.
Protective equipment for firefighters	: Wear proper protective equipment. Extra personal protection: complete protective clothing.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection as needed.
Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	· Many outsels protective elething, aloung and ave free protection
Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection. : Eliminate ignition sources. Ventilate affected area. Avoid contact with skin and eyes.
Emergency procedures	. Einfinde ignition sources. Ventilate anecieu area. Avoid contact with skin and eyes.
6.2. Environmental precautions	
No additional information available.	
6.3. Methods and material for contain	ment and cleaning up
No additional information available.	
6.4. Reference to other sections	
Refer to sections 8 and 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, inclu	
Technical measures:	: Provide adequate ventilation.
Storage condition(s)	: Store in dry, cool, well-ventilated area.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure adequate ventilation.
Personal protective equipment	: Normally not required when used as intended.
	. Hormany not required when dood do interneed.
Hand protection	: Normally not required. For repeated or prolonged contacat, wear chemical resistant gloves.
Eye protection	: Normally not required. For repeated or prolonged contacat wear protective eye ware
Skin and body protection	: Normally not required. Wear suitable protective clothing or plastic apron as needed.
Respiratory protection	: Normally not required.

Safety Data Sheet according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010				
SECTION 9: Physical and chemical	properties			
9.1. Information on basic physical and o				
Physical state	: Packet			
Appearance	: Fragrance saturated pad			
Colour	: White or slight yellow			
Odour	: Characteristic of the fragrance contained			
Odour threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: None			
Self ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: No data available			
Vapour pressure	: No data available			
Relative vapour density at 20 °C	: No data available			
Relative density	: No data available			
Solubility	: No data available			
Log Pow	: No data available			
Log Kow	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: Not explosive			
Oxidising properties	: Not oxidizing			
Explosive limits	: No data available			
9.2. Other information				
No data available				
SECTION 10: Stability and reactivity	y second s			
10.1. Reactivity				
Stable under normal conditions of use.				
10.2. Chemical stability				
Stable under normal conditions of use.				
10.3. Possibility of hazardous reactions				
None known.				
10.4. Conditions to avoid				
Heat, open flame, sparks, hot surfaces, ignition	sources, elevated temperature.			
10.5. Incompatible materials				
Strong oxidizing compounds.				
10.6. Hazardous decomposition products				
None known.				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Skin corrosion/irritation Not classified				
Serious eye damage/irritation : Not classified				
Respiratory or skin sensitisation : Not classified				
Germ cell mutagenicity : Not classified				
Carcinogenicity : Not classified				
Reproductive toxicity : Not classified				
Specific target organ toxicity (single exposure) : Not classified				
Specific target organ toxicity : Not classified				
Aspiration hazard : Not classified				

H302 H312

Safety Data Sheet according to Regulation (EC) No. 453/2010

	, ,		
SEC	FION 12: Ecological i	information	
12.1.	Toxicity		
	nificant harmful effects antio	cipated	
NU SIY		cipated.	
12.2.	Persistence and degra	adability	
No add	ditional information available	e	
12.3.	Bioaccumulative poter	ntial	
No add	ditional information available	e	
12.4.	Mobility in soil		
	ditional information available	9	
12.5.	Results of PBT and vP	PvB assessment	
Not ap	plicable		
12.6.	Other adverse effects		
NO au	ditional information available	e	
SEC	FION 13: Disposal co	onsiderations	
13.1.	Waste treatment meth		
	nal legislation (waste)	: Dispose of contents/container to comply with applicable local, national and interna	tional
59:01	.a. ogiolalion (Wable)	regulations.	
Waste	disposal recommendations	-	
SEC	FION 14: Transport ir	nformation	
	assified as dangerous for tra		
SEC	FION 15: Regulatory	information	
15.1.	Salety, nearth and env	/ironmental regulations/legislation specific for the substance or mixture	
15.1.1	. EU-Regulations		
Contai	ns no REACH candidate su	ubstance	
Other	regulations, restrictions and	d prohibition : Compliance with following regulations: Regulation (EC) 1907/2006 as amended. R	equiation (EC)
regula		1272/2008 as amended. Directive 1999/45/EC as amended. Directive 67/548/EEC	
15.1.2	. National regulations		
No dat	a available		
45.0			
15.2.	Chemical safety asses	ssment	
CSA h	as not been established		
050		mother i	
SEC	FION 16: Other inforr		
Source	es of Key data	: MSDS.	
Abbrev	viations and acronyms	: ACGIH (American Conference of Governement Industrial Hygienists). ASTM - Am	
		for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification	, Labelling and
		Packaging. CSR - Chemical Safety Report. EEC - European Economic Community	
		European Community. GHS - Globally Harmonised System. HMIS - Hazardous Ma	
		Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational S Health Administration. Overland transport (ADR). PEL- Permissible Exposure Leve	
		Registration, Evaluation, Authorisation and Restriction of Chemicals. Relati	
		Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Valu	
		Weighted Average.	
Full te	kt of R-, H- and EUH-phrase	es::	
	Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4	
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
ł	Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
	Eye Dam. 1	Serious eye damage/eye irritation Category 1	
	Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
ŀ	Flam. Liq. 3	flammable liquids Category 3	
	Skin Corr. 1B	skin corrosion/irritation Category 1B	
	Skin Irrit. 2	skin corrosion/irritation Category 2	
	Skin Sens. 1	Skin sensitisation Category 1	
		Okin Scholisation Odlegoly 1	
ł	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
-		3 ;	

Harmful in contact with skin

Safety Data Sheet according to Regulation (EC) No. 453/2010

H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R34	Causes burns
R36	Irritating to eyes
R36/37/38	Irritating to eyes, respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52	Harmful to aquatic organisms
С	Corrosive
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.