

Skykleen® 1000 Aviation Solvent

Version Revision Date: SDS Number: Date of last issue: -
1.1 04/24/2019 150000093411 Date of first issue: 09/06/2016
PRD SDSUS / Z8 / 0001

SECTION 1. IDENTIFICATION

Product name : Skykleen® 1000 Aviation Solvent
Product code : 34104-00, P3410404, P3410402, P3410401

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company
Address : 200 South Wilcox Drive
 : Kingsport TN 37660-5280
Telephone : (423) 229-2000
Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Solvent
Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Dimethyl glutarate	1119-40-0	55 - 75
Dimethyl succinate	106-65-0	15 - 35
Dimethyl adipate	627-93-0	5 - 25

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing.
 : If breathing is difficult, give oxygen.
 : Consult a physician if necessary.
In case of skin contact : Wash off with soap and water.

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

- Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.
Never give anything by mouth to an unconscious person.
Do NOT induce vomiting.
Call a physician or poison control center immediately.
- Most important symptoms and effects, both acute and delayed : This material can produce temporary blurred vision following exposure to high vapour concentrations or direct contact with eyes. The effects reported are of limited duration and do not appear to cause permanent visual impediment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : Thermal decomposition can lead to release of irritating gases and vapors.
- Hazardous combustion products : Carbon oxides
- Further information : In case of fire and/or explosion do not breathe fumes.
- Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear appropriate personal protective equipment.
Do not get in eyes.
Do not breathe vapors or spray mist.
Ensure adequate ventilation.
Material can create slippery conditions.
Local authorities should be advised if significant spillages cannot be contained.
- Environmental precautions : Avoid release to the environment.
Clear up spills immediately and dispose of waste safely.

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wear personal protective equipment.
Do not get in eyes.
Do not breathe vapors or spray mist.
Ensure adequate ventilation.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : Wear suitable gloves. When handling hot material, use heat resistant gloves.

Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Safety glasses with side-shields
Safety goggles

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	sweet
Odor Threshold	:	not determined
pH	:	not determined
Melting point/freezing point	:	-40 °F / -40 °C
Boiling point/boiling range	:	392 - 428 °F / 200 - 220 °C
Flash point	:	216 °F / 102 °C
		Method: Tag closed cup
Evaporation rate	:	not determined
Self-ignition	:	820 °F / 438 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	0.08 hPa (68 °F / 20 °C)
Relative vapor density	:	not determined
Relative density	:	1.086 (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	55 g/l (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	not determined
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	3.88 mPa,s (77 °F / 25 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not classified
Oxidizing properties	:	Not classified

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Stable

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents
Strong acids
Strong bases

Hazardous decomposition products : Carbon dioxide (CO₂)
Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 10.7 mg/l
Exposure time: 1 h
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Exposure time : 4 h
Result : slight

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Result : slight

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Skin Sensitization
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity
Result: Based on available data, the classification criteria are not met.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Information on likely routes of exposure**Product:**

Inhalation : Remarks: None known.

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Skin contact : Remarks: None known.

Eye contact : Remarks: This material can produce temporary blurred vision following exposure to high vapour concentrations or direct contact with eyes. The effects reported are of limited duration and do not appear to cause permanent visual impediment.

Ingestion : Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Product:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 136 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50:
Remarks: Not expected to be harmful to aquatic organisms.
Read-across from a similar material

Persistence and degradability**Product:**

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : No SARA Hazards**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The ingredients of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	


IECSC : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Oth-

Skykleen® 1000 Aviation Solvent

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/24/2019	150000093411	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

erwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : www.EastmanAviationSolutions.com

Revision Date : 04/24/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8